

Condition 2: All Flood Flows in Bypass

Eastside Bypass Alternative 1

Daily Average Flow (cfs) by Percent Exceedance and Month For:

Eastside Sand Slough ReturnOutflow

Alternative 1

% Exceed.	Month												Overall
	1	2	3	4	5	6	7	8	9	10	11	12	
	January	February	March	April	May	June	July	August	September	October	November	December	
99	0	0	0	0	0	0	0	0	0	0	0	0	0
97.5	0	0	0	0	0	0	0	0	0	0	0	0	0
95	0	0	0	0	0	0	0	0	0	0	0	0	0
92.5	0	0	0	0	0	0	0	0	0	0	0	0	0
90	0	0	0	0	0	0	0	0	0	0	0	0	0
85	0	0	0	0	0	0	0	0	0	0	0	0	0
80	0	0	0	0	0	0	0	0	0	0	0	0	0
75	0	0	0	0	0	0	0	0	0	0	0	0	0
70	0	0	0	0	0	0	0	0	0	0	0	0	0
65	0	0	0	0	0	0	0	0	0	0	0	0	0
60	0	0	0	0	0	0	0	0	0	0	0	0	0
55	0	0	0	0	0	0	0	0	0	0	0	0	0
50	0	0	0	0	0	0	0	0	0	0	0	0	0
45	0	74	4	0	0	0	0	0	0	0	1	0	0
40	0	184	15	0	0	0	0	0	0	0	3	0	0
35	0	335	135	0	0	0	0	0	0	0	3	0	0
30	0	527	332	0	0	0	0	0	0	0	27	0	0
25	0	738	502	0	0	0	0	0	0	0	62	0	0
20	26	973	730	75	57	198	0	0	0	0	87	0	8
15	207	1212	991	467	384	630	0	0	0	4	136	0	167
10	773	1752	1436	1234	1460	1386	275	0	0	6	201	82	622
8	986	1961	1801	2061	2452	1714	785	0	0	8	240	176	922
6	1734	2716	2743	2853	3036	2364	1224	0	0	8	309	495	1350
5	2366	3576	3405	3340	3657	3847	1441	0	0	8	417	864	1734
4	3435	4613	4398	3874	4138	4669	2001	0	0	8	604	1379	2275
3	4491	5273	5246	4357	5039	5931	3826	0	0	8	664	1972	3267
2	6076	7118	6102	5801	6124	8073	4398	0	0	8	977	2908	4645
1	12529	8359	8157	6894	7322	9243	5035	320	0	38	1884	5245	6634

Explanation: Table shows the flow that is equaled or exceeded for that percentage of days within that month for the entire run period (82 years).

Condition 2: All Flood Flows in Bypass

Reach 4b1 Alternative 2

Daily Average Flow (cfs) by Percent Exceedance and Month For:

SJR Sand Slough BifurcationOutflow1

Alternative 2

% Exceed.	Month												Overall
	1	2	3	4	5	6	7	8	9	10	11	12	
	January	February	March	April	May	June	July	August	September	October	November	December	
99	0	0	0	0	0	0	0	0	0	0	0	0	0
97.5	0	0	0	0	0	0	0	0	0	0	0	0	0
95	0	0	0	0	0	0	0	0	0	0	0	0	0
92.5	0	0	0	0	0	0	0	0	0	0	0	0	0
90	0	0	0	0	0	0	0	0	0	0	0	0	0
85	0	0	0	0	0	0	0	0	0	0	0	0	0
80	0	0	0	0	0	0	0	0	0	0	0	0	0
75	0	0	0	0	0	0	0	0	0	0	0	0	0
70	0	0	0	0	0	0	0	0	0	0	0	0	0
65	0	0	0	0	0	0	0	0	0	0	0	0	0
60	0	0	0	0	0	0	0	0	0	0	0	0	0
55	0	0	0	0	0	0	0	0	0	0	0	0	0
50	0	0	0	0	0	0	0	0	0	0	0	0	0
45	0	0	0	0	0	0	0	0	0	0	0	0	0
40	0	0	0	0	0	0	0	0	0	0	0	0	0
35	0	0	0	0	0	0	0	0	0	0	0	0	0
30	0	0	0	0	0	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0
1	0	0	0	0	0	0	0	0	0	0	0	0	0

Explanation: Table shows the flow that is equaled or exceeded for that percentage of days within that month for the entire run period (82 years).

Condition 2: All Flood Flows in Bypass

Sand Slough Alternative 2

Daily Average Flow (cfs) by Percent Exceedance and Month For:

Sand Slough BypassOutflow

Alternative 2

% Exceed.	Month												Overall
	1	2	3	4	5	6	7	8	9	10	11	12	
	January	February	March	April	May	June	July	August	September	October	November	December	
99	0	0	0	0	0	0	0	0	0	0	0	0	0
97.5	0	0	0	0	0	0	0	0	0	0	0	0	0
95	0	175	175	1	0	0	0	0	0	0	55	0	0
92.5	155	175	175	125	0	0	0	0	45	65	115	155	45
90	156	175	179	125	0	0	42	45	45	66	119	155	45
85	175	175	285	125	85	85	45	45	50	82	155	155	45
80	175	175	285	125	85	85	45	45	65	115	155	155	45
75	175	175	285	125	85	85	45	45	65	115	155	155	65
70	175	175	285	878	85	85	45	45	65	115	155	155	85
65	175	175	285	1239	85	85	45	45	65	115	155	155	85
60	175	175	296	1655	85	85	45	45	65	115	155	155	115
55	175	175	634	2022	85	85	45	45	65	115	155	155	115
50	175	175	872	2180	85	85	45	45	65	115	155	155	155
45	175	175	1126	2180	85	85	45	45	65	115	155	155	155
40	175	175	1225	2180	125	85	45	45	65	115	155	155	155
35	175	175	1225	2180	233	101	45	45	65	115	311	155	175
30	175	229	1225	2183	456	175	45	45	65	115	352	155	175
25	175	457	1225	2578	903	450	64	45	65	115	475	155	285
20	175	743	1225	3553	2112	913	85	45	65	115	475	155	485
15	175	1098	1354	3655	2957	1442	115	45	65	115	482	155	1225
10	763	1443	1781	3655	3876	2194	366	45	65	115	485	155	1880
8	1019	1856	2010	3961	4214	2782	860	45	65	115	485	155	2180
6	1718	2064	2256	4314	4260	3860	1273	45	65	115	485	158	2532
5	2208	2136	3160	4334	4294	4076	1568	45	65	115	485	452	3182
4	2873	3243	4217	4426	4317	4088	2046	45	65	115	485	955	3655
3	3826	4323	4272	4449	4346	4120	3291	47	65	115	485	1584	4052
2	4431	4403	4300	4516	4403	4258	3905	62	65	115	575	2505	4276
1	4483	4440	4366	4638	4544	4757	4103	365	65	115	1985	4347	4432

Explanation: Table shows the flow that is equaled or exceeded for that percentage of days within that month for the entire run period (82 years).

Condition 2: All Flood Flows in Bypass

Eastside Bypass Alternative 2

Daily Average Flow (cfs) by Percent Exceedance and Month For:

Eastside Sand Slough ReturnOutflow

Alternative 2

% Exceed.	Month												Overall
	1	2	3	4	5	6	7	8	9	10	11	12	
	January	February	March	April	May	June	July	August	September	October	November	December	
99	0	0	0	0	0	0	0	0	0	0	0	0	0
97.5	0	0	0	0	0	0	0	0	0	0	0	0	0
95	0	175	175	1	0	0	0	0	0	0	55	0	0
92.5	155	175	175	125	0	0	3	0	45	65	115	155	45
90	156	175	227	125	0	3	42	45	45	66	123	155	45
85	175	175	285	125	85	85	45	45	50	90	155	155	45
80	175	175	285	125	85	85	45	45	65	115	155	155	45
75	175	175	285	125	85	85	45	45	65	115	155	155	65
70	175	175	285	878	85	85	45	45	65	115	155	155	85
65	175	175	307	1257	85	85	45	45	65	115	155	155	85
60	175	175	579	1655	85	85	45	45	65	115	158	155	115
55	175	175	734	2091	85	85	45	45	65	115	180	155	123
50	175	175	1077	2180	85	85	45	45	65	115	231	155	155
45	175	245	1225	2180	85	85	45	45	65	115	305	155	155
40	175	327	1225	2180	125	85	45	45	65	115	347	155	175
35	175	503	1225	2180	233	101	45	45	65	115	394	155	175
30	175	674	1225	2267	456	175	45	45	65	115	475	155	236
25	175	902	1240	2745	903	450	64	45	65	115	478	155	375
20	203	1125	1399	3616	2112	913	85	45	65	115	485	155	671
15	382	1379	1712	3655	2957	1442	115	45	65	117	487	155	1225
10	948	1927	2167	3876	3890	2194	366	45	65	121	547	237	2043
8	1160	2136	2492	4457	4732	2782	860	45	65	123	581	331	2180
6	1909	2891	3797	5290	5846	3871	1273	45	65	123	664	650	2852
5	2541	3751	4250	6198	6373	4767	1568	45	65	123	723	1019	3553
4	3610	4788	4952	7042	7087	5525	2046	45	65	123	831	1534	3691
3	4650	5448	6195	7529	7607	6774	3871	47	65	123	999	2127	4575
2	6251	7293	6546	8009	9131	9466	4506	62	65	123	1195	3063	5957
1	12693	8534	8490	10066	10075	10536	5190	365	65	153	2270	5400	8052

Explanation: Table shows the flow that is equaled or exceeded for that percentage of days within that month for the entire run period (82 years).

Condition 2: All Flood Flows in Bypass

Reach 4b1 Alternative 3

Daily Average Flow (cfs) by Percent Exceedance and Month For:

SJR Sand Slough Bifurcation Outflow 1

Alternative 3

% Exceed.	Month												Overall
	1	2	3	4	5	6	7	8	9	10	11	12	
	January	February	March	April	May	June	July	August	September	October	November	December	
99	0	0	0	0	0	0	0	0	0	0	0	0	0
97.5	0	0	0	0	0	0	0	0	0	0	0	0	0
95	0	45	99	1	0	0	0	0	0	0	55	0	0
92.5	155	175	175	125	0	0	0	0	45	65	115	155	45
90	156	175	175	125	0	0	42	45	45	66	119	155	45
85	167	175	179	125	85	85	45	45	50	82	155	155	45
80	175	175	285	125	85	85	45	45	65	115	155	155	45
75	175	175	285	125	85	85	45	45	65	115	155	155	65
70	175	175	285	475	85	85	45	45	65	115	155	155	72
65	175	175	285	475	85	85	45	45	65	115	155	155	85
60	175	175	285	475	85	85	45	45	65	115	155	155	115
55	175	175	285	475	85	85	45	45	65	115	155	155	115
50	175	175	285	475	85	85	45	45	65	115	155	155	145
45	175	175	285	475	85	85	45	45	65	115	155	155	155
40	175	175	475	475	99	85	45	45	65	115	155	155	155
35	175	175	475	475	125	85	45	45	65	115	195	155	175
30	175	175	475	475	258	138	45	45	65	115	352	155	175
25	175	175	475	475	475	206	45	45	65	115	475	155	175
20	175	175	475	475	475	360	50	45	65	115	475	155	285
15	175	175	475	475	475	475	80	45	65	115	475	155	475
10	175	175	475	475	475	475	85	45	65	115	475	155	475
8	175	175	475	475	475	475	94	45	65	115	475	155	475
6	175	175	475	475	475	475	114	45	65	115	475	155	475
5	175	175	475	475	475	475	139	45	65	115	475	155	475
4	175	175	475	475	475	475	140	45	65	115	475	155	475
3	175	175	475	475	475	475	184	45	65	115	475	155	475
2	175	175	475	475	475	475	214	45	65	115	475	155	475
1	178	189	475	475	475	475	240	53	65	115	475	155	475

Explanation: Table shows the flow that is equaled or exceeded for that percentage of days within that month for the entire run period (82 years).

Condition 2: All Flood Flows in Bypass

Sand Slough Alternative 3

Daily Average Flow (cfs) by Percent Exceedance and Month For:

Sand Slough BypassOutflow

Alternative 3

% Exceed.	Month												Overall
	1	2	3	4	5	6	7	8	9	10	11	12	
	January	February	March	April	May	June	July	August	September	October	November	December	
99	0	0	0	0	0	0	0	0	0	0	0	0	0
97.5	0	0	0	0	0	0	0	0	0	0	0	0	0
95	0	0	0	0	0	0	0	0	0	0	0	0	0
92.5	0	0	0	0	0	0	0	0	0	0	0	0	0
90	0	0	0	0	0	0	0	0	0	0	0	0	0
85	0	0	0	0	0	0	0	0	0	0	0	0	0
80	0	0	0	0	0	0	0	0	0	0	0	0	0
75	0	0	0	0	0	0	0	0	0	0	0	0	0
70	0	0	0	410	0	0	0	0	0	0	0	0	0
65	0	0	0	764	0	0	0	0	0	0	0	0	0
60	0	0	18	1180	0	0	0	0	0	0	0	0	0
55	0	0	228	1547	0	0	0	0	0	0	0	0	0
50	0	0	588	1705	0	0	0	0	0	0	0	0	0
45	0	0	750	1705	0	0	0	0	0	0	0	0	0
40	0	0	750	1705	0	0	0	0	0	0	0	0	0
35	0	0	750	1705	0	0	0	0	0	0	0	0	0
30	0	56	750	1708	146	0	0	0	0	0	0	0	0
25	0	292	750	2103	520	159	0	0	0	0	0	0	0
20	0	587	750	3078	1674	575	0	0	0	0	0	0	166
15	0	924	1035	3180	2486	1029	0	0	0	0	7	0	750
10	591	1342	1351	3180	3401	1765	275	0	0	0	10	0	1547
8	844	1681	1603	3486	3739	2356	785	0	0	0	10	0	1705
6	1543	1889	1971	3839	3785	3385	1224	0	0	0	10	0	2161
5	2033	1961	2712	3859	3819	3603	1441	0	0	0	10	297	2779
4	2705	3068	3787	3951	3842	3615	2001	0	0	0	10	800	3180
3	3651	4148	3910	3974	3871	3655	3246	0	0	0	10	1429	3612
2	4256	4228	3985	4041	3928	3819	3797	0	0	0	346	2350	3848
1	4309	4265	4062	4163	4069	4282	4054	320	0	0	1765	4192	4064

Explanation: Table shows the flow that is equaled or exceeded for that percentage of days within that month for the entire run period (82 years).

Condition 2: All Flood Flows in Bypass

Eastside Bypass Alternative 3

Daily Average Flow (cfs) by Percent Exceedance and Month For:

Eastside Sand Slough ReturnOutflow

Alternative 3

% Exceed.	Month												Overall
	1	2	3	4	5	6	7	8	9	10	11	12	
	January	February	March	April	May	June	July	August	September	October	November	December	
99	0	0	0	0	0	0	0	0	0	0	0	0	0
97.5	0	0	0	0	0	0	0	0	0	0	0	0	0
95	0	0	0	0	0	0	0	0	0	0	0	0	0
92.5	0	0	0	0	0	0	0	0	0	0	0	0	0
90	0	0	0	0	0	0	0	0	0	0	0	0	0
85	0	0	0	0	0	0	0	0	0	0	0	0	0
80	0	0	0	0	0	0	0	0	0	0	0	0	0
75	0	0	0	0	0	0	0	0	0	0	0	0	0
70	0	0	0	410	0	0	0	0	0	0	0	0	0
65	0	0	62	782	0	0	0	0	0	0	0	0	0
60	0	0	213	1180	0	0	0	0	0	0	0	0	0
55	0	0	475	1616	0	0	0	0	0	0	0	0	0
50	0	0	701	1705	0	0	0	0	0	0	3	0	0
45	0	74	750	1705	0	0	0	0	0	0	3	0	0
40	0	184	750	1705	0	0	0	0	0	0	10	0	0
35	0	335	750	1705	0	0	0	0	0	0	10	0	0
30	0	527	750	1792	146	0	0	0	0	0	29	0	3
25	0	738	828	2270	520	159	0	0	0	0	69	0	80
20	26	973	1064	3141	1674	575	0	0	0	0	89	0	417
15	207	1212	1298	3180	2486	1029	0	0	0	4	137	0	798
10	773	1752	1713	3401	3415	1765	275	0	0	6	201	82	1693
8	986	1961	2164	3982	4257	2356	785	0	0	8	240	176	1735
6	1734	2716	3369	4815	5371	3396	1224	0	0	8	309	495	2464
5	2366	3576	3950	5723	5898	4389	1441	0	0	8	417	864	3095
4	3435	4613	4643	6567	6612	5058	2001	0	0	8	607	1379	3301
3	4491	5273	5858	7054	7132	6358	3826	0	0	8	664	1972	4230
2	6076	7118	6201	7534	8656	8991	4398	0	0	8	977	2908	5645
1	12529	8359	8205	9591	9600	10061	5035	320	0	38	1890	5245	7634

Explanation: Table shows the flow that is equaled or exceeded for that percentage of days within that month for the entire run period (82 years).

Condition 2: All Flood Flows in Bypass

Reach 4b1 Alternative 4

Daily Average Flow (cfs) by Percent Exceedance and Month For: SJR Sand Slough BifurcationOutflow1 Alternative 4

% Exceed.	Month												Overall
	1	2	3	4	5	6	7	8	9	10	11	12	
	January	February	March	April	May	June	July	August	September	October	November	December	
99	0	0	0	0	0	0	0	0	0	0	0	0	0
97.5	0	0	0	0	0	0	0	0	0	0	0	0	0
95	0	45	99	1	0	0	0	0	0	0	55	0	0
92.5	155	175	175	125	0	0	0	0	45	65	115	155	45
90	156	175	175	125	0	0	42	45	45	66	119	155	45
85	167	175	179	125	85	85	45	45	50	82	155	155	45
80	175	175	285	125	85	85	45	45	65	115	155	155	45
75	175	175	285	125	85	85	45	45	65	115	155	155	65
70	175	175	285	878	85	85	45	45	65	115	155	155	72
65	175	175	285	1225	85	85	45	45	65	115	155	155	85
60	175	175	285	1264	85	85	45	45	65	115	155	155	115
55	175	175	285	1500	85	85	45	45	65	115	155	155	115
50	175	175	285	1500	85	85	45	45	65	115	155	155	145
45	175	175	285	1500	85	85	45	45	65	115	155	155	155
40	175	175	671	1500	99	85	45	45	65	115	155	155	155
35	175	175	1225	1500	125	85	45	45	65	115	195	155	175
30	175	175	1225	1500	258	138	45	45	65	115	352	155	175
25	175	175	1225	1500	583	206	45	45	65	115	475	155	175
20	175	175	1225	1500	1500	360	50	45	65	115	475	155	285
15	175	175	1225	1500	1500	615	80	45	65	115	482	155	475
10	175	175	1225	1500	1500	1019	85	45	65	115	485	155	1225
8	175	175	1225	1500	1500	1175	94	45	65	115	485	155	1225
6	175	175	1225	1500	1500	1331	114	45	65	115	485	155	1500
5	175	175	1225	1500	1500	1400	139	45	65	115	485	155	1500
4	175	175	1225	1500	1500	1491	140	45	65	115	485	155	1500
3	175	175	1225	1500	1500	1500	184	45	65	115	485	155	1500
2	175	175	1225	1500	1500	1500	214	45	65	115	485	155	1500
1	178	189	1225	1500	1500	1500	240	53	65	115	485	155	1500

Explanation: Table shows the flow that is equaled or exceeded for that percentage of days within that month for the entire run period (82 years).

Condition 2: All Flood Flows in Bypass

Sand Slough Alternative 4

Daily Average Flow (cfs) by Percent Exceedance and Month For:

Sand Slough Bypass Outflow

Alternative 4

% Exceed.	Month												Overall
	1	2	3	4	5	6	7	8	9	10	11	12	
	January	February	March	April	May	June	July	August	September	October	November	December	
99	0	0	0	0	0	0	0	0	0	0	0	0	0
97.5	0	0	0	0	0	0	0	0	0	0	0	0	0
95	0	0	0	0	0	0	0	0	0	0	0	0	0
92.5	0	0	0	0	0	0	0	0	0	0	0	0	0
90	0	0	0	0	0	0	0	0	0	0	0	0	0
85	0	0	0	0	0	0	0	0	0	0	0	0	0
80	0	0	0	0	0	0	0	0	0	0	0	0	0
75	0	0	0	0	0	0	0	0	0	0	0	0	0
70	0	0	0	0	0	0	0	0	0	0	0	0	0
65	0	0	0	0	0	0	0	0	0	0	0	0	0
60	0	0	0	155	0	0	0	0	0	0	0	0	0
55	0	0	0	592	0	0	0	0	0	0	0	0	0
50	0	0	0	680	0	0	0	0	0	0	0	0	0
45	0	0	0	680	0	0	0	0	0	0	0	0	0
40	0	0	0	680	0	0	0	0	0	0	0	0	0
35	0	0	0	680	0	0	0	0	0	0	0	0	0
30	0	56	0	683	0	0	0	0	0	0	0	0	0
25	0	292	209	1145	274	0	0	0	0	0	0	0	0
20	0	587	482	2065	866	217	0	0	0	0	0	0	0
15	0	924	684	2155	1552	630	0	0	0	0	0	0	289
10	591	1342	1022	2155	2436	1386	275	0	0	0	0	0	732
8	844	1681	1219	2464	2714	1722	785	0	0	0	0	0	1097
6	1543	1889	1668	2825	2760	2481	1224	0	0	0	0	0	1707
5	2033	1961	2194	2869	2794	2698	1441	0	0	0	0	297	2090
4	2705	3068	3046	2942	2817	3060	2001	0	0	0	0	800	2171
3	3651	4148	3228	2978	2846	3281	3246	0	0	0	0	1429	2759
2	4256	4228	3980	3023	2903	3512	3797	0	0	0	338	2350	3035
1	4309	4265	4062	3216	3044	3752	4054	320	0	0	1765	4192	3957

Explanation: Table shows the flow that is equaled or exceeded for that percentage of days within that month for the entire run period (82 years).

Condition 2: All Flood Flows in Bypass

Eastside Bypass Alternative 4

Daily Average Flow (cfs) by Percent Exceedance and Month For:

Eastside Sand Slough ReturnOutflow

Alternative 4

% Exceed.	Month												Overall
	1	2	3	4	5	6	7	8	9	10	11	12	
	January	February	March	April	May	June	July	August	September	October	November	December	
99	0	0	0	0	0	0	0	0	0	0	0	0	0
97.5	0	0	0	0	0	0	0	0	0	0	0	0	0
95	0	0	0	0	0	0	0	0	0	0	0	0	0
92.5	0	0	0	0	0	0	0	0	0	0	0	0	0
90	0	0	0	0	0	0	0	0	0	0	0	0	0
85	0	0	0	0	0	0	0	0	0	0	0	0	0
80	0	0	0	0	0	0	0	0	0	0	0	0	0
75	0	0	0	0	0	0	0	0	0	0	0	0	0
70	0	0	0	0	0	0	0	0	0	0	0	0	0
65	0	0	0	0	0	0	0	0	0	0	0	0	0
60	0	0	0	166	0	0	0	0	0	0	0	0	0
55	0	0	0	646	0	0	0	0	0	0	0	0	0
50	0	0	0	680	0	0	0	0	0	0	0	0	0
45	0	74	4	680	0	0	0	0	0	0	1	0	0
40	0	184	15	680	0	0	0	0	0	0	3	0	0
35	0	335	135	680	0	0	0	0	0	0	3	0	0
30	0	527	332	767	0	0	0	0	0	0	27	0	0
25	0	738	502	1267	274	0	0	0	0	0	62	0	4
20	26	973	730	2129	866	217	0	0	0	0	87	0	128
15	207	1212	991	2155	1555	630	0	0	0	4	136	0	532
10	773	1752	1436	2389	2465	1386	275	0	0	6	201	82	925
8	986	1961	1801	2978	3232	1722	785	0	0	8	240	176	1285
6	1734	2716	2743	3798	4346	2484	1224	0	0	8	309	495	1919
5	2366	3576	3405	4959	4873	3893	1441	0	0	8	417	864	2155
4	3435	4613	4398	5553	5587	4702	2001	0	0	8	604	1379	2592
3	4491	5273	5246	6029	6107	5931	3826	0	0	8	664	1972	3766
2	6076	7118	6102	6509	7631	8211	4398	0	0	8	977	2908	5208
1	12529	8359	8157	8566	8575	9243	5035	320	0	38	1884	5245	7191

Explanation: Table shows the flow that is equaled or exceeded for that percentage of days within that month for the entire run period (82 years).