

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	4	11	10	12.92
SJRGPF-Outlet	2013	4	11	9	12.847
SJRGPF-Outlet	2013	4	11	8	12.799
SJRGPF-Outlet	2013	4	11	7	12.847
SJRGPF-Outlet	2013	4	11	6	12.896
SJRGPF-Outlet	2013	4	11	5	12.968
SJRGPF-Outlet	2013	4	11	4	13.016
SJRGPF-Outlet	2013	4	11	3	13.04
SJRGPF-Outlet	2013	4	11	2	13.112
SJRGPF-Outlet	2013	4	11	1	13.161
SJRGPF-Outlet	2013	4	11	0	13.209
SJRGPF-Outlet	2013	4	10	23	13.233
SJRGPF-Outlet	2013	4	10	22	13.281
SJRGPF-Outlet	2013	4	10	21	13.329
SJRGPF-Outlet	2013	4	10	20	13.329
SJRGPF-Outlet	2013	4	10	19	13.401
SJRGPF-Outlet	2013	4	10	18	13.353
SJRGPF-Outlet	2013	4	10	17	13.305
SJRGPF-Outlet	2013	4	10	16	13.137
SJRGPF-Outlet	2013	4	10	15	13.064
SJRGPF-Outlet	2013	4	10	14	12.847
SJRGPF-Outlet	2013	4	10	13	12.678
SJRGPF-Outlet	2013	4	10	12	12.437
SJRGPF-Outlet	2013	4	10	11	12.268
SJRGPF-Outlet	2013	4	10	10	12.147
SJRGPF-Outlet	2013	4	10	9	12.025
SJRGPF-Outlet	2013	4	10	8	12.001
SJRGPF-Outlet	2013	4	10	7	12.001
SJRGPF-Outlet	2013	4	10	6	12.098
SJRGPF-Outlet	2013	4	10	5	12.122
SJRGPF-Outlet	2013	4	10	4	12.171
SJRGPF-Outlet	2013	4	10	3	12.195
SJRGPF-Outlet	2013	4	10	2	12.243
SJRGPF-Outlet	2013	4	10	1	12.292
SJRGPF-Outlet	2013	4	10	0	12.316
SJRGPF-Outlet	2013	4	9	23	12.316
SJRGPF-Outlet	2013	4	9	22	12.34
SJRGPF-Outlet	2013	4	9	21	12.34
SJRGPF-Outlet	2013	4	9	20	12.389
SJRGPF-Outlet	2013	4	9	19	12.413
SJRGPF-Outlet	2013	4	9	18	12.413
SJRGPF-Outlet	2013	4	9	17	12.389
SJRGPF-Outlet	2013	4	9	16	12.389
SJRGPF-Outlet	2013	4	9	15	12.147

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	4	9	14	12.001
SJRGPF-Outlet	2013	4	9	13	11.734
SJRGPF-Outlet	2013	4	9	12	11.565
SJRGPF-Outlet	2013	4	9	11	11.443
SJRGPF-Outlet	2013	4	9	10	11.321
SJRGPF-Outlet	2013	4	9	9	11.346
SJRGPF-Outlet	2013	4	9	8	11.321
SJRGPF-Outlet	2013	4	9	7	11.443
SJRGPF-Outlet	2013	4	9	6	11.516
SJRGPF-Outlet	2013	4	9	5	11.71
SJRGPF-Outlet	2013	4	9	4	11.759
SJRGPF-Outlet	2013	4	9	3	11.856
SJRGPF-Outlet	2013	4	9	2	11.953
SJRGPF-Outlet	2013	4	9	1	12.025
SJRGPF-Outlet	2013	4	9	0	12.171
SJRGPF-Outlet	2013	4	8	23	12.34
SJRGPF-Outlet	2013	4	8	22	12.316
SJRGPF-Outlet	2013	4	8	21	12.364
SJRGPF-Outlet	2013	4	8	20	12.461
SJRGPF-Outlet	2013	4	8	19	12.654
SJRGPF-Outlet	2013	4	8	18	12.775
SJRGPF-Outlet	2013	4	8	17	12.799
SJRGPF-Outlet	2013	4	8	16	12.775
SJRGPF-Outlet	2013	4	8	15	12.823
SJRGPF-Outlet	2013	4	8	14	12.751
SJRGPF-Outlet	2013	4	8	13	12.727
SJRGPF-Outlet	2013	4	8	12	12.63
SJRGPF-Outlet	2013	4	8	11	12.582
SJRGPF-Outlet	2013	4	8	10	12.606
SJRGPF-Outlet	2013	4	8	9	12.727
SJRGPF-Outlet	2013	4	8	8	12.751
SJRGPF-Outlet	2013	4	8	7	12.775
SJRGPF-Outlet	2013	4	8	6	12.871
SJRGPF-Outlet	2013	4	8	5	13.04
SJRGPF-Outlet	2013	4	8	4	13.112
SJRGPF-Outlet	2013	4	8	3	13.209
SJRGPF-Outlet	2013	4	8	2	13.281
SJRGPF-Outlet	2013	4	8	1	13.329
SJRGPF-Outlet	2013	4	8	0	13.425
SJRGPF-Outlet	2013	4	7	23	13.473
SJRGPF-Outlet	2013	4	7	22	13.546
SJRGPF-Outlet	2013	4	7	21	13.642
SJRGPF-Outlet	2013	4	7	20	13.642
SJRGPF-Outlet	2013	4	7	19	13.714

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	4	7	18	13.834
SJRGPF-Outlet	2013	4	7	17	13.738
SJRGPF-Outlet	2013	4	7	16	13.594
SJRGPF-Outlet	2013	4	7	15	13.497
SJRGPF-Outlet	2013	4	7	14	13.425
SJRGPF-Outlet	2013	4	7	13	13.257
SJRGPF-Outlet	2013	4	7	12	13.04
SJRGPF-Outlet	2013	4	7	11	12.896
SJRGPF-Outlet	2013	4	7	10	12.799
SJRGPF-Outlet	2013	4	7	9	12.703
SJRGPF-Outlet	2013	4	7	8	12.703
SJRGPF-Outlet	2013	4	7	7	12.751
SJRGPF-Outlet	2013	4	7	6	12.847
SJRGPF-Outlet	2013	4	7	5	12.871
SJRGPF-Outlet	2013	4	7	4	12.92
SJRGPF-Outlet	2013	4	7	3	12.968
SJRGPF-Outlet	2013	4	7	2	12.992
SJRGPF-Outlet	2013	4	7	1	13.04
SJRGPF-Outlet	2013	4	7	0	13.088
SJRGPF-Outlet	2013	4	6	23	13.088
SJRGPF-Outlet	2013	4	6	22	13.137
SJRGPF-Outlet	2013	4	6	21	13.185
SJRGPF-Outlet	2013	4	6	20	13.233
SJRGPF-Outlet	2013	4	6	19	13.281
SJRGPF-Outlet	2013	4	6	18	13.281
SJRGPF-Outlet	2013	4	6	17	13.233
SJRGPF-Outlet	2013	4	6	16	13.185
SJRGPF-Outlet	2013	4	6	15	13.04
SJRGPF-Outlet	2013	4	6	14	12.92
SJRGPF-Outlet	2013	4	6	13	12.703
SJRGPF-Outlet	2013	4	6	12	12.558
SJRGPF-Outlet	2013	4	6	11	12.413
SJRGPF-Outlet	2013	4	6	10	12.364
SJRGPF-Outlet	2013	4	6	9	12.316
SJRGPF-Outlet	2013	4	6	8	12.316
SJRGPF-Outlet	2013	4	6	7	12.413
SJRGPF-Outlet	2013	4	6	6	12.509
SJRGPF-Outlet	2013	4	6	5	12.558
SJRGPF-Outlet	2013	4	6	4	12.654
SJRGPF-Outlet	2013	4	6	3	12.703
SJRGPF-Outlet	2013	4	6	2	12.799
SJRGPF-Outlet	2013	4	6	1	12.896
SJRGPF-Outlet	2013	4	6	0	12.944
SJRGPF-Outlet	2013	4	5	23	13.016

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	4	5	22	13.088
SJRGPF-Outlet	2013	4	5	21	13.185
SJRGPF-Outlet	2013	4	5	20	13.185
SJRGPF-Outlet	2013	4	5	19	13.281
SJRGPF-Outlet	2013	4	5	18	13.281
SJRGPF-Outlet	2013	4	5	17	13.329
SJRGPF-Outlet	2013	4	5	16	13.329
SJRGPF-Outlet	2013	4	5	15	13.233
SJRGPF-Outlet	2013	4	5	14	13.112
SJRGPF-Outlet	2013	4	5	13	13.016
SJRGPF-Outlet	2013	4	5	12	12.944
SJRGPF-Outlet	2013	4	5	11	12.847
SJRGPF-Outlet	2013	4	5	10	12.871
SJRGPF-Outlet	2013	4	5	9	12.799
SJRGPF-Outlet	2013	4	5	8	12.751
SJRGPF-Outlet	2013	4	5	7	12.92
SJRGPF-Outlet	2013	4	5	6	12.968
SJRGPF-Outlet	2013	4	5	5	13.064
SJRGPF-Outlet	2013	4	5	4	13.209
SJRGPF-Outlet	2013	4	5	3	13.281
SJRGPF-Outlet	2013	4	5	2	13.353
SJRGPF-Outlet	2013	4	5	1	13.473
SJRGPF-Outlet	2013	4	5	0	13.57
SJRGPF-Outlet	2013	4	4	23	13.618
SJRGPF-Outlet	2013	4	4	22	13.642
SJRGPF-Outlet	2013	4	4	21	13.738
SJRGPF-Outlet	2013	4	4	20	13.858
SJRGPF-Outlet	2013	4	4	19	13.93
SJRGPF-Outlet	2013	4	4	18	14.002
SJRGPF-Outlet	2013	4	4	17	14.002
SJRGPF-Outlet	2013	4	4	16	13.786
SJRGPF-Outlet	2013	4	4	15	13.69
SJRGPF-Outlet	2013	4	4	14	13.473
SJRGPF-Outlet	2013	4	4	13	13.353
SJRGPF-Outlet	2013	4	4	12	13.281
SJRGPF-Outlet	2013	4	4	11	13.233
SJRGPF-Outlet	2013	4	4	10	13.329
SJRGPF-Outlet	2013	4	4	9	13.305
SJRGPF-Outlet	2013	4	4	8	13.401
SJRGPF-Outlet	2013	4	4	7	13.425
SJRGPF-Outlet	2013	4	4	6	13.522
SJRGPF-Outlet	2013	4	4	5	13.57
SJRGPF-Outlet	2013	4	4	4	13.618
SJRGPF-Outlet	2013	4	4	3	13.666

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	4	4	2	13.762
SJRGPF-Outlet	2013	4	4	1	13.81
SJRGPF-Outlet	2013	4	4	0	13.858
SJRGPF-Outlet	2013	4	3	23	13.882
SJRGPF-Outlet	2013	4	3	22	14.002
SJRGPF-Outlet	2013	4	3	21	14.002
SJRGPF-Outlet	2013	4	3	20	14.05
SJRGPF-Outlet	2013	4	3	19	14.074
SJRGPF-Outlet	2013	4	3	18	14.098
SJRGPF-Outlet	2013	4	3	17	14.05
SJRGPF-Outlet	2013	4	3	16	13.954
SJRGPF-Outlet	2013	4	3	15	13.714
SJRGPF-Outlet	2013	4	3	14	13.618
SJRGPF-Outlet	2013	4	3	13	13.425
SJRGPF-Outlet	2013	4	3	12	13.281
SJRGPF-Outlet	2013	4	3	11	13.209
SJRGPF-Outlet	2013	4	3	10	13.088
SJRGPF-Outlet	2013	4	3	9	12.992
SJRGPF-Outlet	2013	4	3	8	12.992
SJRGPF-Outlet	2013	4	3	7	13.088
SJRGPF-Outlet	2013	4	3	6	13.209
SJRGPF-Outlet	2013	4	3	5	13.257
SJRGPF-Outlet	2013	4	3	4	13.329
SJRGPF-Outlet	2013	4	3	3	13.401
SJRGPF-Outlet	2013	4	3	2	13.473
SJRGPF-Outlet	2013	4	3	1	13.522
SJRGPF-Outlet	2013	4	3	0	13.642
SJRGPF-Outlet	2013	4	2	23	13.69
SJRGPF-Outlet	2013	4	2	22	13.762
SJRGPF-Outlet	2013	4	2	21	13.786
SJRGPF-Outlet	2013	4	2	20	13.858
SJRGPF-Outlet	2013	4	2	19	13.93
SJRGPF-Outlet	2013	4	2	18	13.954
SJRGPF-Outlet	2013	4	2	17	13.954
SJRGPF-Outlet	2013	4	2	16	13.978
SJRGPF-Outlet	2013	4	2	15	13.858
SJRGPF-Outlet	2013	4	2	14	13.714
SJRGPF-Outlet	2013	4	2	13	13.522
SJRGPF-Outlet	2013	4	2	12	13.305
SJRGPF-Outlet	2013	4	2	11	13.137
SJRGPF-Outlet	2013	4	2	10	13.088
SJRGPF-Outlet	2013	4	2	9	13.04
SJRGPF-Outlet	2013	4	2	8	13.064
SJRGPF-Outlet	2013	4	2	7	13.161

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	4	2	6	13.305
SJRGPF-Outlet	2013	4	2	5	13.329
SJRGPF-Outlet	2013	4	2	4	13.401
SJRGPF-Outlet	2013	4	2	3	13.473
SJRGPF-Outlet	2013	4	2	2	13.546
SJRGPF-Outlet	2013	4	2	1	13.642
SJRGPF-Outlet	2013	4	2	0	13.69
SJRGPF-Outlet	2013	4	1	23	13.762
SJRGPF-Outlet	2013	4	1	22	13.858
SJRGPF-Outlet	2013	4	1	21	13.906
SJRGPF-Outlet	2013	4	1	20	13.954
SJRGPF-Outlet	2013	4	1	19	14.05
SJRGPF-Outlet	2013	4	1	18	14.17
SJRGPF-Outlet	2013	4	1	17	14.05
SJRGPF-Outlet	2013	4	1	16	14.074
SJRGPF-Outlet	2013	4	1	15	14.002
SJRGPF-Outlet	2013	4	1	14	13.69
SJRGPF-Outlet	2013	4	1	13	13.522
SJRGPF-Outlet	2013	4	1	12	13.377
SJRGPF-Outlet	2013	4	1	11	13.257
SJRGPF-Outlet	2013	4	1	10	13.233
SJRGPF-Outlet	2013	4	1	9	13.137
SJRGPF-Outlet	2013	4	1	8	13.209
SJRGPF-Outlet	2013	4	1	7	13.281
SJRGPF-Outlet	2013	4	1	6	13.353
SJRGPF-Outlet	2013	4	1	5	13.449
SJRGPF-Outlet	2013	4	1	4	13.497
SJRGPF-Outlet	2013	4	1	3	13.57
SJRGPF-Outlet	2013	4	1	2	13.714
SJRGPF-Outlet	2013	4	1	1	13.786
SJRGPF-Outlet	2013	4	1	0	13.906
SJRGPF-Outlet	2013	3	31	23	13.978
SJRGPF-Outlet	2013	3	31	22	14.122
SJRGPF-Outlet	2013	3	31	21	14.218
SJRGPF-Outlet	2013	3	31	20	14.337
SJRGPF-Outlet	2013	3	31	19	14.385
SJRGPF-Outlet	2013	3	31	18	14.361
SJRGPF-Outlet	2013	3	31	17	14.337
SJRGPF-Outlet	2013	3	31	16	14.242
SJRGPF-Outlet	2013	3	31	15	14.098
SJRGPF-Outlet	2013	3	31	14	14.002
SJRGPF-Outlet	2013	3	31	13	13.858
SJRGPF-Outlet	2013	3	31	12	13.786
SJRGPF-Outlet	2013	3	31	11	13.57

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	3	31	10	13.497
SJRGPF-Outlet	2013	3	31	9	13.473
SJRGPF-Outlet	2013	3	31	8	13.473
SJRGPF-Outlet	2013	3	31	7	13.522
SJRGPF-Outlet	2013	3	31	6	13.594
SJRGPF-Outlet	2013	3	31	5	13.642
SJRGPF-Outlet	2013	3	31	4	13.666
SJRGPF-Outlet	2013	3	31	3	13.714
SJRGPF-Outlet	2013	3	31	2	13.786
SJRGPF-Outlet	2013	3	31	1	13.834
SJRGPF-Outlet	2013	3	31	0	13.834
SJRGPF-Outlet	2013	3	30	23	13.906
SJRGPF-Outlet	2013	3	30	22	13.978
SJRGPF-Outlet	2013	3	30	21	14.002
SJRGPF-Outlet	2013	3	30	20	14.002
SJRGPF-Outlet	2013	3	30	19	14.05
SJRGPF-Outlet	2013	3	30	18	14.05
SJRGPF-Outlet	2013	3	30	17	13.954
SJRGPF-Outlet	2013	3	30	16	13.858
SJRGPF-Outlet	2013	3	30	15	13.69
SJRGPF-Outlet	2013	3	30	14	13.497
SJRGPF-Outlet	2013	3	30	13	13.497
SJRGPF-Outlet	2013	3	30	12	13.112
SJRGPF-Outlet	2013	3	30	11	12.968
SJRGPF-Outlet	2013	3	30	10	12.847
SJRGPF-Outlet	2013	3	30	9	12.799
SJRGPF-Outlet	2013	3	30	8	12.775
SJRGPF-Outlet	2013	3	30	7	12.799
SJRGPF-Outlet	2013	3	30	6	12.871
SJRGPF-Outlet	2013	3	30	5	12.896
SJRGPF-Outlet	2013	3	30	4	12.944
SJRGPF-Outlet	2013	3	30	3	12.968
SJRGPF-Outlet	2013	3	30	2	12.992
SJRGPF-Outlet	2013	3	30	1	13.04
SJRGPF-Outlet	2013	3	30	0	13.064
SJRGPF-Outlet	2013	3	29	23	13.112
SJRGPF-Outlet	2013	3	29	22	13.137
SJRGPF-Outlet	2013	3	29	21	13.137
SJRGPF-Outlet	2013	3	29	20	13.161
SJRGPF-Outlet	2013	3	29	19	13.209
SJRGPF-Outlet	2013	3	29	18	13.185
SJRGPF-Outlet	2013	3	29	17	13.088
SJRGPF-Outlet	2013	3	29	16	13.185
SJRGPF-Outlet	2013	3	29	15	13.064

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	3	29	14	12.968
SJRGPF-Outlet	2013	3	29	13	12.534
SJRGPF-Outlet	2013	3	29	12	12.34
SJRGPF-Outlet	2013	3	29	11	12.195
SJRGPF-Outlet	2013	3	29	10	12.171
SJRGPF-Outlet	2013	3	29	9	12.098
SJRGPF-Outlet	2013	3	29	8	12.122
SJRGPF-Outlet	2013	3	29	7	12.243
SJRGPF-Outlet	2013	3	29	6	12.292
SJRGPF-Outlet	2013	3	29	5	12.364
SJRGPF-Outlet	2013	3	29	4	12.413
SJRGPF-Outlet	2013	3	29	3	12.485
SJRGPF-Outlet	2013	3	29	2	12.606
SJRGPF-Outlet	2013	3	29	1	12.654
SJRGPF-Outlet	2013	3	29	0	12.775
SJRGPF-Outlet	2013	3	28	23	12.823
SJRGPF-Outlet	2013	3	28	22	12.871
SJRGPF-Outlet	2013	3	28	21	12.968
SJRGPF-Outlet	2013	3	28	20	13.016
SJRGPF-Outlet	2013	3	28	19	13.088
SJRGPF-Outlet	2013	3	28	18	13.064
SJRGPF-Outlet	2013	3	28	17	12.968
SJRGPF-Outlet	2013	3	28	16	12.92
SJRGPF-Outlet	2013	3	28	15	12.92
SJRGPF-Outlet	2013	3	28	14	12.896
SJRGPF-Outlet	2013	3	28	13	12.799
SJRGPF-Outlet	2013	3	28	12	12.654
SJRGPF-Outlet	2013	3	28	11	12.558
SJRGPF-Outlet	2013	3	28	10	12.437
SJRGPF-Outlet	2013	3	28	9	12.389
SJRGPF-Outlet	2013	3	28	8	12.364
SJRGPF-Outlet	2013	3	28	7	12.413
SJRGPF-Outlet	2013	3	28	6	12.461
SJRGPF-Outlet	2013	3	28	5	12.485
SJRGPF-Outlet	2013	3	28	4	12.509
SJRGPF-Outlet	2013	3	28	3	12.582
SJRGPF-Outlet	2013	3	28	2	12.63
SJRGPF-Outlet	2013	3	28	1	12.678
SJRGPF-Outlet	2013	3	28	0	12.727
SJRGPF-Outlet	2013	3	27	23	12.727
SJRGPF-Outlet	2013	3	27	22	12.775
SJRGPF-Outlet	2013	3	27	21	12.823
SJRGPF-Outlet	2013	3	27	20	12.896
SJRGPF-Outlet	2013	3	27	19	12.944

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	3	27	18	12.992
SJRGPF-Outlet	2013	3	27	17	12.92
SJRGPF-Outlet	2013	3	27	16	12.823
SJRGPF-Outlet	2013	3	27	15	12.751
SJRGPF-Outlet	2013	3	27	14	12.606
SJRGPF-Outlet	2013	3	27	13	12.534
SJRGPF-Outlet	2013	3	27	12	12.437
SJRGPF-Outlet	2013	3	27	11	12.316
SJRGPF-Outlet	2013	3	27	10	12.243
SJRGPF-Outlet	2013	3	27	9	12.195
SJRGPF-Outlet	2013	3	27	8	12.219
SJRGPF-Outlet	2013	3	27	7	12.268
SJRGPF-Outlet	2013	3	27	6	12.316
SJRGPF-Outlet	2013	3	27	5	12.364
SJRGPF-Outlet	2013	3	27	4	12.461
SJRGPF-Outlet	2013	3	27	3	12.509
SJRGPF-Outlet	2013	3	27	2	12.558
SJRGPF-Outlet	2013	3	27	1	12.63
SJRGPF-Outlet	2013	3	27	0	12.678
SJRGPF-Outlet	2013	3	26	23	12.703
SJRGPF-Outlet	2013	3	26	22	12.751
SJRGPF-Outlet	2013	3	26	21	12.799
SJRGPF-Outlet	2013	3	26	20	12.823
SJRGPF-Outlet	2013	3	26	19	12.847
SJRGPF-Outlet	2013	3	26	18	12.871
SJRGPF-Outlet	2013	3	26	17	12.847
SJRGPF-Outlet	2013	3	26	16	12.751
SJRGPF-Outlet	2013	3	26	15	12.606
SJRGPF-Outlet	2013	3	26	14	12.413
SJRGPF-Outlet	2013	3	26	13	12.268
SJRGPF-Outlet	2013	3	26	12	12.171
SJRGPF-Outlet	2013	3	26	11	12.001
SJRGPF-Outlet	2013	3	26	10	11.953
SJRGPF-Outlet	2013	3	26	9	11.929
SJRGPF-Outlet	2013	3	26	8	11.929
SJRGPF-Outlet	2013	3	26	7	11.977
SJRGPF-Outlet	2013	3	26	6	12.074
SJRGPF-Outlet	2013	3	26	5	12.147
SJRGPF-Outlet	2013	3	26	4	12.219
SJRGPF-Outlet	2013	3	26	3	12.268
SJRGPF-Outlet	2013	3	26	2	12.364
SJRGPF-Outlet	2013	3	26	1	12.413
SJRGPF-Outlet	2013	3	26	0	12.485
SJRGPF-Outlet	2013	3	25	23	12.534

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	3	25	22	12.606
SJRGPF-Outlet	2013	3	25	21	12.654
SJRGPF-Outlet	2013	3	25	20	12.727
SJRGPF-Outlet	2013	3	25	19	12.751
SJRGPF-Outlet	2013	3	25	18	12.823
SJRGPF-Outlet	2013	3	25	17	12.799
SJRGPF-Outlet	2013	3	25	16	12.727
SJRGPF-Outlet	2013	3	25	15	12.654
SJRGPF-Outlet	2013	3	25	14	12.461
SJRGPF-Outlet	2013	3	25	13	12.389
SJRGPF-Outlet	2013	3	25	12	12.243
SJRGPF-Outlet	2013	3	25	11	12.074
SJRGPF-Outlet	2013	3	25	10	12.001
SJRGPF-Outlet	2013	3	25	9	11.977
SJRGPF-Outlet	2013	3	25	8	11.977
SJRGPF-Outlet	2013	3	25	7	12.001
SJRGPF-Outlet	2013	3	25	6	12.074
SJRGPF-Outlet	2013	3	25	5	12.147
SJRGPF-Outlet	2013	3	25	4	12.171
SJRGPF-Outlet	2013	3	25	3	12.243
SJRGPF-Outlet	2013	3	25	2	12.268
SJRGPF-Outlet	2013	3	25	1	12.364
SJRGPF-Outlet	2013	3	25	0	12.389
SJRGPF-Outlet	2013	3	24	23	12.437
SJRGPF-Outlet	2013	3	24	22	12.509
SJRGPF-Outlet	2013	3	24	21	12.582
SJRGPF-Outlet	2013	3	24	20	12.582
SJRGPF-Outlet	2013	3	24	19	12.654
SJRGPF-Outlet	2013	3	24	18	12.703
SJRGPF-Outlet	2013	3	24	17	12.654
SJRGPF-Outlet	2013	3	24	16	12.558
SJRGPF-Outlet	2013	3	24	15	12.389
SJRGPF-Outlet	2013	3	24	14	12.316
SJRGPF-Outlet	2013	3	24	13	12.098
SJRGPF-Outlet	2013	3	24	12	11.88
SJRGPF-Outlet	2013	3	24	11	11.832
SJRGPF-Outlet	2013	3	24	10	11.71
SJRGPF-Outlet	2013	3	24	9	11.637
SJRGPF-Outlet	2013	3	24	8	11.662
SJRGPF-Outlet	2013	3	24	7	11.783
SJRGPF-Outlet	2013	3	24	6	11.856
SJRGPF-Outlet	2013	3	24	5	11.904
SJRGPF-Outlet	2013	3	24	4	12.025
SJRGPF-Outlet	2013	3	24	3	12.171

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	3	24	2	12.171
SJRGPF-Outlet	2013	3	24	1	12.316
SJRGPF-Outlet	2013	3	24	0	12.413
SJRGPF-Outlet	2013	3	23	23	12.485
SJRGPF-Outlet	2013	3	23	22	12.509
SJRGPF-Outlet	2013	3	23	21	12.678
SJRGPF-Outlet	2013	3	23	20	12.799
SJRGPF-Outlet	2013	3	23	19	12.92
SJRGPF-Outlet	2013	3	23	18	12.968
SJRGPF-Outlet	2013	3	23	17	13.064
SJRGPF-Outlet	2013	3	23	16	13.209
SJRGPF-Outlet	2013	3	23	15	12.896
SJRGPF-Outlet	2013	3	23	14	12.775
SJRGPF-Outlet	2013	3	23	13	12.703
SJRGPF-Outlet	2013	3	23	12	12.654
SJRGPF-Outlet	2013	3	23	11	12.606
SJRGPF-Outlet	2013	3	23	10	12.63
SJRGPF-Outlet	2013	3	23	9	12.727
SJRGPF-Outlet	2013	3	23	8	12.751
SJRGPF-Outlet	2013	3	23	7	12.847
SJRGPF-Outlet	2013	3	23	6	12.968
SJRGPF-Outlet	2013	3	23	5	13.064
SJRGPF-Outlet	2013	3	23	4	13.161
SJRGPF-Outlet	2013	3	23	3	13.305
SJRGPF-Outlet	2013	3	23	2	13.377
SJRGPF-Outlet	2013	3	23	1	13.377
SJRGPF-Outlet	2013	3	23	0	13.473
SJRGPF-Outlet	2013	3	22	23	13.546
SJRGPF-Outlet	2013	3	22	22	13.642
SJRGPF-Outlet	2013	3	22	21	13.714
SJRGPF-Outlet	2013	3	22	20	13.81
SJRGPF-Outlet	2013	3	22	19	13.882
SJRGPF-Outlet	2013	3	22	18	14.098
SJRGPF-Outlet	2013	3	22	17	14.218
SJRGPF-Outlet	2013	3	22	16	14.194
SJRGPF-Outlet	2013	3	22	15	14.074
SJRGPF-Outlet	2013	3	22	14	13.714
SJRGPF-Outlet	2013	3	22	13	13.57
SJRGPF-Outlet	2013	3	22	12	13.473
SJRGPF-Outlet	2013	3	22	11	13.305
SJRGPF-Outlet	2013	3	22	10	13.161
SJRGPF-Outlet	2013	3	22	9	13.137
SJRGPF-Outlet	2013	3	22	8	13.161
SJRGPF-Outlet	2013	3	22	7	13.281

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	3	22	6	13.353
SJRGPF-Outlet	2013	3	22	5	13.449
SJRGPF-Outlet	2013	3	22	4	13.497
SJRGPF-Outlet	2013	3	22	3	13.594
SJRGPF-Outlet	2013	3	22	2	13.714
SJRGPF-Outlet	2013	3	22	1	13.762
SJRGPF-Outlet	2013	3	22	0	13.834
SJRGPF-Outlet	2013	3	21	23	13.786
SJRGPF-Outlet	2013	3	21	22	13.93
SJRGPF-Outlet	2013	3	21	21	14.05
SJRGPF-Outlet	2013	3	21	20	14.146
SJRGPF-Outlet	2013	3	21	19	14.29
SJRGPF-Outlet	2013	3	21	18	14.385
SJRGPF-Outlet	2013	3	21	17	14.505
SJRGPF-Outlet	2013	3	21	16	14.433
SJRGPF-Outlet	2013	3	21	15	14.314
SJRGPF-Outlet	2013	3	21	14	14.146
SJRGPF-Outlet	2013	3	21	13	13.882
SJRGPF-Outlet	2013	3	21	12	13.642
SJRGPF-Outlet	2013	3	21	11	13.497
SJRGPF-Outlet	2013	3	21	10	13.449
SJRGPF-Outlet	2013	3	21	9	13.425
SJRGPF-Outlet	2013	3	21	8	13.473
SJRGPF-Outlet	2013	3	21	7	13.57
SJRGPF-Outlet	2013	3	21	6	13.618
SJRGPF-Outlet	2013	3	21	5	13.666
SJRGPF-Outlet	2013	3	21	4	13.762
SJRGPF-Outlet	2013	3	21	3	13.81
SJRGPF-Outlet	2013	3	21	2	13.882
SJRGPF-Outlet	2013	3	21	1	13.906
SJRGPF-Outlet	2013	3	21	0	13.954
SJRGPF-Outlet	2013	3	20	23	14.05
SJRGPF-Outlet	2013	3	20	22	14.146
SJRGPF-Outlet	2013	3	20	21	14.194
SJRGPF-Outlet	2013	3	20	20	14.29
SJRGPF-Outlet	2013	3	20	19	14.361
SJRGPF-Outlet	2013	3	20	18	14.361
SJRGPF-Outlet	2013	3	20	17	14.242
SJRGPF-Outlet	2013	3	20	16	14.146
SJRGPF-Outlet	2013	3	20	15	14.026
SJRGPF-Outlet	2013	3	20	14	13.978
SJRGPF-Outlet	2013	3	20	13	13.954
SJRGPF-Outlet	2013	3	20	12	13.858
SJRGPF-Outlet	2013	3	20	11	13.762

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	3	20	10	13.714
SJRGPF-Outlet	2013	3	20	9	13.69
SJRGPF-Outlet	2013	3	20	8	13.666
SJRGPF-Outlet	2013	3	20	7	13.642
SJRGPF-Outlet	2013	3	20	6	13.69
SJRGPF-Outlet	2013	3	20	5	13.738
SJRGPF-Outlet	2013	3	20	4	13.762
SJRGPF-Outlet	2013	3	20	3	13.762
SJRGPF-Outlet	2013	3	20	2	13.786
SJRGPF-Outlet	2013	3	20	1	13.81
SJRGPF-Outlet	2013	3	20	0	13.834
SJRGPF-Outlet	2013	3	19	23	13.882
SJRGPF-Outlet	2013	3	19	22	13.93
SJRGPF-Outlet	2013	3	19	21	13.954
SJRGPF-Outlet	2013	3	19	20	14.002
SJRGPF-Outlet	2013	3	19	19	14.122
SJRGPF-Outlet	2013	3	19	18	14.146
SJRGPF-Outlet	2013	3	19	17	14.05
SJRGPF-Outlet	2013	3	19	16	14.026
SJRGPF-Outlet	2013	3	19	15	13.954
SJRGPF-Outlet	2013	3	19	14	13.81
SJRGPF-Outlet	2013	3	19	13	13.497
SJRGPF-Outlet	2013	3	19	12	13.185
SJRGPF-Outlet	2013	3	19	11	13.137
SJRGPF-Outlet	2013	3	19	10	13.016
SJRGPF-Outlet	2013	3	19	9	12.992
SJRGPF-Outlet	2013	3	19	8	13.016
SJRGPF-Outlet	2013	3	19	7	13.088
SJRGPF-Outlet	2013	3	19	6	13.185
SJRGPF-Outlet	2013	3	19	5	13.233
SJRGPF-Outlet	2013	3	19	4	13.305
SJRGPF-Outlet	2013	3	19	3	13.353
SJRGPF-Outlet	2013	3	19	2	13.425
SJRGPF-Outlet	2013	3	19	1	13.449
SJRGPF-Outlet	2013	3	19	0	13.497
SJRGPF-Outlet	2013	3	18	23	13.522
SJRGPF-Outlet	2013	3	18	22	13.546
SJRGPF-Outlet	2013	3	18	21	13.57
SJRGPF-Outlet	2013	3	18	20	13.714
SJRGPF-Outlet	2013	3	18	19	13.786
SJRGPF-Outlet	2013	3	18	18	13.834
SJRGPF-Outlet	2013	3	18	17	13.906
SJRGPF-Outlet	2013	3	18	16	13.93
SJRGPF-Outlet	2013	3	18	15	14.05

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	3	18	14	13.882
SJRGPF-Outlet	2013	3	18	13	13.618
SJRGPF-Outlet	2013	3	18	12	13.473
SJRGPF-Outlet	2013	3	18	11	13.425
SJRGPF-Outlet	2013	3	18	10	13.377
SJRGPF-Outlet	2013	3	18	9	13.305
SJRGPF-Outlet	2013	3	18	8	13.353
SJRGPF-Outlet	2013	3	18	7	13.497
SJRGPF-Outlet	2013	3	18	6	13.57
SJRGPF-Outlet	2013	3	18	5	13.642
SJRGPF-Outlet	2013	3	18	4	13.714
SJRGPF-Outlet	2013	3	18	3	13.786
SJRGPF-Outlet	2013	3	18	2	13.882
SJRGPF-Outlet	2013	3	18	1	13.93
SJRGPF-Outlet	2013	3	18	0	14.026
SJRGPF-Outlet	2013	3	17	23	14.074
SJRGPF-Outlet	2013	3	17	22	14.146
SJRGPF-Outlet	2013	3	17	21	14.194
SJRGPF-Outlet	2013	3	17	20	14.314
SJRGPF-Outlet	2013	3	17	19	14.481
SJRGPF-Outlet	2013	3	17	18	14.577
SJRGPF-Outlet	2013	3	17	17	14.625
SJRGPF-Outlet	2013	3	17	16	14.601
SJRGPF-Outlet	2013	3	17	15	14.433
SJRGPF-Outlet	2013	3	17	14	14.17
SJRGPF-Outlet	2013	3	17	13	14.074
SJRGPF-Outlet	2013	3	17	12	13.954
SJRGPF-Outlet	2013	3	17	11	13.714
SJRGPF-Outlet	2013	3	17	10	13.594
SJRGPF-Outlet	2013	3	17	9	13.497
SJRGPF-Outlet	2013	3	17	8	13.522
SJRGPF-Outlet	2013	3	17	7	13.69
SJRGPF-Outlet	2013	3	17	6	13.738
SJRGPF-Outlet	2013	3	17	5	13.834
SJRGPF-Outlet	2013	3	17	4	13.93
SJRGPF-Outlet	2013	3	17	3	14.002
SJRGPF-Outlet	2013	3	17	2	14.026
SJRGPF-Outlet	2013	3	17	1	14.098
SJRGPF-Outlet	2013	3	17	0	14.146
SJRGPF-Outlet	2013	3	16	23	14.218
SJRGPF-Outlet	2013	3	16	22	14.218
SJRGPF-Outlet	2013	3	16	21	14.266
SJRGPF-Outlet	2013	3	16	20	14.385
SJRGPF-Outlet	2013	3	16	19	14.553

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	3	16	18	14.625
SJRGPF-Outlet	2013	3	16	17	14.768
SJRGPF-Outlet	2013	3	16	16	14.673
SJRGPF-Outlet	2013	3	16	15	14.266
SJRGPF-Outlet	2013	3	16	14	14.074
SJRGPF-Outlet	2013	3	16	13	14.002
SJRGPF-Outlet	2013	3	16	12	13.738
SJRGPF-Outlet	2013	3	16	11	13.57
SJRGPF-Outlet	2013	3	16	10	13.522
SJRGPF-Outlet	2013	3	16	9	13.449
SJRGPF-Outlet	2013	3	16	8	13.497
SJRGPF-Outlet	2013	3	16	7	13.594
SJRGPF-Outlet	2013	3	16	6	13.69
SJRGPF-Outlet	2013	3	16	5	13.786
SJRGPF-Outlet	2013	3	16	4	13.81
SJRGPF-Outlet	2013	3	16	3	13.834
SJRGPF-Outlet	2013	3	16	2	13.858
SJRGPF-Outlet	2013	3	16	1	13.978
SJRGPF-Outlet	2013	3	16	0	14.026
SJRGPF-Outlet	2013	3	15	23	14.05
SJRGPF-Outlet	2013	3	15	22	14.05
SJRGPF-Outlet	2013	3	15	21	14.122
SJRGPF-Outlet	2013	3	15	20	14.218
SJRGPF-Outlet	2013	3	15	19	14.337
SJRGPF-Outlet	2013	3	15	18	14.433
SJRGPF-Outlet	2013	3	15	17	14.505
SJRGPF-Outlet	2013	3	15	16	14.457
SJRGPF-Outlet	2013	3	15	15	14.242
SJRGPF-Outlet	2013	3	15	14	14.074
SJRGPF-Outlet	2013	3	15	13	14.026
SJRGPF-Outlet	2013	3	15	12	13.834
SJRGPF-Outlet	2013	3	15	11	13.714
SJRGPF-Outlet	2013	3	15	10	13.57
SJRGPF-Outlet	2013	3	15	9	13.594
SJRGPF-Outlet	2013	3	15	8	13.57
SJRGPF-Outlet	2013	3	15	7	13.642
SJRGPF-Outlet	2013	3	15	6	13.738
SJRGPF-Outlet	2013	3	15	5	13.81
SJRGPF-Outlet	2013	3	15	4	13.858
SJRGPF-Outlet	2013	3	15	3	13.906
SJRGPF-Outlet	2013	3	15	2	13.954
SJRGPF-Outlet	2013	3	15	1	14.002
SJRGPF-Outlet	2013	3	15	0	14.05
SJRGPF-Outlet	2013	3	14	23	14.05

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	3	14	22	14.122
SJRGPF-Outlet	2013	3	14	21	14.146
SJRGPF-Outlet	2013	3	14	20	14.218
SJRGPF-Outlet	2013	3	14	19	14.409
SJRGPF-Outlet	2013	3	14	18	14.457
SJRGPF-Outlet	2013	3	14	17	14.505
SJRGPF-Outlet	2013	3	14	16	14.505
SJRGPF-Outlet	2013	3	14	15	14.266
SJRGPF-Outlet	2013	3	14	14	14.194
SJRGPF-Outlet	2013	3	14	13	13.858
SJRGPF-Outlet	2013	3	14	12	13.714
SJRGPF-Outlet	2013	3	14	11	13.642
SJRGPF-Outlet	2013	3	14	10	13.594
SJRGPF-Outlet	2013	3	14	9	13.546
SJRGPF-Outlet	2013	3	14	8	13.546
SJRGPF-Outlet	2013	3	14	7	13.618
SJRGPF-Outlet	2013	3	14	6	13.69
SJRGPF-Outlet	2013	3	14	5	13.738
SJRGPF-Outlet	2013	3	14	4	13.786
SJRGPF-Outlet	2013	3	14	3	13.81
SJRGPF-Outlet	2013	3	14	2	13.858
SJRGPF-Outlet	2013	3	14	1	13.906
SJRGPF-Outlet	2013	3	14	0	13.978
SJRGPF-Outlet	2013	3	13	23	14.026
SJRGPF-Outlet	2013	3	13	22	14.05
SJRGPF-Outlet	2013	3	13	21	14.002
SJRGPF-Outlet	2013	3	13	20	14.146
SJRGPF-Outlet	2013	3	13	19	14.218
SJRGPF-Outlet	2013	3	13	18	14.218
SJRGPF-Outlet	2013	3	13	17	14.098
SJRGPF-Outlet	2013	3	13	16	13.93
SJRGPF-Outlet	2013	3	13	15	13.738
SJRGPF-Outlet	2013	3	13	14	13.954
SJRGPF-Outlet	2013	3	13	13	13.546
SJRGPF-Outlet	2013	3	13	12	13.257
SJRGPF-Outlet	2013	3	13	11	13.137
SJRGPF-Outlet	2013	3	13	10	13.064
SJRGPF-Outlet	2013	3	13	9	13.016
SJRGPF-Outlet	2013	3	13	8	13.04
SJRGPF-Outlet	2013	3	13	7	13.04
SJRGPF-Outlet	2013	3	13	6	13.137
SJRGPF-Outlet	2013	3	13	5	13.161
SJRGPF-Outlet	2013	3	13	4	13.209
SJRGPF-Outlet	2013	3	13	3	13.209

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	3	13	2	13.257
SJRGPF-Outlet	2013	3	13	1	13.305
SJRGPF-Outlet	2013	3	13	0	13.329
SJRGPF-Outlet	2013	3	12	23	13.401
SJRGPF-Outlet	2013	3	12	22	13.401
SJRGPF-Outlet	2013	3	12	21	13.425
SJRGPF-Outlet	2013	3	12	20	13.522
SJRGPF-Outlet	2013	3	12	19	13.666
SJRGPF-Outlet	2013	3	12	18	13.906
SJRGPF-Outlet	2013	3	12	17	13.786
SJRGPF-Outlet	2013	3	12	16	13.425
SJRGPF-Outlet	2013	3	12	15	13.233
SJRGPF-Outlet	2013	3	12	14	13.233
SJRGPF-Outlet	2013	3	12	13	12.823
SJRGPF-Outlet	2013	3	12	12	12.63
SJRGPF-Outlet	2013	3	12	11	12.485
SJRGPF-Outlet	2013	3	12	10	12.437
SJRGPF-Outlet	2013	3	12	9	12.413
SJRGPF-Outlet	2013	3	12	8	12.413
SJRGPF-Outlet	2013	3	12	7	12.437
SJRGPF-Outlet	2013	3	12	6	12.485
SJRGPF-Outlet	2013	3	12	5	12.509
SJRGPF-Outlet	2013	3	12	4	12.534
SJRGPF-Outlet	2013	3	12	3	12.558
SJRGPF-Outlet	2013	3	12	2	12.558
SJRGPF-Outlet	2013	3	12	1	12.606
SJRGPF-Outlet	2013	3	12	0	12.654
SJRGPF-Outlet	2013	3	11	23	12.703
SJRGPF-Outlet	2013	3	11	22	12.751
SJRGPF-Outlet	2013	3	11	21	12.799
SJRGPF-Outlet	2013	3	11	20	12.847
SJRGPF-Outlet	2013	3	11	19	12.944
SJRGPF-Outlet	2013	3	11	18	13.088
SJRGPF-Outlet	2013	3	11	17	13.04
SJRGPF-Outlet	2013	3	11	16	12.992
SJRGPF-Outlet	2013	3	11	15	12.751
SJRGPF-Outlet	2013	3	11	14	12.558
SJRGPF-Outlet	2013	3	11	13	12.195
SJRGPF-Outlet	2013	3	11	12	11.88
SJRGPF-Outlet	2013	3	11	11	11.832
SJRGPF-Outlet	2013	3	11	10	11.734
SJRGPF-Outlet	2013	3	11	9	11.686
SJRGPF-Outlet	2013	3	11	8	11.686
SJRGPF-Outlet	2013	3	11	7	11.734

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	3	11	6	11.759
SJRGPF-Outlet	2013	3	11	5	11.807
SJRGPF-Outlet	2013	3	11	4	11.832
SJRGPF-Outlet	2013	3	11	3	11.856
SJRGPF-Outlet	2013	3	11	2	11.88
SJRGPF-Outlet	2013	3	11	1	11.904
SJRGPF-Outlet	2013	3	11	0	11.953
SJRGPF-Outlet	2013	3	10	23	11.977
SJRGPF-Outlet	2013	3	10	22	12.074
SJRGPF-Outlet	2013	3	10	21	12.122
SJRGPF-Outlet	2013	3	10	20	12.074
SJRGPF-Outlet	2013	3	10	19	12.098
SJRGPF-Outlet	2013	3	10	18	12.05
SJRGPF-Outlet	2013	3	10	17	12.147
SJRGPF-Outlet	2013	3	10	16	12.025
SJRGPF-Outlet	2013	3	10	15	11.807
SJRGPF-Outlet	2013	3	10	14	11.71
SJRGPF-Outlet	2013	3	10	13	11.54
SJRGPF-Outlet	2013	3	10	12	11.394
SJRGPF-Outlet	2013	3	10	11	11.127
SJRGPF-Outlet	2013	3	10	10	11.005
SJRGPF-Outlet	2013	3	10	9	10.932
SJRGPF-Outlet	2013	3	10	8	10.907
SJRGPF-Outlet	2013	3	10	7	10.98
SJRGPF-Outlet	2013	3	10	6	11.029
SJRGPF-Outlet	2013	3	10	5	11.078
SJRGPF-Outlet	2013	3	10	4	11.127
SJRGPF-Outlet	2013	3	10	3	11.175
SJRGPF-Outlet	2013	3	10	2	11.224
SJRGPF-Outlet	2013	3	10	1	11.273
SJRGPF-Outlet	2013	3	10	0	11.297
SJRGPF-Outlet	2013	3	9	23	11.37
SJRGPF-Outlet	2013	3	9	22	11.443
SJRGPF-Outlet	2013	3	9	21	11.492
SJRGPF-Outlet	2013	3	9	20	11.492
SJRGPF-Outlet	2013	3	9	19	11.54
SJRGPF-Outlet	2013	3	9	18	11.565
SJRGPF-Outlet	2013	3	9	17	11.54
SJRGPF-Outlet	2013	3	9	16	11.54
SJRGPF-Outlet	2013	3	9	15	11.565
SJRGPF-Outlet	2013	3	9	14	11.467
SJRGPF-Outlet	2013	3	9	13	11.492
SJRGPF-Outlet	2013	3	9	12	11.297
SJRGPF-Outlet	2013	3	9	11	11.102

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	3	9	10	10.98
SJRGPF-Outlet	2013	3	9	9	11.053
SJRGPF-Outlet	2013	3	9	8	11.053
SJRGPF-Outlet	2013	3	9	7	11.102
SJRGPF-Outlet	2013	3	9	6	11.102
SJRGPF-Outlet	2013	3	9	5	11.2
SJRGPF-Outlet	2013	3	9	4	11.248
SJRGPF-Outlet	2013	3	9	3	11.273
SJRGPF-Outlet	2013	3	9	2	11.297
SJRGPF-Outlet	2013	3	9	1	11.321
SJRGPF-Outlet	2013	3	9	0	11.37
SJRGPF-Outlet	2013	3	8	23	11.37
SJRGPF-Outlet	2013	3	8	22	11.394
SJRGPF-Outlet	2013	3	8	21	11.443
SJRGPF-Outlet	2013	3	8	20	11.443
SJRGPF-Outlet	2013	3	8	19	11.419
SJRGPF-Outlet	2013	3	8	18	11.516
SJRGPF-Outlet	2013	3	8	17	11.419
SJRGPF-Outlet	2013	3	8	16	11.516
SJRGPF-Outlet	2013	3	8	15	11.443
SJRGPF-Outlet	2013	3	8	14	11.175
SJRGPF-Outlet	2013	3	8	13	11.127
SJRGPF-Outlet	2013	3	8	12	11.078
SJRGPF-Outlet	2013	3	8	11	11.078
SJRGPF-Outlet	2013	3	8	10	11.102
SJRGPF-Outlet	2013	3	8	9	11.127
SJRGPF-Outlet	2013	3	8	8	11.175
SJRGPF-Outlet	2013	3	8	7	11.2
SJRGPF-Outlet	2013	3	8	6	11.248
SJRGPF-Outlet	2013	3	8	5	11.321
SJRGPF-Outlet	2013	3	8	4	11.37
SJRGPF-Outlet	2013	3	8	3	11.467
SJRGPF-Outlet	2013	3	8	2	11.54
SJRGPF-Outlet	2013	3	8	1	11.54
SJRGPF-Outlet	2013	3	8	0	11.565
SJRGPF-Outlet	2013	3	7	23	11.686
SJRGPF-Outlet	2013	3	7	22	11.71
SJRGPF-Outlet	2013	3	7	21	11.734
SJRGPF-Outlet	2013	3	7	20	11.759
SJRGPF-Outlet	2013	3	7	19	11.759
SJRGPF-Outlet	2013	3	7	18	11.832
SJRGPF-Outlet	2013	3	7	17	11.929
SJRGPF-Outlet	2013	3	7	16	11.904
SJRGPF-Outlet	2013	3	7	15	12.074

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	3	7	14	11.856
SJRGPF-Outlet	2013	3	7	13	11.662
SJRGPF-Outlet	2013	3	7	12	11.589
SJRGPF-Outlet	2013	3	7	11	11.565
SJRGPF-Outlet	2013	3	7	10	11.516
SJRGPF-Outlet	2013	3	7	9	11.589
SJRGPF-Outlet	2013	3	7	8	11.613
SJRGPF-Outlet	2013	3	7	7	11.686
SJRGPF-Outlet	2013	3	7	6	11.759
SJRGPF-Outlet	2013	3	7	5	11.832
SJRGPF-Outlet	2013	3	7	4	11.832
SJRGPF-Outlet	2013	3	7	3	11.904
SJRGPF-Outlet	2013	3	7	2	11.953
SJRGPF-Outlet	2013	3	7	1	12.074
SJRGPF-Outlet	2013	3	7	0	12.098
SJRGPF-Outlet	2013	3	6	23	12.171
SJRGPF-Outlet	2013	3	6	22	12.268
SJRGPF-Outlet	2013	3	6	21	12.292
SJRGPF-Outlet	2013	3	6	20	12.389
SJRGPF-Outlet	2013	3	6	19	12.364
SJRGPF-Outlet	2013	3	6	18	12.558
SJRGPF-Outlet	2013	3	6	17	12.437
SJRGPF-Outlet	2013	3	6	16	12.389
SJRGPF-Outlet	2013	3	6	15	12.389
SJRGPF-Outlet	2013	3	6	14	12.364
SJRGPF-Outlet	2013	3	6	13	12.292
SJRGPF-Outlet	2013	3	6	12	12.292
SJRGPF-Outlet	2013	3	6	11	12.389
SJRGPF-Outlet	2013	3	6	10	12.316
SJRGPF-Outlet	2013	3	6	9	12.292
SJRGPF-Outlet	2013	3	6	8	12.34
SJRGPF-Outlet	2013	3	6	7	12.413
SJRGPF-Outlet	2013	3	6	6	12.485
SJRGPF-Outlet	2013	3	6	5	12.485
SJRGPF-Outlet	2013	3	6	4	12.582
SJRGPF-Outlet	2013	3	6	3	12.678
SJRGPF-Outlet	2013	3	6	2	12.751
SJRGPF-Outlet	2013	3	6	1	12.871
SJRGPF-Outlet	2013	3	6	0	12.92
SJRGPF-Outlet	2013	3	5	23	12.992
SJRGPF-Outlet	2013	3	5	22	12.992
SJRGPF-Outlet	2013	3	5	21	13.016
SJRGPF-Outlet	2013	3	5	20	13.064
SJRGPF-Outlet	2013	3	5	19	13.137

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	3	5	18	13.088
SJRGPF-Outlet	2013	3	5	17	12.944
SJRGPF-Outlet	2013	3	5	16	12.92
SJRGPF-Outlet	2013	3	5	15	12.703
SJRGPF-Outlet	2013	3	5	14	12.534
SJRGPF-Outlet	2013	3	5	13	12.316
SJRGPF-Outlet	2013	3	5	12	12.219
SJRGPF-Outlet	2013	3	5	11	12.171
SJRGPF-Outlet	2013	3	5	10	12.074
SJRGPF-Outlet	2013	3	5	9	12.05
SJRGPF-Outlet	2013	3	5	8	12.098
SJRGPF-Outlet	2013	3	5	7	12.122
SJRGPF-Outlet	2013	3	5	6	12.171
SJRGPF-Outlet	2013	3	5	5	12.243
SJRGPF-Outlet	2013	3	5	4	12.292
SJRGPF-Outlet	2013	3	5	3	12.34
SJRGPF-Outlet	2013	3	5	2	12.389
SJRGPF-Outlet	2013	3	5	1	12.413
SJRGPF-Outlet	2013	3	5	0	12.461
SJRGPF-Outlet	2013	3	4	23	12.534
SJRGPF-Outlet	2013	3	4	22	12.558
SJRGPF-Outlet	2013	3	4	21	12.63
SJRGPF-Outlet	2013	3	4	20	12.751
SJRGPF-Outlet	2013	3	4	19	12.823
SJRGPF-Outlet	2013	3	4	18	12.944
SJRGPF-Outlet	2013	3	4	17	13.04
SJRGPF-Outlet	2013	3	4	16	12.871
SJRGPF-Outlet	2013	3	4	15	12.63
SJRGPF-Outlet	2013	3	4	14	12.437
SJRGPF-Outlet	2013	3	4	13	12.268
SJRGPF-Outlet	2013	3	4	12	12.219
SJRGPF-Outlet	2013	3	4	11	12.122
SJRGPF-Outlet	2013	3	4	10	12.025
SJRGPF-Outlet	2013	3	4	9	11.977
SJRGPF-Outlet	2013	3	4	8	12.05
SJRGPF-Outlet	2013	3	4	7	12.074
SJRGPF-Outlet	2013	3	4	6	12.219
SJRGPF-Outlet	2013	3	4	5	12.292
SJRGPF-Outlet	2013	3	4	4	12.364
SJRGPF-Outlet	2013	3	4	3	12.413
SJRGPF-Outlet	2013	3	4	2	12.413
SJRGPF-Outlet	2013	3	4	1	12.509
SJRGPF-Outlet	2013	3	4	0	12.558
SJRGPF-Outlet	2013	3	3	23	12.606

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	3	3	22	12.582
SJRGPF-Outlet	2013	3	3	21	12.703
SJRGPF-Outlet	2013	3	3	20	12.751
SJRGPF-Outlet	2013	3	3	19	12.799
SJRGPF-Outlet	2013	3	3	18	12.944
SJRGPF-Outlet	2013	3	3	17	12.992
SJRGPF-Outlet	2013	3	3	16	13.04
SJRGPF-Outlet	2013	3	3	15	12.92
SJRGPF-Outlet	2013	3	3	14	12.703
SJRGPF-Outlet	2013	3	3	13	12.606
SJRGPF-Outlet	2013	3	3	12	12.582
SJRGPF-Outlet	2013	3	3	11	12.582
SJRGPF-Outlet	2013	3	3	10	12.582
SJRGPF-Outlet	2013	3	3	9	12.582
SJRGPF-Outlet	2013	3	3	8	12.606
SJRGPF-Outlet	2013	3	3	7	12.63
SJRGPF-Outlet	2013	3	3	6	12.654
SJRGPF-Outlet	2013	3	3	5	12.654
SJRGPF-Outlet	2013	3	3	4	12.678
SJRGPF-Outlet	2013	3	3	3	12.727
SJRGPF-Outlet	2013	3	3	2	12.727
SJRGPF-Outlet	2013	3	3	1	12.823
SJRGPF-Outlet	2013	3	3	0	12.823
SJRGPF-Outlet	2013	3	2	23	12.775
SJRGPF-Outlet	2013	3	2	22	12.847
SJRGPF-Outlet	2013	3	2	21	12.896
SJRGPF-Outlet	2013	3	2	20	12.944
SJRGPF-Outlet	2013	3	2	19	12.896
SJRGPF-Outlet	2013	3	2	18	12.968
SJRGPF-Outlet	2013	3	2	17	12.896
SJRGPF-Outlet	2013	3	2	16	12.871
SJRGPF-Outlet	2013	3	2	15	12.606
SJRGPF-Outlet	2013	3	2	14	12.485
SJRGPF-Outlet	2013	3	2	13	12.364
SJRGPF-Outlet	2013	3	2	12	12.268
SJRGPF-Outlet	2013	3	2	11	12.05
SJRGPF-Outlet	2013	3	2	10	11.977
SJRGPF-Outlet	2013	3	2	9	11.929
SJRGPF-Outlet	2013	3	2	8	11.929
SJRGPF-Outlet	2013	3	2	7	11.977
SJRGPF-Outlet	2013	3	2	6	12.001
SJRGPF-Outlet	2013	3	2	5	12.025
SJRGPF-Outlet	2013	3	2	4	12.074
SJRGPF-Outlet	2013	3	2	3	12.122

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	3	2	2	12.147
SJRGPF-Outlet	2013	3	2	1	12.195
SJRGPF-Outlet	2013	3	2	0	12.219
SJRGPF-Outlet	2013	3	1	23	12.268
SJRGPF-Outlet	2013	3	1	22	12.316
SJRGPF-Outlet	2013	3	1	21	12.389
SJRGPF-Outlet	2013	3	1	20	12.485
SJRGPF-Outlet	2013	3	1	19	12.413
SJRGPF-Outlet	2013	3	1	18	12.63
SJRGPF-Outlet	2013	3	1	17	12.534
SJRGPF-Outlet	2013	3	1	16	12.364
SJRGPF-Outlet	2013	3	1	15	12.364
SJRGPF-Outlet	2013	3	1	14	12.195
SJRGPF-Outlet	2013	3	1	13	11.783
SJRGPF-Outlet	2013	3	1	12	11.613
SJRGPF-Outlet	2013	3	1	11	11.54
SJRGPF-Outlet	2013	3	1	10	11.492
SJRGPF-Outlet	2013	3	1	9	11.467
SJRGPF-Outlet	2013	3	1	8	11.492
SJRGPF-Outlet	2013	3	1	7	11.516
SJRGPF-Outlet	2013	3	1	6	11.589
SJRGPF-Outlet	2013	3	1	5	11.589
SJRGPF-Outlet	2013	3	1	4	11.637
SJRGPF-Outlet	2013	3	1	3	11.662
SJRGPF-Outlet	2013	3	1	2	11.71
SJRGPF-Outlet	2013	3	1	1	11.734
SJRGPF-Outlet	2013	3	1	0	11.759
SJRGPF-Outlet	2013	2	28	23	11.807
SJRGPF-Outlet	2013	2	28	22	11.856
SJRGPF-Outlet	2013	2	28	21	11.856
SJRGPF-Outlet	2013	2	28	20	11.953
SJRGPF-Outlet	2013	2	28	19	12.074
SJRGPF-Outlet	2013	2	28	18	12.437
SJRGPF-Outlet	2013	2	28	17	12.389
SJRGPF-Outlet	2013	2	28	16	12.074
SJRGPF-Outlet	2013	2	28	15	12.122
SJRGPF-Outlet	2013	2	28	14	11.637
SJRGPF-Outlet	2013	2	28	13	11.37
SJRGPF-Outlet	2013	2	28	12	11.297
SJRGPF-Outlet	2013	2	28	11	11.102
SJRGPF-Outlet	2013	2	28	10	11.078
SJRGPF-Outlet	2013	2	28	9	11.005
SJRGPF-Outlet	2013	2	28	8	11.005
SJRGPF-Outlet	2013	2	28	7	11.053

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	2	28	6	11.102
SJRGPF-Outlet	2013	2	28	5	11.151
SJRGPF-Outlet	2013	2	28	4	11.2
SJRGPF-Outlet	2013	2	28	3	11.248
SJRGPF-Outlet	2013	2	28	2	11.273
SJRGPF-Outlet	2013	2	28	1	11.321
SJRGPF-Outlet	2013	2	28	0	11.346
SJRGPF-Outlet	2013	2	27	23	11.419
SJRGPF-Outlet	2013	2	27	22	11.492
SJRGPF-Outlet	2013	2	27	21	11.54
SJRGPF-Outlet	2013	2	27	20	11.589
SJRGPF-Outlet	2013	2	27	19	11.637
SJRGPF-Outlet	2013	2	27	18	11.71
SJRGPF-Outlet	2013	2	27	17	11.783
SJRGPF-Outlet	2013	2	27	16	11.759
SJRGPF-Outlet	2013	2	27	15	11.953
SJRGPF-Outlet	2013	2	27	14	11.248
SJRGPF-Outlet	2013	2	27	13	11.005
SJRGPF-Outlet	2013	2	27	12	10.98
SJRGPF-Outlet	2013	2	27	11	10.81
SJRGPF-Outlet	2013	2	27	10	10.761
SJRGPF-Outlet	2013	2	27	9	10.712
SJRGPF-Outlet	2013	2	27	8	10.712
SJRGPF-Outlet	2013	2	27	7	10.81
SJRGPF-Outlet	2013	2	27	6	10.858
SJRGPF-Outlet	2013	2	27	5	10.907
SJRGPF-Outlet	2013	2	27	4	10.932
SJRGPF-Outlet	2013	2	27	3	11.005
SJRGPF-Outlet	2013	2	27	2	11.029
SJRGPF-Outlet	2013	2	27	1	11.078
SJRGPF-Outlet	2013	2	27	0	11.127
SJRGPF-Outlet	2013	2	26	23	11.151
SJRGPF-Outlet	2013	2	26	22	11.2
SJRGPF-Outlet	2013	2	26	21	11.248
SJRGPF-Outlet	2013	2	26	20	11.321
SJRGPF-Outlet	2013	2	26	19	11.394
SJRGPF-Outlet	2013	2	26	18	11.613
SJRGPF-Outlet	2013	2	26	17	11.492
SJRGPF-Outlet	2013	2	26	16	11.54
SJRGPF-Outlet	2013	2	26	15	11.783
SJRGPF-Outlet	2013	2	26	14	11.224
SJRGPF-Outlet	2013	2	26	13	10.932
SJRGPF-Outlet	2013	2	26	12	10.834
SJRGPF-Outlet	2013	2	26	11	10.687

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	2	26	10	10.541
SJRGPF-Outlet	2013	2	26	9	10.516
SJRGPF-Outlet	2013	2	26	8	10.492
SJRGPF-Outlet	2013	2	26	7	10.565
SJRGPF-Outlet	2013	2	26	6	10.614
SJRGPF-Outlet	2013	2	26	5	10.614
SJRGPF-Outlet	2013	2	26	4	10.663
SJRGPF-Outlet	2013	2	26	3	10.712
SJRGPF-Outlet	2013	2	26	2	10.785
SJRGPF-Outlet	2013	2	26	1	10.834
SJRGPF-Outlet	2013	2	26	0	10.858
SJRGPF-Outlet	2013	2	25	23	10.907
SJRGPF-Outlet	2013	2	25	22	10.956
SJRGPF-Outlet	2013	2	25	21	11.029
SJRGPF-Outlet	2013	2	25	20	11.102
SJRGPF-Outlet	2013	2	25	19	11.2
SJRGPF-Outlet	2013	2	25	18	11.443
SJRGPF-Outlet	2013	2	25	17	11.419
SJRGPF-Outlet	2013	2	25	16	11.248
SJRGPF-Outlet	2013	2	25	15	11.053
SJRGPF-Outlet	2013	2	25	14	10.761
SJRGPF-Outlet	2013	2	25	13	10.785
SJRGPF-Outlet	2013	2	25	12	10.492
SJRGPF-Outlet	2013	2	25	11	10.296
SJRGPF-Outlet	2013	2	25	10	10.247
SJRGPF-Outlet	2013	2	25	9	10.173
SJRGPF-Outlet	2013	2	25	8	10.222
SJRGPF-Outlet	2013	2	25	7	10.247
SJRGPF-Outlet	2013	2	25	6	10.32
SJRGPF-Outlet	2013	2	25	5	10.369
SJRGPF-Outlet	2013	2	25	4	10.443
SJRGPF-Outlet	2013	2	25	3	10.516
SJRGPF-Outlet	2013	2	25	2	10.565
SJRGPF-Outlet	2013	2	25	1	10.614
SJRGPF-Outlet	2013	2	25	0	10.687
SJRGPF-Outlet	2013	2	24	23	10.736
SJRGPF-Outlet	2013	2	24	22	10.834
SJRGPF-Outlet	2013	2	24	21	10.932
SJRGPF-Outlet	2013	2	24	20	11.005
SJRGPF-Outlet	2013	2	24	19	10.907
SJRGPF-Outlet	2013	2	24	18	10.858
SJRGPF-Outlet	2013	2	24	17	11.053
SJRGPF-Outlet	2013	2	24	16	10.858
SJRGPF-Outlet	2013	2	24	15	10.712

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	2	24	14	10.492
SJRGPF-Outlet	2013	2	24	13	10.492
SJRGPF-Outlet	2013	2	24	12	10.32
SJRGPF-Outlet	2013	2	24	11	10.173
SJRGPF-Outlet	2013	2	24	10	10.026
SJRGPF-Outlet	2013	2	24	9	10.026
SJRGPF-Outlet	2013	2	24	8	10.051
SJRGPF-Outlet	2013	2	24	7	10.1
SJRGPF-Outlet	2013	2	24	6	10.173
SJRGPF-Outlet	2013	2	24	5	10.296
SJRGPF-Outlet	2013	2	24	4	10.369
SJRGPF-Outlet	2013	2	24	3	10.443
SJRGPF-Outlet	2013	2	24	2	10.492
SJRGPF-Outlet	2013	2	24	1	10.492
SJRGPF-Outlet	2013	2	24	0	10.59
SJRGPF-Outlet	2013	2	23	23	10.663
SJRGPF-Outlet	2013	2	23	22	10.712
SJRGPF-Outlet	2013	2	23	21	10.761
SJRGPF-Outlet	2013	2	23	20	10.834
SJRGPF-Outlet	2013	2	23	19	10.907
SJRGPF-Outlet	2013	2	23	18	11.029
SJRGPF-Outlet	2013	2	23	17	11.053
SJRGPF-Outlet	2013	2	23	16	11.029
SJRGPF-Outlet	2013	2	23	15	10.81
SJRGPF-Outlet	2013	2	23	14	10.81
SJRGPF-Outlet	2013	2	23	13	10.614
SJRGPF-Outlet	2013	2	23	12	10.565
SJRGPF-Outlet	2013	2	23	11	10.32
SJRGPF-Outlet	2013	2	23	10	10.198
SJRGPF-Outlet	2013	2	23	9	10.124
SJRGPF-Outlet	2013	2	23	8	10.124
SJRGPF-Outlet	2013	2	23	7	10.124
SJRGPF-Outlet	2013	2	23	6	10.173
SJRGPF-Outlet	2013	2	23	5	10.173
SJRGPF-Outlet	2013	2	23	4	10.173
SJRGPF-Outlet	2013	2	23	3	10.222
SJRGPF-Outlet	2013	2	23	2	10.296
SJRGPF-Outlet	2013	2	23	1	10.271
SJRGPF-Outlet	2013	2	23	0	10.296
SJRGPF-Outlet	2013	2	22	23	10.32
SJRGPF-Outlet	2013	2	22	22	10.369
SJRGPF-Outlet	2013	2	22	21	10.418
SJRGPF-Outlet	2013	2	22	20	10.492
SJRGPF-Outlet	2013	2	22	19	10.565

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	2	22	18	10.712
SJRGPF-Outlet	2013	2	22	17	10.712
SJRGPF-Outlet	2013	2	22	16	10.614
SJRGPF-Outlet	2013	2	22	15	10.247
SJRGPF-Outlet	2013	2	22	14	10.075
SJRGPF-Outlet	2013	2	22	13	9.903
SJRGPF-Outlet	2013	2	22	12	9.829
SJRGPF-Outlet	2013	2	22	11	9.682
SJRGPF-Outlet	2013	2	22	10	9.583
SJRGPF-Outlet	2013	2	22	9	9.485
SJRGPF-Outlet	2013	2	22	8	9.534
SJRGPF-Outlet	2013	2	22	7	9.534
SJRGPF-Outlet	2013	2	22	6	9.583
SJRGPF-Outlet	2013	2	22	5	9.608
SJRGPF-Outlet	2013	2	22	4	9.657
SJRGPF-Outlet	2013	2	22	3	9.657
SJRGPF-Outlet	2013	2	22	2	9.706
SJRGPF-Outlet	2013	2	22	1	9.731
SJRGPF-Outlet	2013	2	22	0	9.756
SJRGPF-Outlet	2013	2	21	23	9.805
SJRGPF-Outlet	2013	2	21	22	9.829
SJRGPF-Outlet	2013	2	21	21	9.854
SJRGPF-Outlet	2013	2	21	20	9.879
SJRGPF-Outlet	2013	2	21	19	9.977
SJRGPF-Outlet	2013	2	21	18	10.051
SJRGPF-Outlet	2013	2	21	17	10.173
SJRGPF-Outlet	2013	2	21	16	10.198
SJRGPF-Outlet	2013	2	21	15	10.026
SJRGPF-Outlet	2013	2	21	14	9.731
SJRGPF-Outlet	2013	2	21	13	9.608
SJRGPF-Outlet	2013	2	21	12	9.435
SJRGPF-Outlet	2013	2	21	11	9.361
SJRGPF-Outlet	2013	2	21	10	9.238
SJRGPF-Outlet	2013	2	21	9	9.213
SJRGPF-Outlet	2013	2	21	8	9.262
SJRGPF-Outlet	2013	2	21	7	9.262
SJRGPF-Outlet	2013	2	21	6	9.312
SJRGPF-Outlet	2013	2	21	5	9.361
SJRGPF-Outlet	2013	2	21	4	9.41
SJRGPF-Outlet	2013	2	21	3	9.485
SJRGPF-Outlet	2013	2	21	2	9.558
SJRGPF-Outlet	2013	2	21	1	9.583
SJRGPF-Outlet	2013	2	21	0	9.706
SJRGPF-Outlet	2013	2	20	23	9.805

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	2	20	22	9.854
SJRGPF-Outlet	2013	2	20	21	9.854
SJRGPF-Outlet	2013	2	20	20	9.952
SJRGPF-Outlet	2013	2	20	19	10.026
SJRGPF-Outlet	2013	2	20	18	10.124
SJRGPF-Outlet	2013	2	20	17	10.149
SJRGPF-Outlet	2013	2	20	16	10.124
SJRGPF-Outlet	2013	2	20	15	9.952
SJRGPF-Outlet	2013	2	20	14	9.78
SJRGPF-Outlet	2013	2	20	13	9.731
SJRGPF-Outlet	2013	2	20	12	9.632
SJRGPF-Outlet	2013	2	20	11	9.632
SJRGPF-Outlet	2013	2	20	10	9.632
SJRGPF-Outlet	2013	2	20	9	9.731
SJRGPF-Outlet	2013	2	20	8	9.756
SJRGPF-Outlet	2013	2	20	7	9.805
SJRGPF-Outlet	2013	2	20	6	9.879
SJRGPF-Outlet	2013	2	20	5	10.001
SJRGPF-Outlet	2013	2	20	4	10.075
SJRGPF-Outlet	2013	2	20	3	10.1
SJRGPF-Outlet	2013	2	20	2	10.198
SJRGPF-Outlet	2013	2	20	1	10.247
SJRGPF-Outlet	2013	2	20	0	10.369
SJRGPF-Outlet	2013	2	19	23	10.443
SJRGPF-Outlet	2013	2	19	22	10.418
SJRGPF-Outlet	2013	2	19	21	10.394
SJRGPF-Outlet	2013	2	19	20	10.541
SJRGPF-Outlet	2013	2	19	19	10.614
SJRGPF-Outlet	2013	2	19	18	10.663
SJRGPF-Outlet	2013	2	19	17	10.736
SJRGPF-Outlet	2013	2	19	16	10.81
SJRGPF-Outlet	2013	2	19	15	10.956
SJRGPF-Outlet	2013	2	19	14	10.907
SJRGPF-Outlet	2013	2	19	13	10.834
SJRGPF-Outlet	2013	2	19	12	10.736
SJRGPF-Outlet	2013	2	19	11	10.687
SJRGPF-Outlet	2013	2	19	10	10.687
SJRGPF-Outlet	2013	2	19	9	10.712
SJRGPF-Outlet	2013	2	19	8	10.712
SJRGPF-Outlet	2013	2	19	7	10.761
SJRGPF-Outlet	2013	2	19	6	10.81
SJRGPF-Outlet	2013	2	19	5	10.858
SJRGPF-Outlet	2013	2	19	4	10.883
SJRGPF-Outlet	2013	2	19	3	10.883

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	2	19	2	10.907
SJRGPF-Outlet	2013	2	19	1	10.907
SJRGPF-Outlet	2013	2	19	0	10.956
SJRGPF-Outlet	2013	2	18	23	11.005
SJRGPF-Outlet	2013	2	18	22	11.078
SJRGPF-Outlet	2013	2	18	21	11.224
SJRGPF-Outlet	2013	2	18	20	11.346
SJRGPF-Outlet	2013	2	18	19	11.467
SJRGPF-Outlet	2013	2	18	18	11.613
SJRGPF-Outlet	2013	2	18	17	11.637
SJRGPF-Outlet	2013	2	18	16	11.637
SJRGPF-Outlet	2013	2	18	15	11.2
SJRGPF-Outlet	2013	2	18	14	11.102
SJRGPF-Outlet	2013	2	18	13	10.956
SJRGPF-Outlet	2013	2	18	12	10.883
SJRGPF-Outlet	2013	2	18	11	10.712
SJRGPF-Outlet	2013	2	18	10	10.565
SJRGPF-Outlet	2013	2	18	9	10.565
SJRGPF-Outlet	2013	2	18	8	10.59
SJRGPF-Outlet	2013	2	18	7	10.638
SJRGPF-Outlet	2013	2	18	6	10.712
SJRGPF-Outlet	2013	2	18	5	10.761
SJRGPF-Outlet	2013	2	18	4	10.81
SJRGPF-Outlet	2013	2	18	3	10.858
SJRGPF-Outlet	2013	2	18	2	10.907
SJRGPF-Outlet	2013	2	18	1	10.98
SJRGPF-Outlet	2013	2	18	0	11.005
SJRGPF-Outlet	2013	2	17	23	11.053
SJRGPF-Outlet	2013	2	17	22	11.102
SJRGPF-Outlet	2013	2	17	21	11.127
SJRGPF-Outlet	2013	2	17	20	11.2
SJRGPF-Outlet	2013	2	17	19	11.297
SJRGPF-Outlet	2013	2	17	18	11.419
SJRGPF-Outlet	2013	2	17	17	11.637
SJRGPF-Outlet	2013	2	17	16	11.637
SJRGPF-Outlet	2013	2	17	15	11.394
SJRGPF-Outlet	2013	2	17	14	11.005
SJRGPF-Outlet	2013	2	17	13	10.81
SJRGPF-Outlet	2013	2	17	12	10.761
SJRGPF-Outlet	2013	2	17	11	10.663
SJRGPF-Outlet	2013	2	17	10	10.565
SJRGPF-Outlet	2013	2	17	9	10.492
SJRGPF-Outlet	2013	2	17	8	10.565
SJRGPF-Outlet	2013	2	17	7	10.638

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	2	17	6	10.687
SJRGPF-Outlet	2013	2	17	5	10.761
SJRGPF-Outlet	2013	2	17	4	10.834
SJRGPF-Outlet	2013	2	17	3	10.907
SJRGPF-Outlet	2013	2	17	2	10.956
SJRGPF-Outlet	2013	2	17	1	11.005
SJRGPF-Outlet	2013	2	17	0	11.053
SJRGPF-Outlet	2013	2	16	23	11.078
SJRGPF-Outlet	2013	2	16	22	11.175
SJRGPF-Outlet	2013	2	16	21	11.224
SJRGPF-Outlet	2013	2	16	20	11.248
SJRGPF-Outlet	2013	2	16	19	11.297
SJRGPF-Outlet	2013	2	16	18	11.394
SJRGPF-Outlet	2013	2	16	17	11.394
SJRGPF-Outlet	2013	2	16	16	11.321
SJRGPF-Outlet	2013	2	16	15	11.224
SJRGPF-Outlet	2013	2	16	14	11.053
SJRGPF-Outlet	2013	2	16	13	11.053
SJRGPF-Outlet	2013	2	16	12	10.834
SJRGPF-Outlet	2013	2	16	11	10.81
SJRGPF-Outlet	2013	2	16	10	10.736
SJRGPF-Outlet	2013	2	16	9	10.736
SJRGPF-Outlet	2013	2	16	8	10.761
SJRGPF-Outlet	2013	2	16	7	10.81
SJRGPF-Outlet	2013	2	16	6	10.858
SJRGPF-Outlet	2013	2	16	5	10.883
SJRGPF-Outlet	2013	2	16	4	10.907
SJRGPF-Outlet	2013	2	16	3	10.956
SJRGPF-Outlet	2013	2	16	2	10.98
SJRGPF-Outlet	2013	2	16	1	11.005
SJRGPF-Outlet	2013	2	16	0	11.053
SJRGPF-Outlet	2013	2	15	23	11.102
SJRGPF-Outlet	2013	2	15	22	11.127
SJRGPF-Outlet	2013	2	15	21	11.175
SJRGPF-Outlet	2013	2	15	20	11.224
SJRGPF-Outlet	2013	2	15	19	11.273
SJRGPF-Outlet	2013	2	15	18	11.419
SJRGPF-Outlet	2013	2	15	17	11.565
SJRGPF-Outlet	2013	2	15	16	11.394
SJRGPF-Outlet	2013	2	15	15	11.297
SJRGPF-Outlet	2013	2	15	14	10.834
SJRGPF-Outlet	2013	2	15	13	10.687
SJRGPF-Outlet	2013	2	15	12	10.565
SJRGPF-Outlet	2013	2	15	11	10.516

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	2	15	10	10.418
SJRGPF-Outlet	2013	2	15	9	10.369
SJRGPF-Outlet	2013	2	15	8	10.418
SJRGPF-Outlet	2013	2	15	7	10.443
SJRGPF-Outlet	2013	2	15	6	10.492
SJRGPF-Outlet	2013	2	15	5	10.516
SJRGPF-Outlet	2013	2	15	4	10.541
SJRGPF-Outlet	2013	2	15	3	10.565
SJRGPF-Outlet	2013	2	15	2	10.614
SJRGPF-Outlet	2013	2	15	1	10.663
SJRGPF-Outlet	2013	2	15	0	10.687
SJRGPF-Outlet	2013	2	14	23	10.712
SJRGPF-Outlet	2013	2	14	22	10.761
SJRGPF-Outlet	2013	2	14	21	10.81
SJRGPF-Outlet	2013	2	14	20	10.858
SJRGPF-Outlet	2013	2	14	19	10.956
SJRGPF-Outlet	2013	2	14	18	11.102
SJRGPF-Outlet	2013	2	14	17	11.151
SJRGPF-Outlet	2013	2	14	16	10.907
SJRGPF-Outlet	2013	2	14	15	10.687
SJRGPF-Outlet	2013	2	14	14	10.712
SJRGPF-Outlet	2013	2	14	13	10.565
SJRGPF-Outlet	2013	2	14	12	10.32
SJRGPF-Outlet	2013	2	14	11	10.173
SJRGPF-Outlet	2013	2	14	10	10.1
SJRGPF-Outlet	2013	2	14	9	10.075
SJRGPF-Outlet	2013	2	14	8	10.075
SJRGPF-Outlet	2013	2	14	7	10.149
SJRGPF-Outlet	2013	2	14	6	10.173
SJRGPF-Outlet	2013	2	14	5	10.222
SJRGPF-Outlet	2013	2	14	4	10.247
SJRGPF-Outlet	2013	2	14	3	10.271
SJRGPF-Outlet	2013	2	14	2	10.345
SJRGPF-Outlet	2013	2	14	1	10.394
SJRGPF-Outlet	2013	2	14	0	10.418
SJRGPF-Outlet	2013	2	13	23	10.443
SJRGPF-Outlet	2013	2	13	22	10.516
SJRGPF-Outlet	2013	2	13	21	10.565
SJRGPF-Outlet	2013	2	13	20	10.614
SJRGPF-Outlet	2013	2	13	19	10.663
SJRGPF-Outlet	2013	2	13	18	10.81
SJRGPF-Outlet	2013	2	13	17	10.932
SJRGPF-Outlet	2013	2	13	16	10.663
SJRGPF-Outlet	2013	2	13	15	10.663

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	2	13	14	10.345
SJRGPF-Outlet	2013	2	13	13	10.222
SJRGPF-Outlet	2013	2	13	12	10.001
SJRGPF-Outlet	2013	2	13	11	9.952
SJRGPF-Outlet	2013	2	13	10	9.854
SJRGPF-Outlet	2013	2	13	9	9.805
SJRGPF-Outlet	2013	2	13	8	9.854
SJRGPF-Outlet	2013	2	13	7	9.903
SJRGPF-Outlet	2013	2	13	6	9.952
SJRGPF-Outlet	2013	2	13	5	9.977
SJRGPF-Outlet	2013	2	13	4	10.051
SJRGPF-Outlet	2013	2	13	3	10.1
SJRGPF-Outlet	2013	2	13	2	10.149
SJRGPF-Outlet	2013	2	13	1	10.198
SJRGPF-Outlet	2013	2	13	0	10.222
SJRGPF-Outlet	2013	2	12	23	10.271
SJRGPF-Outlet	2013	2	12	22	10.296
SJRGPF-Outlet	2013	2	12	21	10.345
SJRGPF-Outlet	2013	2	12	20	10.443
SJRGPF-Outlet	2013	2	12	19	10.467
SJRGPF-Outlet	2013	2	12	18	10.687
SJRGPF-Outlet	2013	2	12	17	10.638
SJRGPF-Outlet	2013	2	12	16	10.369
SJRGPF-Outlet	2013	2	12	15	10.345
SJRGPF-Outlet	2013	2	12	14	10.173
SJRGPF-Outlet	2013	2	12	13	10.026
SJRGPF-Outlet	2013	2	12	12	9.879
SJRGPF-Outlet	2013	2	12	11	9.731
SJRGPF-Outlet	2013	2	12	10	9.632
SJRGPF-Outlet	2013	2	12	9	9.608
SJRGPF-Outlet	2013	2	12	8	9.632
SJRGPF-Outlet	2013	2	12	7	9.731
SJRGPF-Outlet	2013	2	12	6	9.78
SJRGPF-Outlet	2013	2	12	5	9.805
SJRGPF-Outlet	2013	2	12	4	9.879
SJRGPF-Outlet	2013	2	12	3	9.879
SJRGPF-Outlet	2013	2	12	2	9.928
SJRGPF-Outlet	2013	2	12	1	9.977
SJRGPF-Outlet	2013	2	12	0	10.026
SJRGPF-Outlet	2013	2	11	23	10.075
SJRGPF-Outlet	2013	2	11	22	10.124
SJRGPF-Outlet	2013	2	11	21	10.149
SJRGPF-Outlet	2013	2	11	20	10.222
SJRGPF-Outlet	2013	2	11	19	10.271

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	2	11	18	10.369
SJRGPF-Outlet	2013	2	11	17	10.32
SJRGPF-Outlet	2013	2	11	16	10.296
SJRGPF-Outlet	2013	2	11	15	10.173
SJRGPF-Outlet	2013	2	11	14	9.805
SJRGPF-Outlet	2013	2	11	13	9.756
SJRGPF-Outlet	2013	2	11	12	9.731
SJRGPF-Outlet	2013	2	11	11	9.534
SJRGPF-Outlet	2013	2	11	10	9.386
SJRGPF-Outlet	2013	2	11	9	9.336
SJRGPF-Outlet	2013	2	11	8	9.386
SJRGPF-Outlet	2013	2	11	7	9.41
SJRGPF-Outlet	2013	2	11	6	9.46
SJRGPF-Outlet	2013	2	11	5	9.509
SJRGPF-Outlet	2013	2	11	4	9.509
SJRGPF-Outlet	2013	2	11	3	9.558
SJRGPF-Outlet	2013	2	11	2	9.608
SJRGPF-Outlet	2013	2	11	1	9.682
SJRGPF-Outlet	2013	2	11	0	9.731
SJRGPF-Outlet	2013	2	10	23	9.78
SJRGPF-Outlet	2013	2	10	22	9.829
SJRGPF-Outlet	2013	2	10	21	9.854
SJRGPF-Outlet	2013	2	10	20	9.903
SJRGPF-Outlet	2013	2	10	19	9.928
SJRGPF-Outlet	2013	2	10	18	9.952
SJRGPF-Outlet	2013	2	10	17	9.977
SJRGPF-Outlet	2013	2	10	16	9.928
SJRGPF-Outlet	2013	2	10	15	9.756
SJRGPF-Outlet	2013	2	10	14	9.632
SJRGPF-Outlet	2013	2	10	13	9.608
SJRGPF-Outlet	2013	2	10	12	9.558
SJRGPF-Outlet	2013	2	10	11	9.435
SJRGPF-Outlet	2013	2	10	10	9.336
SJRGPF-Outlet	2013	2	10	9	9.312
SJRGPF-Outlet	2013	2	10	8	9.336
SJRGPF-Outlet	2013	2	10	7	9.386
SJRGPF-Outlet	2013	2	10	6	9.435
SJRGPF-Outlet	2013	2	10	5	9.485
SJRGPF-Outlet	2013	2	10	4	9.534
SJRGPF-Outlet	2013	2	10	3	9.583
SJRGPF-Outlet	2013	2	10	2	9.657
SJRGPF-Outlet	2013	2	10	1	9.731
SJRGPF-Outlet	2013	2	10	0	9.78
SJRGPF-Outlet	2013	2	9	23	9.854

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	2	9	22	9.952
SJRGPF-Outlet	2013	2	9	21	10.026
SJRGPF-Outlet	2013	2	9	20	10.075
SJRGPF-Outlet	2013	2	9	19	10.173
SJRGPF-Outlet	2013	2	9	18	10.198
SJRGPF-Outlet	2013	2	9	17	10.247
SJRGPF-Outlet	2013	2	9	16	10.198
SJRGPF-Outlet	2013	2	9	15	10.075
SJRGPF-Outlet	2013	2	9	14	10.124
SJRGPF-Outlet	2013	2	9	13	10.1
SJRGPF-Outlet	2013	2	9	12	9.952
SJRGPF-Outlet	2013	2	9	11	9.78
SJRGPF-Outlet	2013	2	9	10	9.706
SJRGPF-Outlet	2013	2	9	9	9.682
SJRGPF-Outlet	2013	2	9	8	9.731
SJRGPF-Outlet	2013	2	9	7	9.756
SJRGPF-Outlet	2013	2	9	6	9.805
SJRGPF-Outlet	2013	2	9	5	9.854
SJRGPF-Outlet	2013	2	9	4	9.879
SJRGPF-Outlet	2013	2	9	3	9.928
SJRGPF-Outlet	2013	2	9	2	9.952
SJRGPF-Outlet	2013	2	9	1	9.977
SJRGPF-Outlet	2013	2	9	0	10.026
SJRGPF-Outlet	2013	2	8	23	10.051
SJRGPF-Outlet	2013	2	8	22	10.1
SJRGPF-Outlet	2013	2	8	21	10.1
SJRGPF-Outlet	2013	2	8	20	10.124
SJRGPF-Outlet	2013	2	8	19	10.173
SJRGPF-Outlet	2013	2	8	18	10.247
SJRGPF-Outlet	2013	2	8	17	10.271
SJRGPF-Outlet	2013	2	8	16	10.271
SJRGPF-Outlet	2013	2	8	15	10.051
SJRGPF-Outlet	2013	2	8	14	9.928
SJRGPF-Outlet	2013	2	8	13	9.854
SJRGPF-Outlet	2013	2	8	12	9.78
SJRGPF-Outlet	2013	2	8	11	9.756
SJRGPF-Outlet	2013	2	8	10	9.706
SJRGPF-Outlet	2013	2	8	9	9.706
SJRGPF-Outlet	2013	2	8	8	9.706
SJRGPF-Outlet	2013	2	8	7	9.731
SJRGPF-Outlet	2013	2	8	6	9.731
SJRGPF-Outlet	2013	2	8	5	9.756
SJRGPF-Outlet	2013	2	8	4	9.805
SJRGPF-Outlet	2013	2	8	3	9.805

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	2	8	2	9.854
SJRGPF-Outlet	2013	2	8	1	9.879
SJRGPF-Outlet	2013	2	8	0	9.903
SJRGPF-Outlet	2013	2	7	23	9.903
SJRGPF-Outlet	2013	2	7	22	9.903
SJRGPF-Outlet	2013	2	7	21	9.952
SJRGPF-Outlet	2013	2	7	20	10.001
SJRGPF-Outlet	2013	2	7	19	10.026
SJRGPF-Outlet	2013	2	7	18	10.173
SJRGPF-Outlet	2013	2	7	17	10.1
SJRGPF-Outlet	2013	2	7	16	10.1
SJRGPF-Outlet	2013	2	7	15	9.977
SJRGPF-Outlet	2013	2	7	14	9.805
SJRGPF-Outlet	2013	2	7	13	9.706
SJRGPF-Outlet	2013	2	7	12	9.583
SJRGPF-Outlet	2013	2	7	11	9.534
SJRGPF-Outlet	2013	2	7	10	9.534
SJRGPF-Outlet	2013	2	7	9	9.583
SJRGPF-Outlet	2013	2	7	8	9.632
SJRGPF-Outlet	2013	2	7	7	9.632
SJRGPF-Outlet	2013	2	7	6	9.756
SJRGPF-Outlet	2013	2	7	5	9.805
SJRGPF-Outlet	2013	2	7	4	9.829
SJRGPF-Outlet	2013	2	7	3	9.928
SJRGPF-Outlet	2013	2	7	2	9.977
SJRGPF-Outlet	2013	2	7	1	10.001
SJRGPF-Outlet	2013	2	7	0	10.124
SJRGPF-Outlet	2013	2	6	23	10.124
SJRGPF-Outlet	2013	2	6	22	10.222
SJRGPF-Outlet	2013	2	6	21	10.32
SJRGPF-Outlet	2013	2	6	20	10.345
SJRGPF-Outlet	2013	2	6	19	10.394
SJRGPF-Outlet	2013	2	6	18	10.394
SJRGPF-Outlet	2013	2	6	17	10.443
SJRGPF-Outlet	2013	2	6	16	10.492
SJRGPF-Outlet	2013	2	6	15	10.467
SJRGPF-Outlet	2013	2	6	14	10.467
SJRGPF-Outlet	2013	2	6	13	10.443
SJRGPF-Outlet	2013	2	6	12	10.467
SJRGPF-Outlet	2013	2	6	11	10.443
SJRGPF-Outlet	2013	2	6	10	10.467
SJRGPF-Outlet	2013	2	6	9	10.443
SJRGPF-Outlet	2013	2	6	8	10.492
SJRGPF-Outlet	2013	2	6	7	10.541

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	2	6	6	10.565
SJRGPF-Outlet	2013	2	6	5	10.638
SJRGPF-Outlet	2013	2	6	4	10.687
SJRGPF-Outlet	2013	2	6	3	10.81
SJRGPF-Outlet	2013	2	6	2	10.858
SJRGPF-Outlet	2013	2	6	1	10.858
SJRGPF-Outlet	2013	2	6	0	10.858
SJRGPF-Outlet	2013	2	5	23	10.956
SJRGPF-Outlet	2013	2	5	22	11.005
SJRGPF-Outlet	2013	2	5	21	11.053
SJRGPF-Outlet	2013	2	5	20	11.102
SJRGPF-Outlet	2013	2	5	19	11.2
SJRGPF-Outlet	2013	2	5	18	11.224
SJRGPF-Outlet	2013	2	5	17	11.248
SJRGPF-Outlet	2013	2	5	16	11.297
SJRGPF-Outlet	2013	2	5	15	11.224
SJRGPF-Outlet	2013	2	5	14	11.102
SJRGPF-Outlet	2013	2	5	13	10.858
SJRGPF-Outlet	2013	2	5	12	10.761
SJRGPF-Outlet	2013	2	5	11	10.761
SJRGPF-Outlet	2013	2	5	10	10.663
SJRGPF-Outlet	2013	2	5	9	10.663
SJRGPF-Outlet	2013	2	5	8	10.712
SJRGPF-Outlet	2013	2	5	7	10.736
SJRGPF-Outlet	2013	2	5	6	10.81
SJRGPF-Outlet	2013	2	5	5	10.834
SJRGPF-Outlet	2013	2	5	4	10.883
SJRGPF-Outlet	2013	2	5	3	10.932
SJRGPF-Outlet	2013	2	5	2	10.956
SJRGPF-Outlet	2013	2	5	1	11.005
SJRGPF-Outlet	2013	2	5	0	11.053
SJRGPF-Outlet	2013	2	4	23	11.078
SJRGPF-Outlet	2013	2	4	22	11.127
SJRGPF-Outlet	2013	2	4	21	11.175
SJRGPF-Outlet	2013	2	4	20	11.248
SJRGPF-Outlet	2013	2	4	19	11.273
SJRGPF-Outlet	2013	2	4	18	11.297
SJRGPF-Outlet	2013	2	4	17	11.346
SJRGPF-Outlet	2013	2	4	16	11.297
SJRGPF-Outlet	2013	2	4	15	11.102
SJRGPF-Outlet	2013	2	4	14	11.029
SJRGPF-Outlet	2013	2	4	13	10.858
SJRGPF-Outlet	2013	2	4	12	10.736
SJRGPF-Outlet	2013	2	4	11	10.59

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	2	4	10	10.492
SJRGPF-Outlet	2013	2	4	9	10.467
SJRGPF-Outlet	2013	2	4	8	10.492
SJRGPF-Outlet	2013	2	4	7	10.541
SJRGPF-Outlet	2013	2	4	6	10.59
SJRGPF-Outlet	2013	2	4	5	10.614
SJRGPF-Outlet	2013	2	4	4	10.663
SJRGPF-Outlet	2013	2	4	3	10.712
SJRGPF-Outlet	2013	2	4	2	10.761
SJRGPF-Outlet	2013	2	4	1	10.81
SJRGPF-Outlet	2013	2	4	0	10.834
SJRGPF-Outlet	2013	2	3	23	10.858
SJRGPF-Outlet	2013	2	3	22	10.907
SJRGPF-Outlet	2013	2	3	21	10.98
SJRGPF-Outlet	2013	2	3	20	11.053
SJRGPF-Outlet	2013	2	3	19	11.053
SJRGPF-Outlet	2013	2	3	18	11.151
SJRGPF-Outlet	2013	2	3	17	11.029
SJRGPF-Outlet	2013	2	3	16	11.029
SJRGPF-Outlet	2013	2	3	15	10.883
SJRGPF-Outlet	2013	2	3	14	10.858
SJRGPF-Outlet	2013	2	3	13	10.761
SJRGPF-Outlet	2013	2	3	12	10.541
SJRGPF-Outlet	2013	2	3	11	10.492
SJRGPF-Outlet	2013	2	3	10	10.467
SJRGPF-Outlet	2013	2	3	9	10.467
SJRGPF-Outlet	2013	2	3	8	10.516
SJRGPF-Outlet	2013	2	3	7	10.59
SJRGPF-Outlet	2013	2	3	6	10.614
SJRGPF-Outlet	2013	2	3	5	10.638
SJRGPF-Outlet	2013	2	3	4	10.687
SJRGPF-Outlet	2013	2	3	3	10.712
SJRGPF-Outlet	2013	2	3	2	10.761
SJRGPF-Outlet	2013	2	3	1	10.785
SJRGPF-Outlet	2013	2	3	0	10.81
SJRGPF-Outlet	2013	2	2	23	10.834
SJRGPF-Outlet	2013	2	2	22	10.858
SJRGPF-Outlet	2013	2	2	21	10.858
SJRGPF-Outlet	2013	2	2	20	10.907
SJRGPF-Outlet	2013	2	2	19	10.907
SJRGPF-Outlet	2013	2	2	18	10.956
SJRGPF-Outlet	2013	2	2	17	11.005
SJRGPF-Outlet	2013	2	2	16	11.005
SJRGPF-Outlet	2013	2	2	15	10.956

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	2	2	14	10.81
SJRGPF-Outlet	2013	2	2	13	10.761
SJRGPF-Outlet	2013	2	2	12	10.712
SJRGPF-Outlet	2013	2	2	11	10.663
SJRGPF-Outlet	2013	2	2	10	10.638
SJRGPF-Outlet	2013	2	2	9	10.614
SJRGPF-Outlet	2013	2	2	8	10.663
SJRGPF-Outlet	2013	2	2	7	10.687
SJRGPF-Outlet	2013	2	2	6	10.712
SJRGPF-Outlet	2013	2	2	5	10.712
SJRGPF-Outlet	2013	2	2	4	10.712
SJRGPF-Outlet	2013	2	2	3	10.712
SJRGPF-Outlet	2013	2	2	2	10.736
SJRGPF-Outlet	2013	2	2	1	10.761
SJRGPF-Outlet	2013	2	2	0	10.81
SJRGPF-Outlet	2013	2	1	23	10.834
SJRGPF-Outlet	2013	2	1	22	10.834
SJRGPF-Outlet	2013	2	1	21	10.858
SJRGPF-Outlet	2013	2	1	20	10.932
SJRGPF-Outlet	2013	2	1	19	10.98
SJRGPF-Outlet	2013	2	1	18	10.98
SJRGPF-Outlet	2013	2	1	17	11.151
SJRGPF-Outlet	2013	2	1	16	10.98
SJRGPF-Outlet	2013	2	1	15	11.053
SJRGPF-Outlet	2013	2	1	14	10.98
SJRGPF-Outlet	2013	2	1	13	10.663
SJRGPF-Outlet	2013	2	1	12	10.541
SJRGPF-Outlet	2013	2	1	11	10.32
SJRGPF-Outlet	2013	2	1	10	10.247
SJRGPF-Outlet	2013	2	1	9	10.222
SJRGPF-Outlet	2013	2	1	8	10.271
SJRGPF-Outlet	2013	2	1	7	10.296
SJRGPF-Outlet	2013	2	1	6	10.32
SJRGPF-Outlet	2013	2	1	5	10.345
SJRGPF-Outlet	2013	2	1	4	10.345
SJRGPF-Outlet	2013	2	1	3	10.345
SJRGPF-Outlet	2013	2	1	2	10.369
SJRGPF-Outlet	2013	2	1	1	10.418
SJRGPF-Outlet	2013	2	1	0	10.443
SJRGPF-Outlet	2013	1	31	23	10.492
SJRGPF-Outlet	2013	1	31	22	10.492
SJRGPF-Outlet	2013	1	31	21	10.516
SJRGPF-Outlet	2013	1	31	20	10.565
SJRGPF-Outlet	2013	1	31	19	10.59

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	1	31	18	10.712
SJRGPF-Outlet	2013	1	31	17	10.858
SJRGPF-Outlet	2013	1	31	16	10.687
SJRGPF-Outlet	2013	1	31	15	10.687
SJRGPF-Outlet	2013	1	31	14	10.418
SJRGPF-Outlet	2013	1	31	13	10.149
SJRGPF-Outlet	2013	1	31	12	10.149
SJRGPF-Outlet	2013	1	31	11	9.879
SJRGPF-Outlet	2013	1	31	10	9.805
SJRGPF-Outlet	2013	1	31	9	9.756
SJRGPF-Outlet	2013	1	31	8	9.78
SJRGPF-Outlet	2013	1	31	7	9.829
SJRGPF-Outlet	2013	1	31	6	9.854
SJRGPF-Outlet	2013	1	31	5	9.879
SJRGPF-Outlet	2013	1	31	4	9.903
SJRGPF-Outlet	2013	1	31	3	9.879
SJRGPF-Outlet	2013	1	31	2	9.952
SJRGPF-Outlet	2013	1	31	1	9.977
SJRGPF-Outlet	2013	1	31	0	10.026
SJRGPF-Outlet	2013	1	30	23	10.051
SJRGPF-Outlet	2013	1	30	22	10.1
SJRGPF-Outlet	2013	1	30	21	10.173
SJRGPF-Outlet	2013	1	30	20	10.222
SJRGPF-Outlet	2013	1	30	19	10.173
SJRGPF-Outlet	2013	1	30	18	10.124
SJRGPF-Outlet	2013	1	30	17	10.222
SJRGPF-Outlet	2013	1	30	16	10.369
SJRGPF-Outlet	2013	1	30	15	10.247
SJRGPF-Outlet	2013	1	30	14	9.977
SJRGPF-Outlet	2013	1	30	13	9.731
SJRGPF-Outlet	2013	1	30	12	9.583
SJRGPF-Outlet	2013	1	30	11	9.485
SJRGPF-Outlet	2013	1	30	10	9.41
SJRGPF-Outlet	2013	1	30	9	9.386
SJRGPF-Outlet	2013	1	30	8	9.41
SJRGPF-Outlet	2013	1	30	7	9.435
SJRGPF-Outlet	2013	1	30	6	9.485
SJRGPF-Outlet	2013	1	30	5	9.534
SJRGPF-Outlet	2013	1	30	4	9.558
SJRGPF-Outlet	2013	1	30	3	9.583
SJRGPF-Outlet	2013	1	30	2	9.632
SJRGPF-Outlet	2013	1	30	1	9.706
SJRGPF-Outlet	2013	1	30	0	9.756
SJRGPF-Outlet	2013	1	29	23	9.805

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	1	29	22	9.854
SJRGPF-Outlet	2013	1	29	21	9.903
SJRGPF-Outlet	2013	1	29	20	9.977
SJRGPF-Outlet	2013	1	29	19	10.051
SJRGPF-Outlet	2013	1	29	18	10.124
SJRGPF-Outlet	2013	1	29	17	10.149
SJRGPF-Outlet	2013	1	29	16	10.026
SJRGPF-Outlet	2013	1	29	15	10.051
SJRGPF-Outlet	2013	1	29	14	9.829
SJRGPF-Outlet	2013	1	29	13	9.829
SJRGPF-Outlet	2013	1	29	12	9.706
SJRGPF-Outlet	2013	1	29	11	9.583
SJRGPF-Outlet	2013	1	29	10	9.509
SJRGPF-Outlet	2013	1	29	9	9.485
SJRGPF-Outlet	2013	1	29	8	9.509
SJRGPF-Outlet	2013	1	29	7	9.608
SJRGPF-Outlet	2013	1	29	6	9.657
SJRGPF-Outlet	2013	1	29	5	9.706
SJRGPF-Outlet	2013	1	29	4	9.756
SJRGPF-Outlet	2013	1	29	3	9.829
SJRGPF-Outlet	2013	1	29	2	9.879
SJRGPF-Outlet	2013	1	29	1	9.977
SJRGPF-Outlet	2013	1	29	0	10.026
SJRGPF-Outlet	2013	1	28	23	10.1
SJRGPF-Outlet	2013	1	28	22	10.173
SJRGPF-Outlet	2013	1	28	21	10.247
SJRGPF-Outlet	2013	1	28	20	10.271
SJRGPF-Outlet	2013	1	28	19	10.345
SJRGPF-Outlet	2013	1	28	18	10.467
SJRGPF-Outlet	2013	1	28	17	10.516
SJRGPF-Outlet	2013	1	28	16	10.663
SJRGPF-Outlet	2013	1	28	15	10.663
SJRGPF-Outlet	2013	1	28	14	10.687
SJRGPF-Outlet	2013	1	28	13	10.418
SJRGPF-Outlet	2013	1	28	12	10.198
SJRGPF-Outlet	2013	1	28	11	10.173
SJRGPF-Outlet	2013	1	28	10	10.124
SJRGPF-Outlet	2013	1	28	9	10.149
SJRGPF-Outlet	2013	1	28	8	10.173
SJRGPF-Outlet	2013	1	28	7	10.271
SJRGPF-Outlet	2013	1	28	6	10.369
SJRGPF-Outlet	2013	1	28	5	10.443
SJRGPF-Outlet	2013	1	28	4	10.492
SJRGPF-Outlet	2013	1	28	3	10.59

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	1	28	2	10.712
SJRGPF-Outlet	2013	1	28	1	10.81
SJRGPF-Outlet	2013	1	28	0	10.858
SJRGPF-Outlet	2013	1	27	23	10.956
SJRGPF-Outlet	2013	1	27	22	11.005
SJRGPF-Outlet	2013	1	27	21	11.053
SJRGPF-Outlet	2013	1	27	20	11.151
SJRGPF-Outlet	2013	1	27	19	11.2
SJRGPF-Outlet	2013	1	27	18	11.297
SJRGPF-Outlet	2013	1	27	17	11.346
SJRGPF-Outlet	2013	1	27	16	11.297
SJRGPF-Outlet	2013	1	27	15	11.273
SJRGPF-Outlet	2013	1	27	14	11.2
SJRGPF-Outlet	2013	1	27	13	11.102
SJRGPF-Outlet	2013	1	27	12	10.956
SJRGPF-Outlet	2013	1	27	11	10.883
SJRGPF-Outlet	2013	1	27	10	10.858
SJRGPF-Outlet	2013	1	27	9	10.858
SJRGPF-Outlet	2013	1	27	8	10.883
SJRGPF-Outlet	2013	1	27	7	10.932
SJRGPF-Outlet	2013	1	27	6	10.98
SJRGPF-Outlet	2013	1	27	5	11.029
SJRGPF-Outlet	2013	1	27	4	11.102
SJRGPF-Outlet	2013	1	27	3	11.151
SJRGPF-Outlet	2013	1	27	2	11.2
SJRGPF-Outlet	2013	1	27	1	11.224
SJRGPF-Outlet	2013	1	27	0	11.273
SJRGPF-Outlet	2013	1	26	23	11.297
SJRGPF-Outlet	2013	1	26	22	11.346
SJRGPF-Outlet	2013	1	26	21	11.394
SJRGPF-Outlet	2013	1	26	20	11.394
SJRGPF-Outlet	2013	1	26	19	11.419
SJRGPF-Outlet	2013	1	26	18	11.443
SJRGPF-Outlet	2013	1	26	17	11.443
SJRGPF-Outlet	2013	1	26	16	11.37
SJRGPF-Outlet	2013	1	26	15	11.443
SJRGPF-Outlet	2013	1	26	14	11.346
SJRGPF-Outlet	2013	1	26	13	11.321
SJRGPF-Outlet	2013	1	26	12	11.248
SJRGPF-Outlet	2013	1	26	11	11.2
SJRGPF-Outlet	2013	1	26	10	11.2
SJRGPF-Outlet	2013	1	26	9	11.2
SJRGPF-Outlet	2013	1	26	8	11.2
SJRGPF-Outlet	2013	1	26	7	11.2

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	1	26	6	11.2
SJRGPF-Outlet	2013	1	26	5	11.224
SJRGPF-Outlet	2013	1	26	4	11.2
SJRGPF-Outlet	2013	1	26	3	11.224
SJRGPF-Outlet	2013	1	26	2	11.2
SJRGPF-Outlet	2013	1	26	1	11.2
SJRGPF-Outlet	2013	1	26	0	11.2
SJRGPF-Outlet	2013	1	25	23	11.2
SJRGPF-Outlet	2013	1	25	22	11.2
SJRGPF-Outlet	2013	1	25	21	11.175
SJRGPF-Outlet	2013	1	25	20	11.151
SJRGPF-Outlet	2013	1	25	19	11.175
SJRGPF-Outlet	2013	1	25	18	11.175
SJRGPF-Outlet	2013	1	25	17	11.2
SJRGPF-Outlet	2013	1	25	16	11.151
SJRGPF-Outlet	2013	1	25	15	11.151
SJRGPF-Outlet	2013	1	25	14	11.078
SJRGPF-Outlet	2013	1	25	13	11.005
SJRGPF-Outlet	2013	1	25	12	10.956
SJRGPF-Outlet	2013	1	25	11	10.98
SJRGPF-Outlet	2013	1	25	10	10.883
SJRGPF-Outlet	2013	1	25	9	10.883
SJRGPF-Outlet	2013	1	25	8	10.858
SJRGPF-Outlet	2013	1	25	7	10.883
SJRGPF-Outlet	2013	1	25	6	10.858
SJRGPF-Outlet	2013	1	25	5	10.834
SJRGPF-Outlet	2013	1	25	4	10.81
SJRGPF-Outlet	2013	1	25	3	10.761
SJRGPF-Outlet	2013	1	25	2	10.761
SJRGPF-Outlet	2013	1	25	1	10.736
SJRGPF-Outlet	2013	1	25	0	10.761
SJRGPF-Outlet	2013	1	24	23	10.736
SJRGPF-Outlet	2013	1	24	22	10.712
SJRGPF-Outlet	2013	1	24	21	10.663
SJRGPF-Outlet	2013	1	24	20	10.614
SJRGPF-Outlet	2013	1	24	19	10.565
SJRGPF-Outlet	2013	1	24	18	10.59
SJRGPF-Outlet	2013	1	24	17	10.663
SJRGPF-Outlet	2013	1	24	16	10.663
SJRGPF-Outlet	2013	1	24	15	10.663
SJRGPF-Outlet	2013	1	24	14	10.467
SJRGPF-Outlet	2013	1	24	13	10.32
SJRGPF-Outlet	2013	1	24	12	10.222
SJRGPF-Outlet	2013	1	24	11	10.173

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	1	24	10	10.149
SJRGPF-Outlet	2013	1	24	9	10.124
SJRGPF-Outlet	2013	1	24	8	10.124
SJRGPF-Outlet	2013	1	24	7	10.124
SJRGPF-Outlet	2013	1	24	6	10.124
SJRGPF-Outlet	2013	1	24	5	10.124
SJRGPF-Outlet	2013	1	24	4	10.124
SJRGPF-Outlet	2013	1	24	3	10.124
SJRGPF-Outlet	2013	1	24	2	10.124
SJRGPF-Outlet	2013	1	24	1	10.1
SJRGPF-Outlet	2013	1	24	0	10.1
SJRGPF-Outlet	2013	1	23	23	10.1
SJRGPF-Outlet	2013	1	23	22	10.1
SJRGPF-Outlet	2013	1	23	21	10.124
SJRGPF-Outlet	2013	1	23	20	10.1
SJRGPF-Outlet	2013	1	23	19	10.1
SJRGPF-Outlet	2013	1	23	18	10.1
SJRGPF-Outlet	2013	1	23	17	10.1
SJRGPF-Outlet	2013	1	23	16	10.051
SJRGPF-Outlet	2013	1	23	15	10.051
SJRGPF-Outlet	2013	1	23	14	10.026
SJRGPF-Outlet	2013	1	23	13	10.051
SJRGPF-Outlet	2013	1	23	12	10.001
SJRGPF-Outlet	2013	1	23	11	9.928
SJRGPF-Outlet	2013	1	23	10	9.854
SJRGPF-Outlet	2013	1	23	9	9.829
SJRGPF-Outlet	2013	1	23	8	9.829
SJRGPF-Outlet	2013	1	23	7	9.829
SJRGPF-Outlet	2013	1	23	6	9.854
SJRGPF-Outlet	2013	1	23	5	9.854
SJRGPF-Outlet	2013	1	23	4	9.879
SJRGPF-Outlet	2013	1	23	3	9.879
SJRGPF-Outlet	2013	1	23	2	9.903
SJRGPF-Outlet	2013	1	23	1	9.952
SJRGPF-Outlet	2013	1	23	0	9.977
SJRGPF-Outlet	2013	1	22	23	10.026
SJRGPF-Outlet	2013	1	22	22	10.051
SJRGPF-Outlet	2013	1	22	21	10.075
SJRGPF-Outlet	2013	1	22	20	10.124
SJRGPF-Outlet	2013	1	22	19	10.222
SJRGPF-Outlet	2013	1	22	18	10.271
SJRGPF-Outlet	2013	1	22	17	10.247
SJRGPF-Outlet	2013	1	22	16	10.051
SJRGPF-Outlet	2013	1	22	15	10.026

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	1	22	14	10.001
SJRGPF-Outlet	2013	1	22	13	9.78
SJRGPF-Outlet	2013	1	22	12	9.731
SJRGPF-Outlet	2013	1	22	11	9.632
SJRGPF-Outlet	2013	1	22	10	9.534
SJRGPF-Outlet	2013	1	22	9	9.534
SJRGPF-Outlet	2013	1	22	8	9.583
SJRGPF-Outlet	2013	1	22	7	9.632
SJRGPF-Outlet	2013	1	22	6	9.657
SJRGPF-Outlet	2013	1	22	5	9.682
SJRGPF-Outlet	2013	1	22	4	9.731
SJRGPF-Outlet	2013	1	22	3	9.756
SJRGPF-Outlet	2013	1	22	2	9.78
SJRGPF-Outlet	2013	1	22	1	9.829
SJRGPF-Outlet	2013	1	22	0	9.854
SJRGPF-Outlet	2013	1	21	23	9.903
SJRGPF-Outlet	2013	1	21	22	9.928
SJRGPF-Outlet	2013	1	21	21	9.977
SJRGPF-Outlet	2013	1	21	20	10.026
SJRGPF-Outlet	2013	1	21	19	10.1
SJRGPF-Outlet	2013	1	21	18	10.1
SJRGPF-Outlet	2013	1	21	17	10.32
SJRGPF-Outlet	2013	1	21	16	10.222
SJRGPF-Outlet	2013	1	21	15	10.124
SJRGPF-Outlet	2013	1	21	14	9.78
SJRGPF-Outlet	2013	1	21	13	9.657
SJRGPF-Outlet	2013	1	21	12	9.608
SJRGPF-Outlet	2013	1	21	11	9.485
SJRGPF-Outlet	2013	1	21	10	9.41
SJRGPF-Outlet	2013	1	21	9	9.41
SJRGPF-Outlet	2013	1	21	8	9.46
SJRGPF-Outlet	2013	1	21	7	9.509
SJRGPF-Outlet	2013	1	21	6	9.558
SJRGPF-Outlet	2013	1	21	5	9.558
SJRGPF-Outlet	2013	1	21	4	9.632
SJRGPF-Outlet	2013	1	21	3	9.632
SJRGPF-Outlet	2013	1	21	2	9.682
SJRGPF-Outlet	2013	1	21	1	9.706
SJRGPF-Outlet	2013	1	21	0	9.756
SJRGPF-Outlet	2013	1	20	23	9.78
SJRGPF-Outlet	2013	1	20	22	9.829
SJRGPF-Outlet	2013	1	20	21	9.879
SJRGPF-Outlet	2013	1	20	20	9.928
SJRGPF-Outlet	2013	1	20	19	10.001

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	1	20	18	10.051
SJRGPF-Outlet	2013	1	20	17	10.051
SJRGPF-Outlet	2013	1	20	16	10.124
SJRGPF-Outlet	2013	1	20	15	10.026
SJRGPF-Outlet	2013	1	20	14	9.829
SJRGPF-Outlet	2013	1	20	13	9.632
SJRGPF-Outlet	2013	1	20	12	9.583
SJRGPF-Outlet	2013	1	20	11	9.46
SJRGPF-Outlet	2013	1	20	10	9.386
SJRGPF-Outlet	2013	1	20	9	9.361
SJRGPF-Outlet	2013	1	20	8	9.386
SJRGPF-Outlet	2013	1	20	7	9.435
SJRGPF-Outlet	2013	1	20	6	9.485
SJRGPF-Outlet	2013	1	20	5	9.509
SJRGPF-Outlet	2013	1	20	4	9.534
SJRGPF-Outlet	2013	1	20	3	9.558
SJRGPF-Outlet	2013	1	20	2	9.558
SJRGPF-Outlet	2013	1	20	1	9.583
SJRGPF-Outlet	2013	1	20	0	9.632
SJRGPF-Outlet	2013	1	19	23	9.682
SJRGPF-Outlet	2013	1	19	22	9.706
SJRGPF-Outlet	2013	1	19	21	9.756
SJRGPF-Outlet	2013	1	19	20	9.805
SJRGPF-Outlet	2013	1	19	19	9.854
SJRGPF-Outlet	2013	1	19	18	9.879
SJRGPF-Outlet	2013	1	19	17	10.026
SJRGPF-Outlet	2013	1	19	16	9.879
SJRGPF-Outlet	2013	1	19	15	9.977
SJRGPF-Outlet	2013	1	19	14	9.805
SJRGPF-Outlet	2013	1	19	13	9.682
SJRGPF-Outlet	2013	1	19	12	9.509
SJRGPF-Outlet	2013	1	19	11	9.262
SJRGPF-Outlet	2013	1	19	10	9.188
SJRGPF-Outlet	2013	1	19	9	9.163
SJRGPF-Outlet	2013	1	19	8	9.188
SJRGPF-Outlet	2013	1	19	7	9.238
SJRGPF-Outlet	2013	1	19	6	9.262
SJRGPF-Outlet	2013	1	19	5	9.262
SJRGPF-Outlet	2013	1	19	4	9.312
SJRGPF-Outlet	2013	1	19	3	9.287
SJRGPF-Outlet	2013	1	19	2	9.336
SJRGPF-Outlet	2013	1	19	1	9.361
SJRGPF-Outlet	2013	1	19	0	9.386
SJRGPF-Outlet	2013	1	18	23	9.435

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	1	18	22	9.485
SJRGPF-Outlet	2013	1	18	21	9.534
SJRGPF-Outlet	2013	1	18	20	9.558
SJRGPF-Outlet	2013	1	18	19	9.558
SJRGPF-Outlet	2013	1	18	18	9.608
SJRGPF-Outlet	2013	1	18	17	9.558
SJRGPF-Outlet	2013	1	18	16	9.583
SJRGPF-Outlet	2013	1	18	15	9.558
SJRGPF-Outlet	2013	1	18	14	9.361
SJRGPF-Outlet	2013	1	18	13	9.238
SJRGPF-Outlet	2013	1	18	12	9.139
SJRGPF-Outlet	2013	1	18	11	8.99
SJRGPF-Outlet	2013	1	18	10	8.916
SJRGPF-Outlet	2013	1	18	9	8.891
SJRGPF-Outlet	2013	1	18	8	8.891
SJRGPF-Outlet	2013	1	18	7	8.891
SJRGPF-Outlet	2013	1	18	6	8.916
SJRGPF-Outlet	2013	1	18	5	8.916
SJRGPF-Outlet	2013	1	18	4	8.965
SJRGPF-Outlet	2013	1	18	3	8.99
SJRGPF-Outlet	2013	1	18	2	8.965
SJRGPF-Outlet	2013	1	18	1	9.04
SJRGPF-Outlet	2013	1	18	0	9.064
SJRGPF-Outlet	2013	1	17	23	9.114
SJRGPF-Outlet	2013	1	17	22	9.163
SJRGPF-Outlet	2013	1	17	21	9.213
SJRGPF-Outlet	2013	1	17	20	9.262
SJRGPF-Outlet	2013	1	17	19	9.312
SJRGPF-Outlet	2013	1	17	18	9.336
SJRGPF-Outlet	2013	1	17	17	9.287
SJRGPF-Outlet	2013	1	17	16	9.238
SJRGPF-Outlet	2013	1	17	15	9.089
SJRGPF-Outlet	2013	1	17	14	8.99
SJRGPF-Outlet	2013	1	17	13	8.866
SJRGPF-Outlet	2013	1	17	12	8.817
SJRGPF-Outlet	2013	1	17	11	8.618
SJRGPF-Outlet	2013	1	17	10	8.543
SJRGPF-Outlet	2013	1	17	9	8.494
SJRGPF-Outlet	2013	1	17	8	8.519
SJRGPF-Outlet	2013	1	17	7	8.593
SJRGPF-Outlet	2013	1	17	6	8.593
SJRGPF-Outlet	2013	1	17	5	8.618
SJRGPF-Outlet	2013	1	17	4	8.618
SJRGPF-Outlet	2013	1	17	3	8.693

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	1	17	2	8.668
SJRGPF-Outlet	2013	1	17	1	8.693
SJRGPF-Outlet	2013	1	17	0	8.717
SJRGPF-Outlet	2013	1	16	23	8.767
SJRGPF-Outlet	2013	1	16	22	8.792
SJRGPF-Outlet	2013	1	16	21	8.817
SJRGPF-Outlet	2013	1	16	20	8.841
SJRGPF-Outlet	2013	1	16	19	8.916
SJRGPF-Outlet	2013	1	16	18	8.916
SJRGPF-Outlet	2013	1	16	17	9.04
SJRGPF-Outlet	2013	1	16	16	8.99
SJRGPF-Outlet	2013	1	16	15	8.916
SJRGPF-Outlet	2013	1	16	14	8.742
SJRGPF-Outlet	2013	1	16	13	8.593
SJRGPF-Outlet	2013	1	16	12	8.469
SJRGPF-Outlet	2013	1	16	11	8.344
SJRGPF-Outlet	2013	1	16	10	8.22
SJRGPF-Outlet	2013	1	16	9	8.195
SJRGPF-Outlet	2013	1	16	8	8.245
SJRGPF-Outlet	2013	1	16	7	8.27
SJRGPF-Outlet	2013	1	16	6	8.295
SJRGPF-Outlet	2013	1	16	5	8.344
SJRGPF-Outlet	2013	1	16	4	8.369
SJRGPF-Outlet	2013	1	16	3	8.369
SJRGPF-Outlet	2013	1	16	2	8.369
SJRGPF-Outlet	2013	1	16	1	8.444
SJRGPF-Outlet	2013	1	16	0	8.444
SJRGPF-Outlet	2013	1	15	23	8.469
SJRGPF-Outlet	2013	1	15	22	8.543
SJRGPF-Outlet	2013	1	15	21	8.543
SJRGPF-Outlet	2013	1	15	20	8.593
SJRGPF-Outlet	2013	1	15	19	8.618
SJRGPF-Outlet	2013	1	15	18	8.618
SJRGPF-Outlet	2013	1	15	17	8.643
SJRGPF-Outlet	2013	1	15	16	8.593
SJRGPF-Outlet	2013	1	15	15	8.593
SJRGPF-Outlet	2013	1	15	14	8.444
SJRGPF-Outlet	2013	1	15	13	8.394
SJRGPF-Outlet	2013	1	15	12	8.245
SJRGPF-Outlet	2013	1	15	11	8.12
SJRGPF-Outlet	2013	1	15	10	8.045
SJRGPF-Outlet	2013	1	15	9	8.02
SJRGPF-Outlet	2013	1	15	8	8.07
SJRGPF-Outlet	2013	1	15	7	8.095

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	1	15	6	8.145
SJRGPF-Outlet	2013	1	15	5	8.17
SJRGPF-Outlet	2013	1	15	4	8.22
SJRGPF-Outlet	2013	1	15	3	8.245
SJRGPF-Outlet	2013	1	15	2	8.295
SJRGPF-Outlet	2013	1	15	1	8.295
SJRGPF-Outlet	2013	1	15	0	8.394
SJRGPF-Outlet	2013	1	14	23	8.444
SJRGPF-Outlet	2013	1	14	22	8.519
SJRGPF-Outlet	2013	1	14	21	8.543
SJRGPF-Outlet	2013	1	14	20	8.593
SJRGPF-Outlet	2013	1	14	19	8.593
SJRGPF-Outlet	2013	1	14	18	8.618
SJRGPF-Outlet	2013	1	14	17	8.643
SJRGPF-Outlet	2013	1	14	16	8.543
SJRGPF-Outlet	2013	1	14	15	8.543
SJRGPF-Outlet	2013	1	14	14	8.519
SJRGPF-Outlet	2013	1	14	13	8.344
SJRGPF-Outlet	2013	1	14	12	8.245
SJRGPF-Outlet	2013	1	14	11	8.145
SJRGPF-Outlet	2013	1	14	10	8.095
SJRGPF-Outlet	2013	1	14	9	8.12
SJRGPF-Outlet	2013	1	14	8	8.145
SJRGPF-Outlet	2013	1	14	7	8.17
SJRGPF-Outlet	2013	1	14	6	8.245
SJRGPF-Outlet	2013	1	14	5	8.27
SJRGPF-Outlet	2013	1	14	4	8.295
SJRGPF-Outlet	2013	1	14	3	8.319
SJRGPF-Outlet	2013	1	14	2	8.369
SJRGPF-Outlet	2013	1	14	1	8.394
SJRGPF-Outlet	2013	1	14	0	8.494
SJRGPF-Outlet	2013	1	13	23	8.568
SJRGPF-Outlet	2013	1	13	22	8.618
SJRGPF-Outlet	2013	1	13	21	8.643
SJRGPF-Outlet	2013	1	13	20	8.693
SJRGPF-Outlet	2013	1	13	19	8.742
SJRGPF-Outlet	2013	1	13	18	8.767
SJRGPF-Outlet	2013	1	13	17	8.841
SJRGPF-Outlet	2013	1	13	16	8.891
SJRGPF-Outlet	2013	1	13	15	8.767
SJRGPF-Outlet	2013	1	13	14	8.668
SJRGPF-Outlet	2013	1	13	13	8.593
SJRGPF-Outlet	2013	1	13	12	8.444
SJRGPF-Outlet	2013	1	13	11	8.344

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	1	13	10	8.27
SJRGPF-Outlet	2013	1	13	9	8.319
SJRGPF-Outlet	2013	1	13	8	8.344
SJRGPF-Outlet	2013	1	13	7	8.394
SJRGPF-Outlet	2013	1	13	6	8.444
SJRGPF-Outlet	2013	1	13	5	8.519
SJRGPF-Outlet	2013	1	13	4	8.543
SJRGPF-Outlet	2013	1	13	3	8.593
SJRGPF-Outlet	2013	1	13	2	8.693
SJRGPF-Outlet	2013	1	13	1	8.742
SJRGPF-Outlet	2013	1	13	0	8.817
SJRGPF-Outlet	2013	1	12	23	8.891
SJRGPF-Outlet	2013	1	12	22	8.965
SJRGPF-Outlet	2013	1	12	21	8.99
SJRGPF-Outlet	2013	1	12	20	9.04
SJRGPF-Outlet	2013	1	12	19	9.089
SJRGPF-Outlet	2013	1	12	18	9.114
SJRGPF-Outlet	2013	1	12	17	9.064
SJRGPF-Outlet	2013	1	12	16	9.04
SJRGPF-Outlet	2013	1	12	15	8.965
SJRGPF-Outlet	2013	1	12	14	8.891
SJRGPF-Outlet	2013	1	12	13	8.99
SJRGPF-Outlet	2013	1	12	12	8.767
SJRGPF-Outlet	2013	1	12	11	8.668
SJRGPF-Outlet	2013	1	12	10	8.618
SJRGPF-Outlet	2013	1	12	9	8.593
SJRGPF-Outlet	2013	1	12	8	8.643
SJRGPF-Outlet	2013	1	12	7	8.693
SJRGPF-Outlet	2013	1	12	6	8.742
SJRGPF-Outlet	2013	1	12	5	8.841
SJRGPF-Outlet	2013	1	12	4	8.841
SJRGPF-Outlet	2013	1	12	3	8.99
SJRGPF-Outlet	2013	1	12	2	9.089
SJRGPF-Outlet	2013	1	12	1	9.139
SJRGPF-Outlet	2013	1	12	0	9.238
SJRGPF-Outlet	2013	1	11	23	9.287
SJRGPF-Outlet	2013	1	11	22	9.386
SJRGPF-Outlet	2013	1	11	21	9.386
SJRGPF-Outlet	2013	1	11	20	9.435
SJRGPF-Outlet	2013	1	11	19	9.534
SJRGPF-Outlet	2013	1	11	18	9.632
SJRGPF-Outlet	2013	1	11	17	9.682
SJRGPF-Outlet	2013	1	11	16	9.706
SJRGPF-Outlet	2013	1	11	15	9.632

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	1	11	14	9.46
SJRGPF-Outlet	2013	1	11	13	9.361
SJRGPF-Outlet	2013	1	11	12	9.287
SJRGPF-Outlet	2013	1	11	11	9.139
SJRGPF-Outlet	2013	1	11	10	9.089
SJRGPF-Outlet	2013	1	11	9	9.089
SJRGPF-Outlet	2013	1	11	8	9.114
SJRGPF-Outlet	2013	1	11	7	9.213
SJRGPF-Outlet	2013	1	11	6	9.213
SJRGPF-Outlet	2013	1	11	5	9.336
SJRGPF-Outlet	2013	1	11	4	9.41
SJRGPF-Outlet	2013	1	11	3	9.485
SJRGPF-Outlet	2013	1	11	2	9.534
SJRGPF-Outlet	2013	1	11	1	9.558
SJRGPF-Outlet	2013	1	11	0	9.608
SJRGPF-Outlet	2013	1	10	23	9.632
SJRGPF-Outlet	2013	1	10	22	9.682
SJRGPF-Outlet	2013	1	10	21	9.731
SJRGPF-Outlet	2013	1	10	20	9.756
SJRGPF-Outlet	2013	1	10	19	9.829
SJRGPF-Outlet	2013	1	10	18	9.952
SJRGPF-Outlet	2013	1	10	17	10.026
SJRGPF-Outlet	2013	1	10	16	10.026
SJRGPF-Outlet	2013	1	10	15	9.977
SJRGPF-Outlet	2013	1	10	14	9.879
SJRGPF-Outlet	2013	1	10	13	9.78
SJRGPF-Outlet	2013	1	10	12	9.706
SJRGPF-Outlet	2013	1	10	11	9.608
SJRGPF-Outlet	2013	1	10	10	9.534
SJRGPF-Outlet	2013	1	10	9	9.534
SJRGPF-Outlet	2013	1	10	8	9.534
SJRGPF-Outlet	2013	1	10	7	9.534
SJRGPF-Outlet	2013	1	10	6	9.608
SJRGPF-Outlet	2013	1	10	5	9.657
SJRGPF-Outlet	2013	1	10	4	9.657
SJRGPF-Outlet	2013	1	10	3	9.731
SJRGPF-Outlet	2013	1	10	2	9.731
SJRGPF-Outlet	2013	1	10	1	9.78
SJRGPF-Outlet	2013	1	10	0	9.829
SJRGPF-Outlet	2013	1	9	23	9.805
SJRGPF-Outlet	2013	1	9	22	9.829
SJRGPF-Outlet	2013	1	9	21	9.854
SJRGPF-Outlet	2013	1	9	20	9.903
SJRGPF-Outlet	2013	1	9	19	9.928

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	1	9	18	9.977
SJRGPF-Outlet	2013	1	9	17	9.928
SJRGPF-Outlet	2013	1	9	16	9.805
SJRGPF-Outlet	2013	1	9	15	9.756
SJRGPF-Outlet	2013	1	9	14	9.829
SJRGPF-Outlet	2013	1	9	13	9.731
SJRGPF-Outlet	2013	1	9	12	9.608
SJRGPF-Outlet	2013	1	9	11	9.485
SJRGPF-Outlet	2013	1	9	10	9.361
SJRGPF-Outlet	2013	1	9	9	9.361
SJRGPF-Outlet	2013	1	9	8	9.386
SJRGPF-Outlet	2013	1	9	7	9.41
SJRGPF-Outlet	2013	1	9	6	9.435
SJRGPF-Outlet	2013	1	9	5	9.46
SJRGPF-Outlet	2013	1	9	4	9.46
SJRGPF-Outlet	2013	1	9	3	9.485
SJRGPF-Outlet	2013	1	9	2	9.534
SJRGPF-Outlet	2013	1	9	1	9.583
SJRGPF-Outlet	2013	1	9	0	9.632
SJRGPF-Outlet	2013	1	8	23	9.657
SJRGPF-Outlet	2013	1	8	22	9.706
SJRGPF-Outlet	2013	1	8	21	9.731
SJRGPF-Outlet	2013	1	8	20	9.756
SJRGPF-Outlet	2013	1	8	19	9.829
SJRGPF-Outlet	2013	1	8	18	9.879
SJRGPF-Outlet	2013	1	8	17	9.903
SJRGPF-Outlet	2013	1	8	16	9.756
SJRGPF-Outlet	2013	1	8	15	9.657
SJRGPF-Outlet	2013	1	8	14	9.632
SJRGPF-Outlet	2013	1	8	13	9.534
SJRGPF-Outlet	2013	1	8	12	9.41
SJRGPF-Outlet	2013	1	8	11	9.336
SJRGPF-Outlet	2013	1	8	10	9.287
SJRGPF-Outlet	2013	1	8	9	9.238
SJRGPF-Outlet	2013	1	8	8	9.287
SJRGPF-Outlet	2013	1	8	7	9.336
SJRGPF-Outlet	2013	1	8	6	9.361
SJRGPF-Outlet	2013	1	8	5	9.41
SJRGPF-Outlet	2013	1	8	4	9.435
SJRGPF-Outlet	2013	1	8	3	9.485
SJRGPF-Outlet	2013	1	8	2	9.509
SJRGPF-Outlet	2013	1	8	1	9.558
SJRGPF-Outlet	2013	1	8	0	9.608
SJRGPF-Outlet	2013	1	7	23	9.657

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	1	7	22	9.706
SJRGPF-Outlet	2013	1	7	21	9.731
SJRGPF-Outlet	2013	1	7	20	9.78
SJRGPF-Outlet	2013	1	7	19	9.78
SJRGPF-Outlet	2013	1	7	18	9.829
SJRGPF-Outlet	2013	1	7	17	9.829
SJRGPF-Outlet	2013	1	7	16	9.829
SJRGPF-Outlet	2013	1	7	15	9.805
SJRGPF-Outlet	2013	1	7	14	9.756
SJRGPF-Outlet	2013	1	7	13	9.756
SJRGPF-Outlet	2013	1	7	12	9.731
SJRGPF-Outlet	2013	1	7	11	9.731
SJRGPF-Outlet	2013	1	7	10	9.706
SJRGPF-Outlet	2013	1	7	9	9.706
SJRGPF-Outlet	2013	1	7	8	9.706
SJRGPF-Outlet	2013	1	7	7	9.706
SJRGPF-Outlet	2013	1	7	6	9.682
SJRGPF-Outlet	2013	1	7	5	9.731
SJRGPF-Outlet	2013	1	7	4	9.706
SJRGPF-Outlet	2013	1	7	3	9.682
SJRGPF-Outlet	2013	1	7	2	9.706
SJRGPF-Outlet	2013	1	7	1	9.657
SJRGPF-Outlet	2013	1	7	0	9.682
SJRGPF-Outlet	2013	1	6	23	9.706
SJRGPF-Outlet	2013	1	6	22	9.731
SJRGPF-Outlet	2013	1	6	21	9.78
SJRGPF-Outlet	2013	1	6	20	9.78
SJRGPF-Outlet	2013	1	6	19	9.805
SJRGPF-Outlet	2013	1	6	18	9.829
SJRGPF-Outlet	2013	1	6	17	9.854
SJRGPF-Outlet	2013	1	6	16	9.854
SJRGPF-Outlet	2013	1	6	15	9.78
SJRGPF-Outlet	2013	1	6	14	9.78
SJRGPF-Outlet	2013	1	6	13	9.657
SJRGPF-Outlet	2013	1	6	12	9.632
SJRGPF-Outlet	2013	1	6	11	9.583
SJRGPF-Outlet	2013	1	6	10	9.485
SJRGPF-Outlet	2013	1	6	9	9.46
SJRGPF-Outlet	2013	1	6	8	9.485
SJRGPF-Outlet	2013	1	6	7	9.485
SJRGPF-Outlet	2013	1	6	6	9.485
SJRGPF-Outlet	2013	1	6	5	9.485
SJRGPF-Outlet	2013	1	6	4	9.509
SJRGPF-Outlet	2013	1	6	3	9.485

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	1	6	2	9.509
SJRGPF-Outlet	2013	1	6	1	9.509
SJRGPF-Outlet	2013	1	6	0	9.509
SJRGPF-Outlet	2013	1	5	23	9.509
SJRGPF-Outlet	2013	1	5	22	9.558
SJRGPF-Outlet	2013	1	5	21	9.583
SJRGPF-Outlet	2013	1	5	20	9.608
SJRGPF-Outlet	2013	1	5	19	9.583
SJRGPF-Outlet	2013	1	5	18	9.509
SJRGPF-Outlet	2013	1	5	17	9.485
SJRGPF-Outlet	2013	1	5	16	9.509
SJRGPF-Outlet	2013	1	5	15	9.509
SJRGPF-Outlet	2013	1	5	14	9.583
SJRGPF-Outlet	2013	1	5	13	9.386
SJRGPF-Outlet	2013	1	5	12	9.213
SJRGPF-Outlet	2013	1	5	11	9.139
SJRGPF-Outlet	2013	1	5	10	9.064
SJRGPF-Outlet	2013	1	5	9	9.04
SJRGPF-Outlet	2013	1	5	8	9.064
SJRGPF-Outlet	2013	1	5	7	9.114
SJRGPF-Outlet	2013	1	5	6	9.139
SJRGPF-Outlet	2013	1	5	5	9.188
SJRGPF-Outlet	2013	1	5	4	9.262
SJRGPF-Outlet	2013	1	5	3	9.312
SJRGPF-Outlet	2013	1	5	2	9.361
SJRGPF-Outlet	2013	1	5	1	9.386
SJRGPF-Outlet	2013	1	5	0	9.435
SJRGPF-Outlet	2013	1	4	23	9.46
SJRGPF-Outlet	2013	1	4	22	9.534
SJRGPF-Outlet	2013	1	4	21	9.583
SJRGPF-Outlet	2013	1	4	20	9.632
SJRGPF-Outlet	2013	1	4	19	9.682
SJRGPF-Outlet	2013	1	4	18	9.682
SJRGPF-Outlet	2013	1	4	17	9.657
SJRGPF-Outlet	2013	1	4	16	9.583
SJRGPF-Outlet	2013	1	4	15	9.583
SJRGPF-Outlet	2013	1	4	14	9.509
SJRGPF-Outlet	2013	1	4	13	9.46
SJRGPF-Outlet	2013	1	4	12	9.238
SJRGPF-Outlet	2013	1	4	11	9.139
SJRGPF-Outlet	2013	1	4	10	9.04
SJRGPF-Outlet	2013	1	4	9	9.015
SJRGPF-Outlet	2013	1	4	8	9.064
SJRGPF-Outlet	2013	1	4	7	9.064

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	1	4	6	9.114
SJRGPF-Outlet	2013	1	4	5	9.114
SJRGPF-Outlet	2013	1	4	4	9.238
SJRGPF-Outlet	2013	1	4	3	9.287
SJRGPF-Outlet	2013	1	4	2	9.361
SJRGPF-Outlet	2013	1	4	1	9.386
SJRGPF-Outlet	2013	1	4	0	9.386
SJRGPF-Outlet	2013	1	3	23	9.46
SJRGPF-Outlet	2013	1	3	22	9.534
SJRGPF-Outlet	2013	1	3	21	9.558
SJRGPF-Outlet	2013	1	3	20	9.583
SJRGPF-Outlet	2013	1	3	19	9.682
SJRGPF-Outlet	2013	1	3	18	9.78
SJRGPF-Outlet	2013	1	3	17	9.756
SJRGPF-Outlet	2013	1	3	16	9.756
SJRGPF-Outlet	2013	1	3	15	9.632
SJRGPF-Outlet	2013	1	3	14	9.558
SJRGPF-Outlet	2013	1	3	13	9.534
SJRGPF-Outlet	2013	1	3	12	9.386
SJRGPF-Outlet	2013	1	3	11	9.262
SJRGPF-Outlet	2013	1	3	10	9.139
SJRGPF-Outlet	2013	1	3	9	9.163
SJRGPF-Outlet	2013	1	3	8	9.188
SJRGPF-Outlet	2013	1	3	7	9.238
SJRGPF-Outlet	2013	1	3	6	9.262
SJRGPF-Outlet	2013	1	3	5	9.361
SJRGPF-Outlet	2013	1	3	4	9.41
SJRGPF-Outlet	2013	1	3	3	9.485
SJRGPF-Outlet	2013	1	3	2	9.534
SJRGPF-Outlet	2013	1	3	1	9.632
SJRGPF-Outlet	2013	1	3	0	9.682
SJRGPF-Outlet	2013	1	2	23	9.706
SJRGPF-Outlet	2013	1	2	22	9.78
SJRGPF-Outlet	2013	1	2	21	9.829
SJRGPF-Outlet	2013	1	2	20	9.854
SJRGPF-Outlet	2013	1	2	19	9.928
SJRGPF-Outlet	2013	1	2	18	10.001
SJRGPF-Outlet	2013	1	2	17	10.075
SJRGPF-Outlet	2013	1	2	16	10.124
SJRGPF-Outlet	2013	1	2	15	9.977
SJRGPF-Outlet	2013	1	2	14	9.928
SJRGPF-Outlet	2013	1	2	13	9.756
SJRGPF-Outlet	2013	1	2	12	9.632
SJRGPF-Outlet	2013	1	2	11	9.534

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2013	1	2	10	9.485
SJRGPF-Outlet	2013	1	2	9	9.46
SJRGPF-Outlet	2013	1	2	8	9.509
SJRGPF-Outlet	2013	1	2	7	9.509
SJRGPF-Outlet	2013	1	2	6	9.558
SJRGPF-Outlet	2013	1	2	5	9.632
SJRGPF-Outlet	2013	1	2	4	9.731
SJRGPF-Outlet	2013	1	2	3	9.805
SJRGPF-Outlet	2013	1	2	2	9.829
SJRGPF-Outlet	2013	1	2	1	9.879
SJRGPF-Outlet	2013	1	2	0	9.928
SJRGPF-Outlet	2013	1	1	23	9.952
SJRGPF-Outlet	2013	1	1	22	10.001
SJRGPF-Outlet	2013	1	1	21	10.075
SJRGPF-Outlet	2013	1	1	20	10.124
SJRGPF-Outlet	2013	1	1	19	10.173
SJRGPF-Outlet	2013	1	1	18	10.247
SJRGPF-Outlet	2013	1	1	17	10.345
SJRGPF-Outlet	2013	1	1	16	10.394
SJRGPF-Outlet	2013	1	1	15	10.173
SJRGPF-Outlet	2013	1	1	14	10.124
SJRGPF-Outlet	2013	1	1	13	10.026
SJRGPF-Outlet	2013	1	1	12	9.928
SJRGPF-Outlet	2013	1	1	11	9.805
SJRGPF-Outlet	2013	1	1	10	9.756
SJRGPF-Outlet	2013	1	1	9	9.756
SJRGPF-Outlet	2013	1	1	8	9.805
SJRGPF-Outlet	2013	1	1	7	9.78
SJRGPF-Outlet	2013	1	1	6	9.805
SJRGPF-Outlet	2013	1	1	5	9.854
SJRGPF-Outlet	2013	1	1	4	9.879
SJRGPF-Outlet	2013	1	1	3	10.026
SJRGPF-Outlet	2013	1	1	2	10.1
SJRGPF-Outlet	2013	1	1	1	10.124
SJRGPF-Outlet	2013	1	1	0	10.149
SJRGPF-Outlet	2012	12	31	23	10.198
SJRGPF-Outlet	2012	12	31	22	10.222
SJRGPF-Outlet	2012	12	31	21	10.222
SJRGPF-Outlet	2012	12	31	20	10.247
SJRGPF-Outlet	2012	12	31	19	10.296
SJRGPF-Outlet	2012	12	31	18	10.32
SJRGPF-Outlet	2012	12	31	17	10.345
SJRGPF-Outlet	2012	12	31	16	10.345
SJRGPF-Outlet	2012	12	31	15	10.418

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	12	31	14	10.369
SJRGPF-Outlet	2012	12	31	13	10.149
SJRGPF-Outlet	2012	12	31	12	10.051
SJRGPF-Outlet	2012	12	31	11	9.977
SJRGPF-Outlet	2012	12	31	10	9.928
SJRGPF-Outlet	2012	12	31	9	9.928
SJRGPF-Outlet	2012	12	31	8	9.928
SJRGPF-Outlet	2012	12	31	7	9.952
SJRGPF-Outlet	2012	12	31	6	9.977
SJRGPF-Outlet	2012	12	31	5	10.026
SJRGPF-Outlet	2012	12	31	4	10.075
SJRGPF-Outlet	2012	12	31	3	10.124
SJRGPF-Outlet	2012	12	31	2	10.149
SJRGPF-Outlet	2012	12	31	1	10.198
SJRGPF-Outlet	2012	12	31	0	10.222
SJRGPF-Outlet	2012	12	30	23	10.247
SJRGPF-Outlet	2012	12	30	22	10.296
SJRGPF-Outlet	2012	12	30	21	10.345
SJRGPF-Outlet	2012	12	30	20	10.369
SJRGPF-Outlet	2012	12	30	19	10.418
SJRGPF-Outlet	2012	12	30	18	10.492
SJRGPF-Outlet	2012	12	30	17	10.565
SJRGPF-Outlet	2012	12	30	16	10.565
SJRGPF-Outlet	2012	12	30	15	10.565
SJRGPF-Outlet	2012	12	30	14	10.467
SJRGPF-Outlet	2012	12	30	13	10.32
SJRGPF-Outlet	2012	12	30	12	10.149
SJRGPF-Outlet	2012	12	30	11	10.051
SJRGPF-Outlet	2012	12	30	10	9.928
SJRGPF-Outlet	2012	12	30	9	9.903
SJRGPF-Outlet	2012	12	30	8	9.952
SJRGPF-Outlet	2012	12	30	7	9.952
SJRGPF-Outlet	2012	12	30	6	9.977
SJRGPF-Outlet	2012	12	30	5	10.026
SJRGPF-Outlet	2012	12	30	4	10.075
SJRGPF-Outlet	2012	12	30	3	10.124
SJRGPF-Outlet	2012	12	30	2	10.173
SJRGPF-Outlet	2012	12	30	1	10.222
SJRGPF-Outlet	2012	12	30	0	10.247
SJRGPF-Outlet	2012	12	29	23	10.296
SJRGPF-Outlet	2012	12	29	22	10.32
SJRGPF-Outlet	2012	12	29	21	10.369
SJRGPF-Outlet	2012	12	29	20	10.418
SJRGPF-Outlet	2012	12	29	19	10.418

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	12	29	18	10.418
SJRGPF-Outlet	2012	12	29	17	10.443
SJRGPF-Outlet	2012	12	29	16	10.467
SJRGPF-Outlet	2012	12	29	15	10.467
SJRGPF-Outlet	2012	12	29	14	10.345
SJRGPF-Outlet	2012	12	29	13	10.345
SJRGPF-Outlet	2012	12	29	12	10.32
SJRGPF-Outlet	2012	12	29	11	10.296
SJRGPF-Outlet	2012	12	29	10	10.296
SJRGPF-Outlet	2012	12	29	9	10.32
SJRGPF-Outlet	2012	12	29	8	10.369
SJRGPF-Outlet	2012	12	29	7	10.418
SJRGPF-Outlet	2012	12	29	6	10.443
SJRGPF-Outlet	2012	12	29	5	10.492
SJRGPF-Outlet	2012	12	29	4	10.541
SJRGPF-Outlet	2012	12	29	3	10.565
SJRGPF-Outlet	2012	12	29	2	10.614
SJRGPF-Outlet	2012	12	29	1	10.663
SJRGPF-Outlet	2012	12	29	0	10.663
SJRGPF-Outlet	2012	12	28	23	10.687
SJRGPF-Outlet	2012	12	28	22	10.736
SJRGPF-Outlet	2012	12	28	21	10.785
SJRGPF-Outlet	2012	12	28	20	10.834
SJRGPF-Outlet	2012	12	28	19	10.81
SJRGPF-Outlet	2012	12	28	18	10.858
SJRGPF-Outlet	2012	12	28	17	10.858
SJRGPF-Outlet	2012	12	28	16	10.907
SJRGPF-Outlet	2012	12	28	15	10.883
SJRGPF-Outlet	2012	12	28	14	10.932
SJRGPF-Outlet	2012	12	28	13	10.834
SJRGPF-Outlet	2012	12	28	12	10.834
SJRGPF-Outlet	2012	12	28	11	10.785
SJRGPF-Outlet	2012	12	28	10	10.81
SJRGPF-Outlet	2012	12	28	9	10.81
SJRGPF-Outlet	2012	12	28	8	10.858
SJRGPF-Outlet	2012	12	28	7	10.932
SJRGPF-Outlet	2012	12	28	6	10.956
SJRGPF-Outlet	2012	12	28	5	11.005
SJRGPF-Outlet	2012	12	28	4	11.053
SJRGPF-Outlet	2012	12	28	3	11.078
SJRGPF-Outlet	2012	12	28	2	11.151
SJRGPF-Outlet	2012	12	28	1	11.224
SJRGPF-Outlet	2012	12	28	0	11.297
SJRGPF-Outlet	2012	12	27	23	11.37

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	12	27	22	11.419
SJRGPF-Outlet	2012	12	27	21	11.467
SJRGPF-Outlet	2012	12	27	20	11.54
SJRGPF-Outlet	2012	12	27	19	11.589
SJRGPF-Outlet	2012	12	27	18	11.637
SJRGPF-Outlet	2012	12	27	17	11.686
SJRGPF-Outlet	2012	12	27	16	11.71
SJRGPF-Outlet	2012	12	27	15	11.686
SJRGPF-Outlet	2012	12	27	14	11.686
SJRGPF-Outlet	2012	12	27	13	11.686
SJRGPF-Outlet	2012	12	27	12	11.516
SJRGPF-Outlet	2012	12	27	11	11.419
SJRGPF-Outlet	2012	12	27	10	11.346
SJRGPF-Outlet	2012	12	27	9	11.346
SJRGPF-Outlet	2012	12	27	8	11.37
SJRGPF-Outlet	2012	12	27	7	11.394
SJRGPF-Outlet	2012	12	27	6	11.419
SJRGPF-Outlet	2012	12	27	5	11.443
SJRGPF-Outlet	2012	12	27	4	11.467
SJRGPF-Outlet	2012	12	27	3	11.516
SJRGPF-Outlet	2012	12	27	2	11.54
SJRGPF-Outlet	2012	12	27	1	11.589
SJRGPF-Outlet	2012	12	27	0	11.613
SJRGPF-Outlet	2012	12	26	23	11.637
SJRGPF-Outlet	2012	12	26	22	11.637
SJRGPF-Outlet	2012	12	26	21	11.686
SJRGPF-Outlet	2012	12	26	20	11.71
SJRGPF-Outlet	2012	12	26	19	11.71
SJRGPF-Outlet	2012	12	26	18	11.759
SJRGPF-Outlet	2012	12	26	17	11.734
SJRGPF-Outlet	2012	12	26	16	11.783
SJRGPF-Outlet	2012	12	26	15	11.734
SJRGPF-Outlet	2012	12	26	14	11.662
SJRGPF-Outlet	2012	12	26	13	11.516
SJRGPF-Outlet	2012	12	26	12	11.443
SJRGPF-Outlet	2012	12	26	11	11.419
SJRGPF-Outlet	2012	12	26	10	11.37
SJRGPF-Outlet	2012	12	26	9	11.394
SJRGPF-Outlet	2012	12	26	8	11.467
SJRGPF-Outlet	2012	12	26	7	11.492
SJRGPF-Outlet	2012	12	26	6	11.516
SJRGPF-Outlet	2012	12	26	5	11.516
SJRGPF-Outlet	2012	12	26	4	11.54
SJRGPF-Outlet	2012	12	26	3	11.589

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	12	26	2	11.589
SJRGPF-Outlet	2012	12	26	1	11.637
SJRGPF-Outlet	2012	12	26	0	11.686
SJRGPF-Outlet	2012	12	25	23	11.71
SJRGPF-Outlet	2012	12	25	22	11.759
SJRGPF-Outlet	2012	12	25	21	11.783
SJRGPF-Outlet	2012	12	25	20	11.807
SJRGPF-Outlet	2012	12	25	19	11.807
SJRGPF-Outlet	2012	12	25	18	11.832
SJRGPF-Outlet	2012	12	25	17	11.856
SJRGPF-Outlet	2012	12	25	16	11.88
SJRGPF-Outlet	2012	12	25	15	11.88
SJRGPF-Outlet	2012	12	25	14	11.88
SJRGPF-Outlet	2012	12	25	13	11.856
SJRGPF-Outlet	2012	12	25	12	11.807
SJRGPF-Outlet	2012	12	25	11	11.759
SJRGPF-Outlet	2012	12	25	10	11.734
SJRGPF-Outlet	2012	12	25	9	11.734
SJRGPF-Outlet	2012	12	25	8	11.734
SJRGPF-Outlet	2012	12	25	7	11.759
SJRGPF-Outlet	2012	12	25	6	11.783
SJRGPF-Outlet	2012	12	25	5	11.759
SJRGPF-Outlet	2012	12	25	4	11.759
SJRGPF-Outlet	2012	12	25	3	11.783
SJRGPF-Outlet	2012	12	25	2	11.783
SJRGPF-Outlet	2012	12	25	1	11.807
SJRGPF-Outlet	2012	12	25	0	11.856
SJRGPF-Outlet	2012	12	24	23	11.88
SJRGPF-Outlet	2012	12	24	22	11.88
SJRGPF-Outlet	2012	12	24	21	11.904
SJRGPF-Outlet	2012	12	24	20	11.953
SJRGPF-Outlet	2012	12	24	19	12.001
SJRGPF-Outlet	2012	12	24	18	12.074
SJRGPF-Outlet	2012	12	24	17	12.122
SJRGPF-Outlet	2012	12	24	16	12.171
SJRGPF-Outlet	2012	12	24	15	12.147
SJRGPF-Outlet	2012	12	24	14	12.025
SJRGPF-Outlet	2012	12	24	13	11.88
SJRGPF-Outlet	2012	12	24	12	11.734
SJRGPF-Outlet	2012	12	24	11	11.637
SJRGPF-Outlet	2012	12	24	10	11.589
SJRGPF-Outlet	2012	12	24	9	11.589
SJRGPF-Outlet	2012	12	24	8	11.589
SJRGPF-Outlet	2012	12	24	7	11.613

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	12	24	6	11.589
SJRGPF-Outlet	2012	12	24	5	11.589
SJRGPF-Outlet	2012	12	24	4	11.589
SJRGPF-Outlet	2012	12	24	3	11.637
SJRGPF-Outlet	2012	12	24	2	11.637
SJRGPF-Outlet	2012	12	24	1	11.662
SJRGPF-Outlet	2012	12	24	0	11.637
SJRGPF-Outlet	2012	12	23	23	11.662
SJRGPF-Outlet	2012	12	23	22	11.662
SJRGPF-Outlet	2012	12	23	21	11.637
SJRGPF-Outlet	2012	12	23	20	11.637
SJRGPF-Outlet	2012	12	23	19	11.637
SJRGPF-Outlet	2012	12	23	18	11.589
SJRGPF-Outlet	2012	12	23	17	11.637
SJRGPF-Outlet	2012	12	23	16	11.662
SJRGPF-Outlet	2012	12	23	15	11.662
SJRGPF-Outlet	2012	12	23	14	11.662
SJRGPF-Outlet	2012	12	23	13	11.686
SJRGPF-Outlet	2012	12	23	12	11.662
SJRGPF-Outlet	2012	12	23	11	11.662
SJRGPF-Outlet	2012	12	23	10	11.589
SJRGPF-Outlet	2012	12	23	9	11.589
SJRGPF-Outlet	2012	12	23	8	11.565
SJRGPF-Outlet	2012	12	23	7	11.54
SJRGPF-Outlet	2012	12	23	6	11.516
SJRGPF-Outlet	2012	12	23	5	11.492
SJRGPF-Outlet	2012	12	23	4	11.443
SJRGPF-Outlet	2012	12	23	3	11.467
SJRGPF-Outlet	2012	12	23	2	11.419
SJRGPF-Outlet	2012	12	23	1	11.419
SJRGPF-Outlet	2012	12	23	0	11.37
SJRGPF-Outlet	2012	12	22	23	11.346
SJRGPF-Outlet	2012	12	22	22	11.394
SJRGPF-Outlet	2012	12	22	21	11.321
SJRGPF-Outlet	2012	12	22	20	11.321
SJRGPF-Outlet	2012	12	22	19	11.297
SJRGPF-Outlet	2012	12	22	18	11.297
SJRGPF-Outlet	2012	12	22	17	11.151
SJRGPF-Outlet	2012	12	22	16	11.2
SJRGPF-Outlet	2012	12	22	15	11.102
SJRGPF-Outlet	2012	12	22	14	11.053
SJRGPF-Outlet	2012	12	22	13	10.956
SJRGPF-Outlet	2012	12	22	12	10.98
SJRGPF-Outlet	2012	12	22	11	10.932

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	12	22	10	10.81
SJRGPF-Outlet	2012	12	22	9	10.858
SJRGPF-Outlet	2012	12	22	8	10.858
SJRGPF-Outlet	2012	12	22	7	10.907
SJRGPF-Outlet	2012	12	22	6	10.81
SJRGPF-Outlet	2012	12	22	5	10.858
SJRGPF-Outlet	2012	12	22	4	10.907
SJRGPF-Outlet	2012	12	22	3	10.858
SJRGPF-Outlet	2012	12	22	2	10.834
SJRGPF-Outlet	2012	12	22	1	10.81
SJRGPF-Outlet	2012	12	22	0	10.81
SJRGPF-Outlet	2012	12	21	23	10.81
SJRGPF-Outlet	2012	12	21	22	10.761
SJRGPF-Outlet	2012	12	21	21	10.761
SJRGPF-Outlet	2012	12	21	20	10.736
SJRGPF-Outlet	2012	12	21	19	10.712
SJRGPF-Outlet	2012	12	21	18	10.736
SJRGPF-Outlet	2012	12	21	17	10.712
SJRGPF-Outlet	2012	12	21	16	10.712
SJRGPF-Outlet	2012	12	21	15	10.712
SJRGPF-Outlet	2012	12	21	14	10.736
SJRGPF-Outlet	2012	12	21	13	10.638
SJRGPF-Outlet	2012	12	21	12	10.59
SJRGPF-Outlet	2012	12	21	11	10.467
SJRGPF-Outlet	2012	12	21	10	10.418
SJRGPF-Outlet	2012	12	21	9	10.345
SJRGPF-Outlet	2012	12	21	8	10.345
SJRGPF-Outlet	2012	12	21	7	10.394
SJRGPF-Outlet	2012	12	21	6	10.516
SJRGPF-Outlet	2012	12	21	5	10.516
SJRGPF-Outlet	2012	12	21	4	10.614
SJRGPF-Outlet	2012	12	21	3	10.663
SJRGPF-Outlet	2012	12	21	2	10.712
SJRGPF-Outlet	2012	12	21	1	10.761
SJRGPF-Outlet	2012	12	21	0	10.785
SJRGPF-Outlet	2012	12	20	23	10.834
SJRGPF-Outlet	2012	12	20	22	10.858
SJRGPF-Outlet	2012	12	20	21	10.883
SJRGPF-Outlet	2012	12	20	20	10.932
SJRGPF-Outlet	2012	12	20	19	10.956
SJRGPF-Outlet	2012	12	20	18	10.956
SJRGPF-Outlet	2012	12	20	17	10.98
SJRGPF-Outlet	2012	12	20	16	11.005
SJRGPF-Outlet	2012	12	20	15	11.005

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	12	20	14	11.053
SJRGPF-Outlet	2012	12	20	13	10.883
SJRGPF-Outlet	2012	12	20	12	10.858
SJRGPF-Outlet	2012	12	20	11	10.785
SJRGPF-Outlet	2012	12	20	10	10.761
SJRGPF-Outlet	2012	12	20	9	10.81
SJRGPF-Outlet	2012	12	20	8	10.883
SJRGPF-Outlet	2012	12	20	7	10.98
SJRGPF-Outlet	2012	12	20	6	11.029
SJRGPF-Outlet	2012	12	20	5	11.127
SJRGPF-Outlet	2012	12	20	4	11.151
SJRGPF-Outlet	2012	12	20	3	11.273
SJRGPF-Outlet	2012	12	20	2	11.321
SJRGPF-Outlet	2012	12	20	1	11.394
SJRGPF-Outlet	2012	12	20	0	11.467
SJRGPF-Outlet	2012	12	19	23	11.54
SJRGPF-Outlet	2012	12	19	22	11.589
SJRGPF-Outlet	2012	12	19	21	11.662
SJRGPF-Outlet	2012	12	19	20	11.759
SJRGPF-Outlet	2012	12	19	19	11.807
SJRGPF-Outlet	2012	12	19	18	11.856
SJRGPF-Outlet	2012	12	19	17	11.929
SJRGPF-Outlet	2012	12	19	16	11.977
SJRGPF-Outlet	2012	12	19	15	11.977
SJRGPF-Outlet	2012	12	19	14	12.074
SJRGPF-Outlet	2012	12	19	13	12.001
SJRGPF-Outlet	2012	12	19	12	11.904
SJRGPF-Outlet	2012	12	19	11	11.856
SJRGPF-Outlet	2012	12	19	10	11.856
SJRGPF-Outlet	2012	12	19	9	11.88
SJRGPF-Outlet	2012	12	19	8	11.953
SJRGPF-Outlet	2012	12	19	7	12.025
SJRGPF-Outlet	2012	12	19	6	12.074
SJRGPF-Outlet	2012	12	19	5	12.122
SJRGPF-Outlet	2012	12	19	4	12.195
SJRGPF-Outlet	2012	12	19	3	12.292
SJRGPF-Outlet	2012	12	19	2	12.389
SJRGPF-Outlet	2012	12	19	1	12.437
SJRGPF-Outlet	2012	12	19	0	12.485
SJRGPF-Outlet	2012	12	18	23	12.558
SJRGPF-Outlet	2012	12	18	22	12.582
SJRGPF-Outlet	2012	12	18	21	12.678
SJRGPF-Outlet	2012	12	18	20	12.727
SJRGPF-Outlet	2012	12	18	19	12.751

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	12	18	18	12.847
SJRGPF-Outlet	2012	12	18	17	12.92
SJRGPF-Outlet	2012	12	18	16	13.088
SJRGPF-Outlet	2012	12	18	15	13.161
SJRGPF-Outlet	2012	12	18	14	13.088
SJRGPF-Outlet	2012	12	18	13	12.944
SJRGPF-Outlet	2012	12	18	12	12.944
SJRGPF-Outlet	2012	12	18	11	12.871
SJRGPF-Outlet	2012	12	18	10	12.92
SJRGPF-Outlet	2012	12	18	9	12.847
SJRGPF-Outlet	2012	12	18	8	12.92
SJRGPF-Outlet	2012	12	18	7	12.944
SJRGPF-Outlet	2012	12	18	6	12.968
SJRGPF-Outlet	2012	12	18	5	12.992
SJRGPF-Outlet	2012	12	18	4	12.944
SJRGPF-Outlet	2012	12	18	3	12.992
SJRGPF-Outlet	2012	12	18	2	13.064
SJRGPF-Outlet	2012	12	18	1	12.92
SJRGPF-Outlet	2012	12	18	0	12.92
SJRGPF-Outlet	2012	12	17	23	12.92
SJRGPF-Outlet	2012	12	17	22	12.896
SJRGPF-Outlet	2012	12	17	21	12.871
SJRGPF-Outlet	2012	12	17	20	12.896
SJRGPF-Outlet	2012	12	17	19	12.847
SJRGPF-Outlet	2012	12	17	18	12.847
SJRGPF-Outlet	2012	12	17	17	12.823
SJRGPF-Outlet	2012	12	17	16	12.775
SJRGPF-Outlet	2012	12	17	15	12.678
SJRGPF-Outlet	2012	12	17	14	12.606
SJRGPF-Outlet	2012	12	17	13	12.534
SJRGPF-Outlet	2012	12	17	12	12.437
SJRGPF-Outlet	2012	12	17	11	12.316
SJRGPF-Outlet	2012	12	17	10	12.195
SJRGPF-Outlet	2012	12	17	9	12.147
SJRGPF-Outlet	2012	12	17	8	12.122
SJRGPF-Outlet	2012	12	17	7	12.122
SJRGPF-Outlet	2012	12	17	6	12.147
SJRGPF-Outlet	2012	12	17	5	12.171
SJRGPF-Outlet	2012	12	17	4	12.147
SJRGPF-Outlet	2012	12	17	3	12.171
SJRGPF-Outlet	2012	12	17	2	12.171
SJRGPF-Outlet	2012	12	17	1	12.195
SJRGPF-Outlet	2012	12	17	0	12.219
SJRGPF-Outlet	2012	12	16	23	12.219

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	12	16	22	12.219
SJRGPF-Outlet	2012	12	16	21	12.243
SJRGPF-Outlet	2012	12	16	20	12.243
SJRGPF-Outlet	2012	12	16	19	12.219
SJRGPF-Outlet	2012	12	16	18	12.243
SJRGPF-Outlet	2012	12	16	17	12.195
SJRGPF-Outlet	2012	12	16	16	12.195
SJRGPF-Outlet	2012	12	16	15	12.171
SJRGPF-Outlet	2012	12	16	14	12.147
SJRGPF-Outlet	2012	12	16	13	12.025
SJRGPF-Outlet	2012	12	16	12	11.929
SJRGPF-Outlet	2012	12	16	11	11.807
SJRGPF-Outlet	2012	12	16	10	11.71
SJRGPF-Outlet	2012	12	16	9	11.637
SJRGPF-Outlet	2012	12	16	8	11.662
SJRGPF-Outlet	2012	12	16	7	11.759
SJRGPF-Outlet	2012	12	16	6	11.734
SJRGPF-Outlet	2012	12	16	5	11.832
SJRGPF-Outlet	2012	12	16	4	11.832
SJRGPF-Outlet	2012	12	16	3	11.904
SJRGPF-Outlet	2012	12	16	2	11.88
SJRGPF-Outlet	2012	12	16	1	11.929
SJRGPF-Outlet	2012	12	16	0	12.001
SJRGPF-Outlet	2012	12	15	23	12.025
SJRGPF-Outlet	2012	12	15	22	12.05
SJRGPF-Outlet	2012	12	15	21	12.074
SJRGPF-Outlet	2012	12	15	20	12.098
SJRGPF-Outlet	2012	12	15	19	12.122
SJRGPF-Outlet	2012	12	15	18	12.122
SJRGPF-Outlet	2012	12	15	17	12.147
SJRGPF-Outlet	2012	12	15	16	12.147
SJRGPF-Outlet	2012	12	15	15	12.147
SJRGPF-Outlet	2012	12	15	14	12.147
SJRGPF-Outlet	2012	12	15	13	12.074
SJRGPF-Outlet	2012	12	15	12	12.05
SJRGPF-Outlet	2012	12	15	11	11.953
SJRGPF-Outlet	2012	12	15	10	11.856
SJRGPF-Outlet	2012	12	15	9	11.832
SJRGPF-Outlet	2012	12	15	8	11.856
SJRGPF-Outlet	2012	12	15	7	11.88
SJRGPF-Outlet	2012	12	15	6	11.904
SJRGPF-Outlet	2012	12	15	5	12.025
SJRGPF-Outlet	2012	12	15	4	12.05
SJRGPF-Outlet	2012	12	15	3	12.122

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	12	15	2	12.147
SJRGPF-Outlet	2012	12	15	1	12.171
SJRGPF-Outlet	2012	12	15	0	12.195
SJRGPF-Outlet	2012	12	14	23	12.195
SJRGPF-Outlet	2012	12	14	22	12.219
SJRGPF-Outlet	2012	12	14	21	12.219
SJRGPF-Outlet	2012	12	14	20	12.243
SJRGPF-Outlet	2012	12	14	19	12.292
SJRGPF-Outlet	2012	12	14	18	12.316
SJRGPF-Outlet	2012	12	14	17	12.34
SJRGPF-Outlet	2012	12	14	16	12.364
SJRGPF-Outlet	2012	12	14	15	12.364
SJRGPF-Outlet	2012	12	14	14	12.389
SJRGPF-Outlet	2012	12	14	13	12.34
SJRGPF-Outlet	2012	12	14	12	12.268
SJRGPF-Outlet	2012	12	14	11	12.171
SJRGPF-Outlet	2012	12	14	10	12.122
SJRGPF-Outlet	2012	12	14	9	12.147
SJRGPF-Outlet	2012	12	14	8	12.195
SJRGPF-Outlet	2012	12	14	7	12.268
SJRGPF-Outlet	2012	12	14	6	12.364
SJRGPF-Outlet	2012	12	14	5	12.389
SJRGPF-Outlet	2012	12	14	4	12.437
SJRGPF-Outlet	2012	12	14	3	12.485
SJRGPF-Outlet	2012	12	14	2	12.534
SJRGPF-Outlet	2012	12	14	1	12.558
SJRGPF-Outlet	2012	12	14	0	12.606
SJRGPF-Outlet	2012	12	13	23	12.654
SJRGPF-Outlet	2012	12	13	22	12.678
SJRGPF-Outlet	2012	12	13	21	12.727
SJRGPF-Outlet	2012	12	13	20	12.799
SJRGPF-Outlet	2012	12	13	19	12.847
SJRGPF-Outlet	2012	12	13	18	12.92
SJRGPF-Outlet	2012	12	13	17	12.968
SJRGPF-Outlet	2012	12	13	16	13.04
SJRGPF-Outlet	2012	12	13	15	12.992
SJRGPF-Outlet	2012	12	13	14	12.944
SJRGPF-Outlet	2012	12	13	13	12.871
SJRGPF-Outlet	2012	12	13	12	12.775
SJRGPF-Outlet	2012	12	13	11	12.703
SJRGPF-Outlet	2012	12	13	10	12.63
SJRGPF-Outlet	2012	12	13	9	12.582
SJRGPF-Outlet	2012	12	13	8	12.654
SJRGPF-Outlet	2012	12	13	7	12.678

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	12	13	6	12.727
SJRGPF-Outlet	2012	12	13	5	12.799
SJRGPF-Outlet	2012	12	13	4	12.847
SJRGPF-Outlet	2012	12	13	3	12.896
SJRGPF-Outlet	2012	12	13	2	12.944
SJRGPF-Outlet	2012	12	13	1	12.944
SJRGPF-Outlet	2012	12	13	0	12.992
SJRGPF-Outlet	2012	12	12	23	13.016
SJRGPF-Outlet	2012	12	12	22	13.04
SJRGPF-Outlet	2012	12	12	21	13.088
SJRGPF-Outlet	2012	12	12	20	13.088
SJRGPF-Outlet	2012	12	12	19	13.112
SJRGPF-Outlet	2012	12	12	18	13.137
SJRGPF-Outlet	2012	12	12	17	13.185
SJRGPF-Outlet	2012	12	12	16	13.209
SJRGPF-Outlet	2012	12	12	15	13.209
SJRGPF-Outlet	2012	12	12	14	13.209
SJRGPF-Outlet	2012	12	12	13	13.209
SJRGPF-Outlet	2012	12	12	12	13.209
SJRGPF-Outlet	2012	12	12	11	13.209
SJRGPF-Outlet	2012	12	12	10	13.209
SJRGPF-Outlet	2012	12	12	9	13.209
SJRGPF-Outlet	2012	12	12	8	13.233
SJRGPF-Outlet	2012	12	12	7	13.233
SJRGPF-Outlet	2012	12	12	6	13.281
SJRGPF-Outlet	2012	12	12	5	13.281
SJRGPF-Outlet	2012	12	12	4	13.329
SJRGPF-Outlet	2012	12	12	3	13.377
SJRGPF-Outlet	2012	12	12	2	13.425
SJRGPF-Outlet	2012	12	12	1	13.473
SJRGPF-Outlet	2012	12	12	0	13.522
SJRGPF-Outlet	2012	12	11	23	13.546
SJRGPF-Outlet	2012	12	11	22	13.57
SJRGPF-Outlet	2012	12	11	21	13.618
SJRGPF-Outlet	2012	12	11	20	13.666
SJRGPF-Outlet	2012	12	11	19	13.69
SJRGPF-Outlet	2012	12	11	18	13.714
SJRGPF-Outlet	2012	12	11	17	13.666
SJRGPF-Outlet	2012	12	11	16	13.642
SJRGPF-Outlet	2012	12	11	15	13.57
SJRGPF-Outlet	2012	12	11	14	13.546
SJRGPF-Outlet	2012	12	11	13	13.449
SJRGPF-Outlet	2012	12	11	12	13.377
SJRGPF-Outlet	2012	12	11	11	13.233

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	12	11	10	13.185
SJRGPF-Outlet	2012	12	11	9	13.209
SJRGPF-Outlet	2012	12	11	8	13.233
SJRGPF-Outlet	2012	12	11	7	13.257
SJRGPF-Outlet	2012	12	11	6	13.281
SJRGPF-Outlet	2012	12	11	5	13.329
SJRGPF-Outlet	2012	12	11	4	13.353
SJRGPF-Outlet	2012	12	11	3	13.401
SJRGPF-Outlet	2012	12	11	2	13.425
SJRGPF-Outlet	2012	12	11	1	13.449
SJRGPF-Outlet	2012	12	11	0	13.473
SJRGPF-Outlet	2012	12	10	23	13.497
SJRGPF-Outlet	2012	12	10	22	13.546
SJRGPF-Outlet	2012	12	10	21	13.618
SJRGPF-Outlet	2012	12	10	20	13.618
SJRGPF-Outlet	2012	12	10	19	13.666
SJRGPF-Outlet	2012	12	10	18	13.738
SJRGPF-Outlet	2012	12	10	17	13.81
SJRGPF-Outlet	2012	12	10	16	13.81
SJRGPF-Outlet	2012	12	10	15	13.762
SJRGPF-Outlet	2012	12	10	14	13.714
SJRGPF-Outlet	2012	12	10	13	13.666
SJRGPF-Outlet	2012	12	10	12	13.546
SJRGPF-Outlet	2012	12	10	11	13.522
SJRGPF-Outlet	2012	12	10	10	13.473
SJRGPF-Outlet	2012	12	10	9	13.473
SJRGPF-Outlet	2012	12	10	8	13.522
SJRGPF-Outlet	2012	12	10	7	13.57
SJRGPF-Outlet	2012	12	10	6	13.618
SJRGPF-Outlet	2012	12	10	5	13.666
SJRGPF-Outlet	2012	12	10	4	13.714
SJRGPF-Outlet	2012	12	10	3	13.762
SJRGPF-Outlet	2012	12	10	2	13.81
SJRGPF-Outlet	2012	12	10	1	13.834
SJRGPF-Outlet	2012	12	10	0	13.858
SJRGPF-Outlet	2012	12	9	23	13.906
SJRGPF-Outlet	2012	12	9	22	13.906
SJRGPF-Outlet	2012	12	9	21	13.954
SJRGPF-Outlet	2012	12	9	20	14.002
SJRGPF-Outlet	2012	12	9	19	14.074
SJRGPF-Outlet	2012	12	9	18	14.122
SJRGPF-Outlet	2012	12	9	17	14.17
SJRGPF-Outlet	2012	12	9	16	14.218
SJRGPF-Outlet	2012	12	9	15	14.194

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	12	9	14	14.17
SJRGPF-Outlet	2012	12	9	13	14.122
SJRGPF-Outlet	2012	12	9	12	14.098
SJRGPF-Outlet	2012	12	9	11	14.074
SJRGPF-Outlet	2012	12	9	10	14.074
SJRGPF-Outlet	2012	12	9	9	14.098
SJRGPF-Outlet	2012	12	9	8	14.122
SJRGPF-Outlet	2012	12	9	7	14.17
SJRGPF-Outlet	2012	12	9	6	14.218
SJRGPF-Outlet	2012	12	9	5	14.266
SJRGPF-Outlet	2012	12	9	4	14.29
SJRGPF-Outlet	2012	12	9	3	14.314
SJRGPF-Outlet	2012	12	9	2	14.337
SJRGPF-Outlet	2012	12	9	1	14.361
SJRGPF-Outlet	2012	12	9	0	14.385
SJRGPF-Outlet	2012	12	8	23	14.409
SJRGPF-Outlet	2012	12	8	22	14.433
SJRGPF-Outlet	2012	12	8	21	14.481
SJRGPF-Outlet	2012	12	8	20	14.505
SJRGPF-Outlet	2012	12	8	19	14.529
SJRGPF-Outlet	2012	12	8	18	14.577
SJRGPF-Outlet	2012	12	8	17	14.625
SJRGPF-Outlet	2012	12	8	16	14.673
SJRGPF-Outlet	2012	12	8	15	14.625
SJRGPF-Outlet	2012	12	8	14	14.577
SJRGPF-Outlet	2012	12	8	13	14.481
SJRGPF-Outlet	2012	12	8	12	14.433
SJRGPF-Outlet	2012	12	8	11	14.361
SJRGPF-Outlet	2012	12	8	10	14.314
SJRGPF-Outlet	2012	12	8	9	14.314
SJRGPF-Outlet	2012	12	8	8	14.337
SJRGPF-Outlet	2012	12	8	7	14.385
SJRGPF-Outlet	2012	12	8	6	14.409
SJRGPF-Outlet	2012	12	8	5	14.433
SJRGPF-Outlet	2012	12	8	4	14.481
SJRGPF-Outlet	2012	12	8	3	14.529
SJRGPF-Outlet	2012	12	8	2	14.577
SJRGPF-Outlet	2012	12	8	1	14.601
SJRGPF-Outlet	2012	12	8	0	14.649
SJRGPF-Outlet	2012	12	7	23	14.673
SJRGPF-Outlet	2012	12	7	22	14.721
SJRGPF-Outlet	2012	12	7	21	14.745
SJRGPF-Outlet	2012	12	7	20	14.768
SJRGPF-Outlet	2012	12	7	19	14.792

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	12	7	18	14.816
SJRGPF-Outlet	2012	12	7	17	14.864
SJRGPF-Outlet	2012	12	7	16	14.888
SJRGPF-Outlet	2012	12	7	15	14.888
SJRGPF-Outlet	2012	12	7	14	14.888
SJRGPF-Outlet	2012	12	7	13	14.768
SJRGPF-Outlet	2012	12	7	12	14.649
SJRGPF-Outlet	2012	12	7	11	14.577
SJRGPF-Outlet	2012	12	7	10	14.505
SJRGPF-Outlet	2012	12	7	9	14.505
SJRGPF-Outlet	2012	12	7	8	14.529
SJRGPF-Outlet	2012	12	7	7	14.553
SJRGPF-Outlet	2012	12	7	6	14.577
SJRGPF-Outlet	2012	12	7	5	14.601
SJRGPF-Outlet	2012	12	7	4	14.601
SJRGPF-Outlet	2012	12	7	3	14.625
SJRGPF-Outlet	2012	12	7	2	14.649
SJRGPF-Outlet	2012	12	7	1	14.649
SJRGPF-Outlet	2012	12	7	0	14.649
SJRGPF-Outlet	2012	12	6	23	14.649
SJRGPF-Outlet	2012	12	6	22	14.697
SJRGPF-Outlet	2012	12	6	21	14.697
SJRGPF-Outlet	2012	12	6	20	14.721
SJRGPF-Outlet	2012	12	6	19	14.721
SJRGPF-Outlet	2012	12	6	18	14.745
SJRGPF-Outlet	2012	12	6	17	14.768
SJRGPF-Outlet	2012	12	6	16	14.768
SJRGPF-Outlet	2012	12	6	15	14.792
SJRGPF-Outlet	2012	12	6	14	14.768
SJRGPF-Outlet	2012	12	6	13	14.745
SJRGPF-Outlet	2012	12	6	12	14.697
SJRGPF-Outlet	2012	12	6	11	14.673
SJRGPF-Outlet	2012	12	6	10	14.673
SJRGPF-Outlet	2012	12	6	9	14.673
SJRGPF-Outlet	2012	12	6	8	14.697
SJRGPF-Outlet	2012	12	6	7	14.721
SJRGPF-Outlet	2012	12	6	6	14.721
SJRGPF-Outlet	2012	12	6	5	14.745
SJRGPF-Outlet	2012	12	6	4	14.745
SJRGPF-Outlet	2012	12	6	3	14.768
SJRGPF-Outlet	2012	12	6	2	14.768
SJRGPF-Outlet	2012	12	6	1	14.792
SJRGPF-Outlet	2012	12	6	0	14.792
SJRGPF-Outlet	2012	12	5	23	14.816

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	12	5	22	14.816
SJRGPF-Outlet	2012	12	5	21	14.84
SJRGPF-Outlet	2012	12	5	20	14.864
SJRGPF-Outlet	2012	12	5	19	14.888
SJRGPF-Outlet	2012	12	5	18	14.888
SJRGPF-Outlet	2012	12	5	17	14.912
SJRGPF-Outlet	2012	12	5	16	14.936
SJRGPF-Outlet	2012	12	5	15	14.936
SJRGPF-Outlet	2012	12	5	14	14.912
SJRGPF-Outlet	2012	12	5	13	14.864
SJRGPF-Outlet	2012	12	5	12	14.84
SJRGPF-Outlet	2012	12	5	11	14.816
SJRGPF-Outlet	2012	12	5	10	14.768
SJRGPF-Outlet	2012	12	5	9	14.768
SJRGPF-Outlet	2012	12	5	8	14.768
SJRGPF-Outlet	2012	12	5	7	14.816
SJRGPF-Outlet	2012	12	5	6	14.864
SJRGPF-Outlet	2012	12	5	5	14.888
SJRGPF-Outlet	2012	12	5	4	14.912
SJRGPF-Outlet	2012	12	5	3	14.96
SJRGPF-Outlet	2012	12	5	2	14.96
SJRGPF-Outlet	2012	12	5	1	15.031
SJRGPF-Outlet	2012	12	5	0	15.055
SJRGPF-Outlet	2012	12	4	23	15.079
SJRGPF-Outlet	2012	12	4	22	15.127
SJRGPF-Outlet	2012	12	4	21	15.151
SJRGPF-Outlet	2012	12	4	20	15.199
SJRGPF-Outlet	2012	12	4	19	15.223
SJRGPF-Outlet	2012	12	4	18	15.223
SJRGPF-Outlet	2012	12	4	17	15.223
SJRGPF-Outlet	2012	12	4	16	15.223
SJRGPF-Outlet	2012	12	4	15	15.223
SJRGPF-Outlet	2012	12	4	14	15.199
SJRGPF-Outlet	2012	12	4	13	15.103
SJRGPF-Outlet	2012	12	4	12	15.031
SJRGPF-Outlet	2012	12	4	11	15.008
SJRGPF-Outlet	2012	12	4	10	14.936
SJRGPF-Outlet	2012	12	4	9	14.936
SJRGPF-Outlet	2012	12	4	8	14.936
SJRGPF-Outlet	2012	12	4	7	14.936
SJRGPF-Outlet	2012	12	4	6	14.936
SJRGPF-Outlet	2012	12	4	5	14.936
SJRGPF-Outlet	2012	12	4	4	14.96
SJRGPF-Outlet	2012	12	4	3	14.96

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	12	4	2	14.984
SJRGPF-Outlet	2012	12	4	1	14.984
SJRGPF-Outlet	2012	12	4	0	15.031
SJRGPF-Outlet	2012	12	3	23	15.055
SJRGPF-Outlet	2012	12	3	22	15.079
SJRGPF-Outlet	2012	12	3	21	15.103
SJRGPF-Outlet	2012	12	3	20	15.127
SJRGPF-Outlet	2012	12	3	19	15.151
SJRGPF-Outlet	2012	12	3	18	15.175
SJRGPF-Outlet	2012	12	3	17	15.223
SJRGPF-Outlet	2012	12	3	16	15.247
SJRGPF-Outlet	2012	12	3	15	15.27
SJRGPF-Outlet	2012	12	3	14	15.151
SJRGPF-Outlet	2012	12	3	13	15.103
SJRGPF-Outlet	2012	12	3	12	14.96
SJRGPF-Outlet	2012	12	3	11	14.792
SJRGPF-Outlet	2012	12	3	10	14.745
SJRGPF-Outlet	2012	12	3	9	14.721
SJRGPF-Outlet	2012	12	3	8	14.721
SJRGPF-Outlet	2012	12	3	7	14.721
SJRGPF-Outlet	2012	12	3	6	14.745
SJRGPF-Outlet	2012	12	3	5	14.745
SJRGPF-Outlet	2012	12	3	4	14.745
SJRGPF-Outlet	2012	12	3	3	14.745
SJRGPF-Outlet	2012	12	3	2	14.745
SJRGPF-Outlet	2012	12	3	1	14.721
SJRGPF-Outlet	2012	12	3	0	14.721
SJRGPF-Outlet	2012	12	2	23	14.673
SJRGPF-Outlet	2012	12	2	22	14.673
SJRGPF-Outlet	2012	12	2	21	14.649
SJRGPF-Outlet	2012	12	2	20	14.649
SJRGPF-Outlet	2012	12	2	19	14.649
SJRGPF-Outlet	2012	12	2	18	14.649
SJRGPF-Outlet	2012	12	2	17	14.625
SJRGPF-Outlet	2012	12	2	16	14.625
SJRGPF-Outlet	2012	12	2	15	14.601
SJRGPF-Outlet	2012	12	2	14	14.577
SJRGPF-Outlet	2012	12	2	13	14.553
SJRGPF-Outlet	2012	12	2	12	14.529
SJRGPF-Outlet	2012	12	2	11	14.529
SJRGPF-Outlet	2012	12	2	10	14.529
SJRGPF-Outlet	2012	12	2	9	14.505
SJRGPF-Outlet	2012	12	2	8	14.505
SJRGPF-Outlet	2012	12	2	7	14.481

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	12	2	6	14.481
SJRGPF-Outlet	2012	12	2	5	14.505
SJRGPF-Outlet	2012	12	2	4	14.481
SJRGPF-Outlet	2012	12	2	3	14.481
SJRGPF-Outlet	2012	12	2	2	14.481
SJRGPF-Outlet	2012	12	2	1	14.505
SJRGPF-Outlet	2012	12	2	0	14.505
SJRGPF-Outlet	2012	12	1	23	14.529
SJRGPF-Outlet	2012	12	1	22	14.529
SJRGPF-Outlet	2012	12	1	21	14.553
SJRGPF-Outlet	2012	12	1	20	14.553
SJRGPF-Outlet	2012	12	1	19	14.577
SJRGPF-Outlet	2012	12	1	18	14.577
SJRGPF-Outlet	2012	12	1	17	14.601
SJRGPF-Outlet	2012	12	1	16	14.553
SJRGPF-Outlet	2012	12	1	15	14.529
SJRGPF-Outlet	2012	12	1	14	14.481
SJRGPF-Outlet	2012	12	1	13	14.457
SJRGPF-Outlet	2012	12	1	12	14.433
SJRGPF-Outlet	2012	12	1	11	14.409
SJRGPF-Outlet	2012	12	1	10	14.337
SJRGPF-Outlet	2012	12	1	9	14.314
SJRGPF-Outlet	2012	12	1	8	14.314
SJRGPF-Outlet	2012	12	1	7	14.314
SJRGPF-Outlet	2012	12	1	6	14.337
SJRGPF-Outlet	2012	12	1	5	14.337
SJRGPF-Outlet	2012	12	1	4	14.337
SJRGPF-Outlet	2012	12	1	3	14.337
SJRGPF-Outlet	2012	12	1	2	14.337
SJRGPF-Outlet	2012	12	1	1	14.361
SJRGPF-Outlet	2012	12	1	0	14.361
SJRGPF-Outlet	2012	11	30	23	14.361
SJRGPF-Outlet	2012	11	30	22	14.385
SJRGPF-Outlet	2012	11	30	21	14.385
SJRGPF-Outlet	2012	11	30	20	14.385
SJRGPF-Outlet	2012	11	30	19	14.385
SJRGPF-Outlet	2012	11	30	18	14.361
SJRGPF-Outlet	2012	11	30	17	14.361
SJRGPF-Outlet	2012	11	30	16	14.361
SJRGPF-Outlet	2012	11	30	15	14.337
SJRGPF-Outlet	2012	11	30	14	14.314
SJRGPF-Outlet	2012	11	30	13	14.266
SJRGPF-Outlet	2012	11	30	12	14.194
SJRGPF-Outlet	2012	11	30	11	14.194

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	11	30	10	14.098
SJRGPF-Outlet	2012	11	30	9	14.098
SJRGPF-Outlet	2012	11	30	8	14.098
SJRGPF-Outlet	2012	11	30	7	14.074
SJRGPF-Outlet	2012	11	30	6	14.05
SJRGPF-Outlet	2012	11	30	5	14.026
SJRGPF-Outlet	2012	11	30	4	14.002
SJRGPF-Outlet	2012	11	30	3	13.978
SJRGPF-Outlet	2012	11	30	2	13.954
SJRGPF-Outlet	2012	11	30	1	13.93
SJRGPF-Outlet	2012	11	30	0	13.882
SJRGPF-Outlet	2012	11	29	23	13.858
SJRGPF-Outlet	2012	11	29	22	13.858
SJRGPF-Outlet	2012	11	29	21	13.858
SJRGPF-Outlet	2012	11	29	20	13.81
SJRGPF-Outlet	2012	11	29	19	13.786
SJRGPF-Outlet	2012	11	29	18	13.714
SJRGPF-Outlet	2012	11	29	17	13.714
SJRGPF-Outlet	2012	11	29	16	13.666
SJRGPF-Outlet	2012	11	29	15	13.618
SJRGPF-Outlet	2012	11	29	14	13.57
SJRGPF-Outlet	2012	11	29	13	13.522
SJRGPF-Outlet	2012	11	29	12	13.449
SJRGPF-Outlet	2012	11	29	11	13.353
SJRGPF-Outlet	2012	11	29	10	13.281
SJRGPF-Outlet	2012	11	29	9	13.209
SJRGPF-Outlet	2012	11	29	8	13.185
SJRGPF-Outlet	2012	11	29	7	13.185
SJRGPF-Outlet	2012	11	29	6	13.185
SJRGPF-Outlet	2012	11	29	5	13.185
SJRGPF-Outlet	2012	11	29	4	13.209
SJRGPF-Outlet	2012	11	29	3	13.233
SJRGPF-Outlet	2012	11	29	2	13.233
SJRGPF-Outlet	2012	11	29	1	13.257
SJRGPF-Outlet	2012	11	29	0	13.281
SJRGPF-Outlet	2012	11	28	23	13.281
SJRGPF-Outlet	2012	11	28	22	13.281
SJRGPF-Outlet	2012	11	28	21	13.305
SJRGPF-Outlet	2012	11	28	20	13.305
SJRGPF-Outlet	2012	11	28	19	13.329
SJRGPF-Outlet	2012	11	28	18	13.329
SJRGPF-Outlet	2012	11	28	17	13.353
SJRGPF-Outlet	2012	11	28	16	13.353
SJRGPF-Outlet	2012	11	28	15	13.329

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	11	28	14	13.305
SJRGPF-Outlet	2012	11	28	13	13.257
SJRGPF-Outlet	2012	11	28	12	13.281
SJRGPF-Outlet	2012	11	28	11	13.281
SJRGPF-Outlet	2012	11	28	10	13.281
SJRGPF-Outlet	2012	11	28	9	13.281
SJRGPF-Outlet	2012	11	28	8	13.281
SJRGPF-Outlet	2012	11	28	7	13.329
SJRGPF-Outlet	2012	11	28	6	13.377
SJRGPF-Outlet	2012	11	28	5	13.425
SJRGPF-Outlet	2012	11	28	4	13.497
SJRGPF-Outlet	2012	11	28	3	13.546
SJRGPF-Outlet	2012	11	28	2	13.57
SJRGPF-Outlet	2012	11	28	1	13.618
SJRGPF-Outlet	2012	11	28	0	13.666
SJRGPF-Outlet	2012	11	27	23	13.666
SJRGPF-Outlet	2012	11	27	22	13.714
SJRGPF-Outlet	2012	11	27	21	13.762
SJRGPF-Outlet	2012	11	27	20	13.786
SJRGPF-Outlet	2012	11	27	19	13.81
SJRGPF-Outlet	2012	11	27	18	13.882
SJRGPF-Outlet	2012	11	27	17	13.906
SJRGPF-Outlet	2012	11	27	16	13.834
SJRGPF-Outlet	2012	11	27	15	13.834
SJRGPF-Outlet	2012	11	27	14	13.834
SJRGPF-Outlet	2012	11	27	13	13.81
SJRGPF-Outlet	2012	11	27	12	13.738
SJRGPF-Outlet	2012	11	27	11	13.642
SJRGPF-Outlet	2012	11	27	10	13.57
SJRGPF-Outlet	2012	11	27	9	13.546
SJRGPF-Outlet	2012	11	27	8	13.57
SJRGPF-Outlet	2012	11	27	7	13.594
SJRGPF-Outlet	2012	11	27	6	13.594
SJRGPF-Outlet	2012	11	27	5	13.618
SJRGPF-Outlet	2012	11	27	4	13.666
SJRGPF-Outlet	2012	11	27	3	13.762
SJRGPF-Outlet	2012	11	27	2	13.81
SJRGPF-Outlet	2012	11	27	1	13.858
SJRGPF-Outlet	2012	11	27	0	13.882
SJRGPF-Outlet	2012	11	26	23	13.906
SJRGPF-Outlet	2012	11	26	22	13.978
SJRGPF-Outlet	2012	11	26	21	14.026
SJRGPF-Outlet	2012	11	26	20	14.074
SJRGPF-Outlet	2012	11	26	19	14.146

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	11	26	18	14.194
SJRGPF-Outlet	2012	11	26	17	14.146
SJRGPF-Outlet	2012	11	26	16	14.098
SJRGPF-Outlet	2012	11	26	15	14.05
SJRGPF-Outlet	2012	11	26	14	14.002
SJRGPF-Outlet	2012	11	26	13	13.906
SJRGPF-Outlet	2012	11	26	12	13.81
SJRGPF-Outlet	2012	11	26	11	13.738
SJRGPF-Outlet	2012	11	26	10	13.666
SJRGPF-Outlet	2012	11	26	9	13.618
SJRGPF-Outlet	2012	11	26	8	13.642
SJRGPF-Outlet	2012	11	26	7	13.666
SJRGPF-Outlet	2012	11	26	6	13.714
SJRGPF-Outlet	2012	11	26	5	13.738
SJRGPF-Outlet	2012	11	26	4	13.762
SJRGPF-Outlet	2012	11	26	3	13.762
SJRGPF-Outlet	2012	11	26	2	13.81
SJRGPF-Outlet	2012	11	26	1	13.882
SJRGPF-Outlet	2012	11	26	0	13.93
SJRGPF-Outlet	2012	11	25	23	13.978
SJRGPF-Outlet	2012	11	25	22	14.002
SJRGPF-Outlet	2012	11	25	21	14.05
SJRGPF-Outlet	2012	11	25	20	14.098
SJRGPF-Outlet	2012	11	25	19	14.122
SJRGPF-Outlet	2012	11	25	18	14.17
SJRGPF-Outlet	2012	11	25	17	14.218
SJRGPF-Outlet	2012	11	25	16	14.218
SJRGPF-Outlet	2012	11	25	15	14.122
SJRGPF-Outlet	2012	11	25	14	14.05
SJRGPF-Outlet	2012	11	25	13	13.954
SJRGPF-Outlet	2012	11	25	12	13.978
SJRGPF-Outlet	2012	11	25	11	13.81
SJRGPF-Outlet	2012	11	25	10	13.738
SJRGPF-Outlet	2012	11	25	9	13.69
SJRGPF-Outlet	2012	11	25	8	13.69
SJRGPF-Outlet	2012	11	25	7	13.738
SJRGPF-Outlet	2012	11	25	6	13.762
SJRGPF-Outlet	2012	11	25	5	13.786
SJRGPF-Outlet	2012	11	25	4	13.81
SJRGPF-Outlet	2012	11	25	3	13.858
SJRGPF-Outlet	2012	11	25	2	13.882
SJRGPF-Outlet	2012	11	25	1	13.93
SJRGPF-Outlet	2012	11	25	0	13.954
SJRGPF-Outlet	2012	11	24	23	14.002

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	11	24	22	14.026
SJRGPF-Outlet	2012	11	24	21	14.05
SJRGPF-Outlet	2012	11	24	20	14.098
SJRGPF-Outlet	2012	11	24	19	14.122
SJRGPF-Outlet	2012	11	24	18	14.146
SJRGPF-Outlet	2012	11	24	17	14.194
SJRGPF-Outlet	2012	11	24	16	14.29
SJRGPF-Outlet	2012	11	24	15	14.194
SJRGPF-Outlet	2012	11	24	14	14.002
SJRGPF-Outlet	2012	11	24	13	13.906
SJRGPF-Outlet	2012	11	24	12	13.786
SJRGPF-Outlet	2012	11	24	11	13.714
SJRGPF-Outlet	2012	11	24	10	13.618
SJRGPF-Outlet	2012	11	24	9	13.594
SJRGPF-Outlet	2012	11	24	8	13.594
SJRGPF-Outlet	2012	11	24	7	13.642
SJRGPF-Outlet	2012	11	24	6	13.666
SJRGPF-Outlet	2012	11	24	5	13.69
SJRGPF-Outlet	2012	11	24	4	13.714
SJRGPF-Outlet	2012	11	24	3	13.762
SJRGPF-Outlet	2012	11	24	2	13.81
SJRGPF-Outlet	2012	11	24	1	13.834
SJRGPF-Outlet	2012	11	24	0	13.858
SJRGPF-Outlet	2012	11	23	23	13.906
SJRGPF-Outlet	2012	11	23	22	13.954
SJRGPF-Outlet	2012	11	23	21	14.002
SJRGPF-Outlet	2012	11	23	20	14.05
SJRGPF-Outlet	2012	11	23	19	14.098
SJRGPF-Outlet	2012	11	23	18	14.146
SJRGPF-Outlet	2012	11	23	17	14.122
SJRGPF-Outlet	2012	11	23	16	14.098
SJRGPF-Outlet	2012	11	23	15	14.05
SJRGPF-Outlet	2012	11	23	14	13.906
SJRGPF-Outlet	2012	11	23	13	13.81
SJRGPF-Outlet	2012	11	23	12	13.714
SJRGPF-Outlet	2012	11	23	11	13.666
SJRGPF-Outlet	2012	11	23	10	13.57
SJRGPF-Outlet	2012	11	23	9	13.522
SJRGPF-Outlet	2012	11	23	8	13.546
SJRGPF-Outlet	2012	11	23	7	13.57
SJRGPF-Outlet	2012	11	23	6	13.618
SJRGPF-Outlet	2012	11	23	5	13.666
SJRGPF-Outlet	2012	11	23	4	13.714
SJRGPF-Outlet	2012	11	23	3	13.786

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	11	23	2	13.81
SJRGPF-Outlet	2012	11	23	1	13.882
SJRGPF-Outlet	2012	11	23	0	13.906
SJRGPF-Outlet	2012	11	22	23	13.93
SJRGPF-Outlet	2012	11	22	22	13.954
SJRGPF-Outlet	2012	11	22	21	13.954
SJRGPF-Outlet	2012	11	22	20	13.978
SJRGPF-Outlet	2012	11	22	19	13.978
SJRGPF-Outlet	2012	11	22	18	14.05
SJRGPF-Outlet	2012	11	22	17	14.122
SJRGPF-Outlet	2012	11	22	16	14.17
SJRGPF-Outlet	2012	11	22	15	14.098
SJRGPF-Outlet	2012	11	22	14	14.002
SJRGPF-Outlet	2012	11	22	13	13.978
SJRGPF-Outlet	2012	11	22	12	13.954
SJRGPF-Outlet	2012	11	22	11	13.93
SJRGPF-Outlet	2012	11	22	10	13.906
SJRGPF-Outlet	2012	11	22	9	13.906
SJRGPF-Outlet	2012	11	22	8	13.93
SJRGPF-Outlet	2012	11	22	7	13.978
SJRGPF-Outlet	2012	11	22	6	14.002
SJRGPF-Outlet	2012	11	22	5	14.05
SJRGPF-Outlet	2012	11	22	4	14.098
SJRGPF-Outlet	2012	11	22	3	14.122
SJRGPF-Outlet	2012	11	22	2	14.17
SJRGPF-Outlet	2012	11	22	1	14.218
SJRGPF-Outlet	2012	11	22	0	14.266
SJRGPF-Outlet	2012	11	21	23	14.29
SJRGPF-Outlet	2012	11	21	22	14.385
SJRGPF-Outlet	2012	11	21	21	14.433
SJRGPF-Outlet	2012	11	21	20	14.481
SJRGPF-Outlet	2012	11	21	19	14.553
SJRGPF-Outlet	2012	11	21	18	14.625
SJRGPF-Outlet	2012	11	21	17	14.673
SJRGPF-Outlet	2012	11	21	16	14.625
SJRGPF-Outlet	2012	11	21	15	14.481
SJRGPF-Outlet	2012	11	21	14	14.505
SJRGPF-Outlet	2012	11	21	13	14.361
SJRGPF-Outlet	2012	11	21	12	14.314
SJRGPF-Outlet	2012	11	21	11	14.17
SJRGPF-Outlet	2012	11	21	10	14.05
SJRGPF-Outlet	2012	11	21	9	14.002
SJRGPF-Outlet	2012	11	21	8	14.002
SJRGPF-Outlet	2012	11	21	7	14.002

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	11	21	6	14.026
SJRGPF-Outlet	2012	11	21	5	14.074
SJRGPF-Outlet	2012	11	21	4	14.098
SJRGPF-Outlet	2012	11	21	3	14.146
SJRGPF-Outlet	2012	11	21	2	14.194
SJRGPF-Outlet	2012	11	21	1	14.242
SJRGPF-Outlet	2012	11	21	0	14.29
SJRGPF-Outlet	2012	11	20	23	14.337
SJRGPF-Outlet	2012	11	20	22	14.409
SJRGPF-Outlet	2012	11	20	21	14.433
SJRGPF-Outlet	2012	11	20	20	14.505
SJRGPF-Outlet	2012	11	20	19	14.577
SJRGPF-Outlet	2012	11	20	18	14.649
SJRGPF-Outlet	2012	11	20	17	14.768
SJRGPF-Outlet	2012	11	20	16	14.673
SJRGPF-Outlet	2012	11	20	15	14.505
SJRGPF-Outlet	2012	11	20	14	14.481
SJRGPF-Outlet	2012	11	20	13	14.409
SJRGPF-Outlet	2012	11	20	12	14.29
SJRGPF-Outlet	2012	11	20	11	14.146
SJRGPF-Outlet	2012	11	20	10	14.122
SJRGPF-Outlet	2012	11	20	9	14.074
SJRGPF-Outlet	2012	11	20	8	14.074
SJRGPF-Outlet	2012	11	20	7	14.122
SJRGPF-Outlet	2012	11	20	6	14.146
SJRGPF-Outlet	2012	11	20	5	14.194
SJRGPF-Outlet	2012	11	20	4	14.242
SJRGPF-Outlet	2012	11	20	3	14.29
SJRGPF-Outlet	2012	11	20	2	14.337
SJRGPF-Outlet	2012	11	20	1	14.385
SJRGPF-Outlet	2012	11	20	0	14.433
SJRGPF-Outlet	2012	11	19	23	14.481
SJRGPF-Outlet	2012	11	19	22	14.529
SJRGPF-Outlet	2012	11	19	21	14.577
SJRGPF-Outlet	2012	11	19	20	14.649
SJRGPF-Outlet	2012	11	19	19	14.697
SJRGPF-Outlet	2012	11	19	18	14.768
SJRGPF-Outlet	2012	11	19	17	14.84
SJRGPF-Outlet	2012	11	19	16	14.768
SJRGPF-Outlet	2012	11	19	15	14.601
SJRGPF-Outlet	2012	11	19	14	14.505
SJRGPF-Outlet	2012	11	19	13	14.409
SJRGPF-Outlet	2012	11	19	12	14.314
SJRGPF-Outlet	2012	11	19	11	14.337

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	11	19	10	14.314
SJRGPF-Outlet	2012	11	19	9	14.314
SJRGPF-Outlet	2012	11	19	8	14.337
SJRGPF-Outlet	2012	11	19	7	14.409
SJRGPF-Outlet	2012	11	19	6	14.433
SJRGPF-Outlet	2012	11	19	5	14.505
SJRGPF-Outlet	2012	11	19	4	14.553
SJRGPF-Outlet	2012	11	19	3	14.601
SJRGPF-Outlet	2012	11	19	2	14.625
SJRGPF-Outlet	2012	11	19	1	14.673
SJRGPF-Outlet	2012	11	19	0	14.721
SJRGPF-Outlet	2012	11	18	23	14.768
SJRGPF-Outlet	2012	11	18	22	14.792
SJRGPF-Outlet	2012	11	18	21	14.816
SJRGPF-Outlet	2012	11	18	20	14.864
SJRGPF-Outlet	2012	11	18	19	14.888
SJRGPF-Outlet	2012	11	18	18	14.888
SJRGPF-Outlet	2012	11	18	17	14.864
SJRGPF-Outlet	2012	11	18	16	14.864
SJRGPF-Outlet	2012	11	18	15	14.84
SJRGPF-Outlet	2012	11	18	14	14.721
SJRGPF-Outlet	2012	11	18	13	14.697
SJRGPF-Outlet	2012	11	18	12	14.601
SJRGPF-Outlet	2012	11	18	11	14.457
SJRGPF-Outlet	2012	11	18	10	14.409
SJRGPF-Outlet	2012	11	18	9	14.385
SJRGPF-Outlet	2012	11	18	8	14.385
SJRGPF-Outlet	2012	11	18	7	14.409
SJRGPF-Outlet	2012	11	18	6	14.433
SJRGPF-Outlet	2012	11	18	5	14.457
SJRGPF-Outlet	2012	11	18	4	14.481
SJRGPF-Outlet	2012	11	18	3	14.505
SJRGPF-Outlet	2012	11	18	2	14.505
SJRGPF-Outlet	2012	11	18	1	14.505
SJRGPF-Outlet	2012	11	18	0	14.529
SJRGPF-Outlet	2012	11	17	23	14.505
SJRGPF-Outlet	2012	11	17	22	14.505
SJRGPF-Outlet	2012	11	17	21	14.505
SJRGPF-Outlet	2012	11	17	20	14.481
SJRGPF-Outlet	2012	11	17	19	14.457
SJRGPF-Outlet	2012	11	17	18	14.433
SJRGPF-Outlet	2012	11	17	17	14.433
SJRGPF-Outlet	2012	11	17	16	14.385
SJRGPF-Outlet	2012	11	17	15	14.361

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	11	17	14	14.266
SJRGPF-Outlet	2012	11	17	13	14.194
SJRGPF-Outlet	2012	11	17	12	14.146
SJRGPF-Outlet	2012	11	17	11	14.074
SJRGPF-Outlet	2012	11	17	10	13.978
SJRGPF-Outlet	2012	11	17	9	13.93
SJRGPF-Outlet	2012	11	17	8	13.93
SJRGPF-Outlet	2012	11	17	7	13.93
SJRGPF-Outlet	2012	11	17	6	13.93
SJRGPF-Outlet	2012	11	17	5	13.906
SJRGPF-Outlet	2012	11	17	4	13.906
SJRGPF-Outlet	2012	11	17	3	13.882
SJRGPF-Outlet	2012	11	17	2	13.858
SJRGPF-Outlet	2012	11	17	1	13.834
SJRGPF-Outlet	2012	11	17	0	13.858
SJRGPF-Outlet	2012	11	16	23	13.834
SJRGPF-Outlet	2012	11	16	22	13.81
SJRGPF-Outlet	2012	11	16	21	13.81
SJRGPF-Outlet	2012	11	16	20	13.81
SJRGPF-Outlet	2012	11	16	19	13.762
SJRGPF-Outlet	2012	11	16	18	13.69
SJRGPF-Outlet	2012	11	16	17	13.642
SJRGPF-Outlet	2012	11	16	16	13.642
SJRGPF-Outlet	2012	11	16	15	13.618
SJRGPF-Outlet	2012	11	16	14	13.594
SJRGPF-Outlet	2012	11	16	13	13.425
SJRGPF-Outlet	2012	11	16	12	13.401
SJRGPF-Outlet	2012	11	16	11	13.281
SJRGPF-Outlet	2012	11	16	10	13.161
SJRGPF-Outlet	2012	11	16	9	13.088
SJRGPF-Outlet	2012	11	16	8	13.064
SJRGPF-Outlet	2012	11	16	7	13.088
SJRGPF-Outlet	2012	11	16	6	13.088
SJRGPF-Outlet	2012	11	16	5	13.088
SJRGPF-Outlet	2012	11	16	4	13.088
SJRGPF-Outlet	2012	11	16	3	13.088
SJRGPF-Outlet	2012	11	16	2	13.088
SJRGPF-Outlet	2012	11	16	1	13.088
SJRGPF-Outlet	2012	11	16	0	13.088
SJRGPF-Outlet	2012	11	15	23	13.064
SJRGPF-Outlet	2012	11	15	22	13.04
SJRGPF-Outlet	2012	11	15	21	13.04
SJRGPF-Outlet	2012	11	15	20	13.064
SJRGPF-Outlet	2012	11	15	19	13.064

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	11	15	18	13.088
SJRGPF-Outlet	2012	11	15	17	13.088
SJRGPF-Outlet	2012	11	15	16	13.112
SJRGPF-Outlet	2012	11	15	15	13.137
SJRGPF-Outlet	2012	11	15	14	13.257
SJRGPF-Outlet	2012	11	15	13	13.016
SJRGPF-Outlet	2012	11	15	12	12.823
SJRGPF-Outlet	2012	11	15	11	12.751
SJRGPF-Outlet	2012	11	15	10	12.606
SJRGPF-Outlet	2012	11	15	9	12.534
SJRGPF-Outlet	2012	11	15	8	12.558
SJRGPF-Outlet	2012	11	15	7	12.606
SJRGPF-Outlet	2012	11	15	6	12.63
SJRGPF-Outlet	2012	11	15	5	12.654
SJRGPF-Outlet	2012	11	15	4	12.678
SJRGPF-Outlet	2012	11	15	3	12.703
SJRGPF-Outlet	2012	11	15	2	12.703
SJRGPF-Outlet	2012	11	15	1	12.751
SJRGPF-Outlet	2012	11	15	0	12.799
SJRGPF-Outlet	2012	11	14	23	12.823
SJRGPF-Outlet	2012	11	14	22	12.871
SJRGPF-Outlet	2012	11	14	21	12.896
SJRGPF-Outlet	2012	11	14	20	12.968
SJRGPF-Outlet	2012	11	14	19	12.992
SJRGPF-Outlet	2012	11	14	18	13.04
SJRGPF-Outlet	2012	11	14	17	13.112
SJRGPF-Outlet	2012	11	14	16	12.992
SJRGPF-Outlet	2012	11	14	15	13.016
SJRGPF-Outlet	2012	11	14	14	12.992
SJRGPF-Outlet	2012	11	14	13	12.799
SJRGPF-Outlet	2012	11	14	12	12.606
SJRGPF-Outlet	2012	11	14	11	12.485
SJRGPF-Outlet	2012	11	14	10	12.316
SJRGPF-Outlet	2012	11	14	9	12.243
SJRGPF-Outlet	2012	11	14	8	12.292
SJRGPF-Outlet	2012	11	14	7	12.34
SJRGPF-Outlet	2012	11	14	6	12.364
SJRGPF-Outlet	2012	11	14	5	12.389
SJRGPF-Outlet	2012	11	14	4	12.437
SJRGPF-Outlet	2012	11	14	3	12.437
SJRGPF-Outlet	2012	11	14	2	12.509
SJRGPF-Outlet	2012	11	14	1	12.558
SJRGPF-Outlet	2012	11	14	0	12.606
SJRGPF-Outlet	2012	11	13	23	12.654

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	11	13	22	12.703
SJRGPF-Outlet	2012	11	13	21	12.751
SJRGPF-Outlet	2012	11	13	20	12.775
SJRGPF-Outlet	2012	11	13	19	12.799
SJRGPF-Outlet	2012	11	13	18	12.847
SJRGPF-Outlet	2012	11	13	17	12.871
SJRGPF-Outlet	2012	11	13	16	12.92
SJRGPF-Outlet	2012	11	13	15	12.847
SJRGPF-Outlet	2012	11	13	14	12.799
SJRGPF-Outlet	2012	11	13	13	12.703
SJRGPF-Outlet	2012	11	13	12	12.485
SJRGPF-Outlet	2012	11	13	11	12.389
SJRGPF-Outlet	2012	11	13	10	12.292
SJRGPF-Outlet	2012	11	13	9	12.219
SJRGPF-Outlet	2012	11	13	8	12.268
SJRGPF-Outlet	2012	11	13	7	12.316
SJRGPF-Outlet	2012	11	13	6	12.364
SJRGPF-Outlet	2012	11	13	5	12.413
SJRGPF-Outlet	2012	11	13	4	12.461
SJRGPF-Outlet	2012	11	13	3	12.509
SJRGPF-Outlet	2012	11	13	2	12.558
SJRGPF-Outlet	2012	11	13	1	12.654
SJRGPF-Outlet	2012	11	13	0	12.703
SJRGPF-Outlet	2012	11	12	23	12.751
SJRGPF-Outlet	2012	11	12	22	12.775
SJRGPF-Outlet	2012	11	12	21	12.823
SJRGPF-Outlet	2012	11	12	20	12.871
SJRGPF-Outlet	2012	11	12	19	12.896
SJRGPF-Outlet	2012	11	12	18	12.896
SJRGPF-Outlet	2012	11	12	17	12.968
SJRGPF-Outlet	2012	11	12	16	12.992
SJRGPF-Outlet	2012	11	12	15	12.944
SJRGPF-Outlet	2012	11	12	14	12.968
SJRGPF-Outlet	2012	11	12	13	12.823
SJRGPF-Outlet	2012	11	12	12	12.703
SJRGPF-Outlet	2012	11	12	11	12.485
SJRGPF-Outlet	2012	11	12	10	12.34
SJRGPF-Outlet	2012	11	12	9	12.268
SJRGPF-Outlet	2012	11	12	8	12.292
SJRGPF-Outlet	2012	11	12	7	12.316
SJRGPF-Outlet	2012	11	12	6	12.364
SJRGPF-Outlet	2012	11	12	5	12.413
SJRGPF-Outlet	2012	11	12	4	12.437
SJRGPF-Outlet	2012	11	12	3	12.461

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	11	12	2	12.485
SJRGPF-Outlet	2012	11	12	1	12.534
SJRGPF-Outlet	2012	11	12	0	12.582
SJRGPF-Outlet	2012	11	11	23	12.606
SJRGPF-Outlet	2012	11	11	22	12.654
SJRGPF-Outlet	2012	11	11	21	12.703
SJRGPF-Outlet	2012	11	11	20	12.751
SJRGPF-Outlet	2012	11	11	19	12.799
SJRGPF-Outlet	2012	11	11	18	12.823
SJRGPF-Outlet	2012	11	11	17	12.847
SJRGPF-Outlet	2012	11	11	16	12.871
SJRGPF-Outlet	2012	11	11	15	12.896
SJRGPF-Outlet	2012	11	11	14	12.847
SJRGPF-Outlet	2012	11	11	13	12.751
SJRGPF-Outlet	2012	11	11	12	12.654
SJRGPF-Outlet	2012	11	11	11	12.558
SJRGPF-Outlet	2012	11	11	10	12.485
SJRGPF-Outlet	2012	11	11	9	12.461
SJRGPF-Outlet	2012	11	11	8	12.509
SJRGPF-Outlet	2012	11	11	7	12.534
SJRGPF-Outlet	2012	11	11	6	12.582
SJRGPF-Outlet	2012	11	11	5	12.63
SJRGPF-Outlet	2012	11	11	4	12.654
SJRGPF-Outlet	2012	11	11	3	12.678
SJRGPF-Outlet	2012	11	11	2	12.751
SJRGPF-Outlet	2012	11	11	1	12.751
SJRGPF-Outlet	2012	11	11	0	12.799
SJRGPF-Outlet	2012	11	10	23	12.823
SJRGPF-Outlet	2012	11	10	22	12.847
SJRGPF-Outlet	2012	11	10	21	12.871
SJRGPF-Outlet	2012	11	10	20	12.896
SJRGPF-Outlet	2012	11	10	19	12.896
SJRGPF-Outlet	2012	11	10	18	12.944
SJRGPF-Outlet	2012	11	10	17	12.92
SJRGPF-Outlet	2012	11	10	16	12.944
SJRGPF-Outlet	2012	11	10	15	12.944
SJRGPF-Outlet	2012	11	10	14	12.92
SJRGPF-Outlet	2012	11	10	13	12.799
SJRGPF-Outlet	2012	11	10	12	12.703
SJRGPF-Outlet	2012	11	10	11	12.63
SJRGPF-Outlet	2012	11	10	10	12.558
SJRGPF-Outlet	2012	11	10	9	12.509
SJRGPF-Outlet	2012	11	10	8	12.558
SJRGPF-Outlet	2012	11	10	7	12.582

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	11	10	6	12.606
SJRGPF-Outlet	2012	11	10	5	12.654
SJRGPF-Outlet	2012	11	10	4	12.703
SJRGPF-Outlet	2012	11	10	3	12.727
SJRGPF-Outlet	2012	11	10	2	12.775
SJRGPF-Outlet	2012	11	10	1	12.799
SJRGPF-Outlet	2012	11	10	0	12.823
SJRGPF-Outlet	2012	11	9	23	12.871
SJRGPF-Outlet	2012	11	9	22	12.896
SJRGPF-Outlet	2012	11	9	21	12.944
SJRGPF-Outlet	2012	11	9	20	12.992
SJRGPF-Outlet	2012	11	9	19	13.04
SJRGPF-Outlet	2012	11	9	18	13.064
SJRGPF-Outlet	2012	11	9	17	13.088
SJRGPF-Outlet	2012	11	9	16	13.137
SJRGPF-Outlet	2012	11	9	15	13.209
SJRGPF-Outlet	2012	11	9	14	13.185
SJRGPF-Outlet	2012	11	9	13	13.112
SJRGPF-Outlet	2012	11	9	12	13.088
SJRGPF-Outlet	2012	11	9	11	13.04
SJRGPF-Outlet	2012	11	9	10	13.064
SJRGPF-Outlet	2012	11	9	9	13.064
SJRGPF-Outlet	2012	11	9	8	13.088
SJRGPF-Outlet	2012	11	9	7	13.137
SJRGPF-Outlet	2012	11	9	6	13.233
SJRGPF-Outlet	2012	11	9	5	13.281
SJRGPF-Outlet	2012	11	9	4	13.401
SJRGPF-Outlet	2012	11	9	3	13.449
SJRGPF-Outlet	2012	11	9	2	13.522
SJRGPF-Outlet	2012	11	9	1	13.57
SJRGPF-Outlet	2012	11	9	0	13.618
SJRGPF-Outlet	2012	11	8	23	13.666
SJRGPF-Outlet	2012	11	8	22	13.762
SJRGPF-Outlet	2012	11	8	21	13.81
SJRGPF-Outlet	2012	11	8	20	13.882
SJRGPF-Outlet	2012	11	8	19	13.954
SJRGPF-Outlet	2012	11	8	18	14.002
SJRGPF-Outlet	2012	11	8	17	14.098
SJRGPF-Outlet	2012	11	8	16	14.122
SJRGPF-Outlet	2012	11	8	15	14.122
SJRGPF-Outlet	2012	11	8	14	14.122
SJRGPF-Outlet	2012	11	8	13	14.122
SJRGPF-Outlet	2012	11	8	12	14.098
SJRGPF-Outlet	2012	11	8	11	14.05

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	11	8	10	14.002
SJRGPF-Outlet	2012	11	8	9	14.002
SJRGPF-Outlet	2012	11	8	8	14.026
SJRGPF-Outlet	2012	11	8	7	14.074
SJRGPF-Outlet	2012	11	8	6	14.122
SJRGPF-Outlet	2012	11	8	5	14.146
SJRGPF-Outlet	2012	11	8	4	14.194
SJRGPF-Outlet	2012	11	8	3	14.242
SJRGPF-Outlet	2012	11	8	2	14.266
SJRGPF-Outlet	2012	11	8	1	14.314
SJRGPF-Outlet	2012	11	8	0	14.337
SJRGPF-Outlet	2012	11	7	23	14.385
SJRGPF-Outlet	2012	11	7	22	14.409
SJRGPF-Outlet	2012	11	7	21	14.433
SJRGPF-Outlet	2012	11	7	20	14.481
SJRGPF-Outlet	2012	11	7	19	14.529
SJRGPF-Outlet	2012	11	7	18	14.577
SJRGPF-Outlet	2012	11	7	17	14.577
SJRGPF-Outlet	2012	11	7	16	14.553
SJRGPF-Outlet	2012	11	7	15	14.481
SJRGPF-Outlet	2012	11	7	14	14.433
SJRGPF-Outlet	2012	11	7	13	14.314
SJRGPF-Outlet	2012	11	7	12	14.194
SJRGPF-Outlet	2012	11	7	11	14.122
SJRGPF-Outlet	2012	11	7	10	14.074
SJRGPF-Outlet	2012	11	7	9	14.05
SJRGPF-Outlet	2012	11	7	8	14.074
SJRGPF-Outlet	2012	11	7	7	14.122
SJRGPF-Outlet	2012	11	7	6	14.146
SJRGPF-Outlet	2012	11	7	5	14.194
SJRGPF-Outlet	2012	11	7	4	14.218
SJRGPF-Outlet	2012	11	7	3	14.242
SJRGPF-Outlet	2012	11	7	2	14.266
SJRGPF-Outlet	2012	11	7	1	14.29
SJRGPF-Outlet	2012	11	7	0	14.314
SJRGPF-Outlet	2012	11	6	23	14.337
SJRGPF-Outlet	2012	11	6	22	14.385
SJRGPF-Outlet	2012	11	6	21	14.385
SJRGPF-Outlet	2012	11	6	20	14.433
SJRGPF-Outlet	2012	11	6	19	14.481
SJRGPF-Outlet	2012	11	6	18	14.505
SJRGPF-Outlet	2012	11	6	17	14.505
SJRGPF-Outlet	2012	11	6	16	14.481
SJRGPF-Outlet	2012	11	6	15	14.457

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	11	6	14	14.361
SJRGPF-Outlet	2012	11	6	13	14.266
SJRGPF-Outlet	2012	11	6	12	14.146
SJRGPF-Outlet	2012	11	6	11	14.074
SJRGPF-Outlet	2012	11	6	10	14.002
SJRGPF-Outlet	2012	11	6	9	13.954
SJRGPF-Outlet	2012	11	6	8	13.978
SJRGPF-Outlet	2012	11	6	7	14.026
SJRGPF-Outlet	2012	11	6	6	14.05
SJRGPF-Outlet	2012	11	6	5	14.098
SJRGPF-Outlet	2012	11	6	4	14.122
SJRGPF-Outlet	2012	11	6	3	14.17
SJRGPF-Outlet	2012	11	6	2	14.194
SJRGPF-Outlet	2012	11	6	1	14.218
SJRGPF-Outlet	2012	11	6	0	14.242
SJRGPF-Outlet	2012	11	5	23	14.29
SJRGPF-Outlet	2012	11	5	22	14.29
SJRGPF-Outlet	2012	11	5	21	14.337
SJRGPF-Outlet	2012	11	5	20	14.385
SJRGPF-Outlet	2012	11	5	19	14.433
SJRGPF-Outlet	2012	11	5	18	14.457
SJRGPF-Outlet	2012	11	5	17	14.433
SJRGPF-Outlet	2012	11	5	16	14.409
SJRGPF-Outlet	2012	11	5	15	14.361
SJRGPF-Outlet	2012	11	5	14	14.29
SJRGPF-Outlet	2012	11	5	13	14.17
SJRGPF-Outlet	2012	11	5	12	14.074
SJRGPF-Outlet	2012	11	5	11	13.954
SJRGPF-Outlet	2012	11	5	10	13.882
SJRGPF-Outlet	2012	11	5	9	13.834
SJRGPF-Outlet	2012	11	5	8	13.858
SJRGPF-Outlet	2012	11	5	7	13.882
SJRGPF-Outlet	2012	11	5	6	13.906
SJRGPF-Outlet	2012	11	5	5	13.954
SJRGPF-Outlet	2012	11	5	4	13.978
SJRGPF-Outlet	2012	11	5	3	14.002
SJRGPF-Outlet	2012	11	5	2	14.026
SJRGPF-Outlet	2012	11	5	1	14.074
SJRGPF-Outlet	2012	11	5	0	14.098
SJRGPF-Outlet	2012	11	4	23	14.122
SJRGPF-Outlet	2012	11	4	22	14.146
SJRGPF-Outlet	2012	11	4	21	14.194
SJRGPF-Outlet	2012	11	4	20	14.242
SJRGPF-Outlet	2012	11	4	19	14.29

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	11	4	18	14.29
SJRGPF-Outlet	2012	11	4	17	14.29
SJRGPF-Outlet	2012	11	4	16	14.266
SJRGPF-Outlet	2012	11	4	15	14.17
SJRGPF-Outlet	2012	11	4	14	14.098
SJRGPF-Outlet	2012	11	4	13	13.978
SJRGPF-Outlet	2012	11	4	12	13.882
SJRGPF-Outlet	2012	11	4	11	13.786
SJRGPF-Outlet	2012	11	4	10	13.714
SJRGPF-Outlet	2012	11	4	9	13.69
SJRGPF-Outlet	2012	11	4	8	13.69
SJRGPF-Outlet	2012	11	4	7	13.738
SJRGPF-Outlet	2012	11	4	6	13.762
SJRGPF-Outlet	2012	11	4	5	13.81
SJRGPF-Outlet	2012	11	4	4	13.834
SJRGPF-Outlet	2012	11	4	3	13.858
SJRGPF-Outlet	2012	11	4	2	13.882
SJRGPF-Outlet	2012	11	4	1	13.906
SJRGPF-Outlet	2012	11	4	0	13.93
SJRGPF-Outlet	2012	11	3	23	13.978
SJRGPF-Outlet	2012	11	3	22	13.978
SJRGPF-Outlet	2012	11	3	21	14.002
SJRGPF-Outlet	2012	11	3	20	14.05
SJRGPF-Outlet	2012	11	3	19	14.05
SJRGPF-Outlet	2012	11	3	18	14.074
SJRGPF-Outlet	2012	11	3	17	14.05
SJRGPF-Outlet	2012	11	3	16	14.026
SJRGPF-Outlet	2012	11	3	15	14.002
SJRGPF-Outlet	2012	11	3	14	13.858
SJRGPF-Outlet	2012	11	3	13	13.81
SJRGPF-Outlet	2012	11	3	12	13.666
SJRGPF-Outlet	2012	11	3	11	13.57
SJRGPF-Outlet	2012	11	3	10	13.522
SJRGPF-Outlet	2012	11	3	9	13.473
SJRGPF-Outlet	2012	11	3	8	13.473
SJRGPF-Outlet	2012	11	3	7	13.522
SJRGPF-Outlet	2012	11	3	6	13.546
SJRGPF-Outlet	2012	11	3	5	13.594
SJRGPF-Outlet	2012	11	3	4	13.618
SJRGPF-Outlet	2012	11	3	3	13.642
SJRGPF-Outlet	2012	11	3	2	13.666
SJRGPF-Outlet	2012	11	3	1	13.714
SJRGPF-Outlet	2012	11	3	0	13.762
SJRGPF-Outlet	2012	11	2	23	13.762

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	11	2	22	13.81
SJRGPF-Outlet	2012	11	2	21	13.834
SJRGPF-Outlet	2012	11	2	20	13.882
SJRGPF-Outlet	2012	11	2	19	13.906
SJRGPF-Outlet	2012	11	2	18	13.93
SJRGPF-Outlet	2012	11	2	17	13.93
SJRGPF-Outlet	2012	11	2	16	13.906
SJRGPF-Outlet	2012	11	2	15	13.834
SJRGPF-Outlet	2012	11	2	14	13.882
SJRGPF-Outlet	2012	11	2	13	13.762
SJRGPF-Outlet	2012	11	2	12	13.786
SJRGPF-Outlet	2012	11	2	11	13.81
SJRGPF-Outlet	2012	11	2	10	13.858
SJRGPF-Outlet	2012	11	2	9	13.93
SJRGPF-Outlet	2012	11	2	8	14.026
SJRGPF-Outlet	2012	11	2	7	14.098
SJRGPF-Outlet	2012	11	2	6	14.194
SJRGPF-Outlet	2012	11	2	5	14.242
SJRGPF-Outlet	2012	11	2	4	14.361
SJRGPF-Outlet	2012	11	2	3	14.457
SJRGPF-Outlet	2012	11	2	2	14.553
SJRGPF-Outlet	2012	11	2	1	14.577
SJRGPF-Outlet	2012	11	2	0	14.601
SJRGPF-Outlet	2012	11	1	23	14.649
SJRGPF-Outlet	2012	11	1	22	14.673
SJRGPF-Outlet	2012	11	1	21	14.721
SJRGPF-Outlet	2012	11	1	20	14.768
SJRGPF-Outlet	2012	11	1	19	14.792
SJRGPF-Outlet	2012	11	1	18	14.84
SJRGPF-Outlet	2012	11	1	17	14.912
SJRGPF-Outlet	2012	11	1	16	14.912
SJRGPF-Outlet	2012	11	1	15	14.864
SJRGPF-Outlet	2012	11	1	14	14.864
SJRGPF-Outlet	2012	11	1	13	14.888
SJRGPF-Outlet	2012	11	1	12	14.864
SJRGPF-Outlet	2012	11	1	11	14.864
SJRGPF-Outlet	2012	11	1	10	14.864
SJRGPF-Outlet	2012	11	1	9	14.888
SJRGPF-Outlet	2012	11	1	8	14.888
SJRGPF-Outlet	2012	11	1	7	14.936
SJRGPF-Outlet	2012	11	1	6	14.96
SJRGPF-Outlet	2012	11	1	5	14.984
SJRGPF-Outlet	2012	11	1	4	15.008
SJRGPF-Outlet	2012	11	1	3	15.055

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	11	1	2	15.079
SJRGPF-Outlet	2012	11	1	1	15.103
SJRGPF-Outlet	2012	11	1	0	15.151
SJRGPF-Outlet	2012	10	31	23	15.199
SJRGPF-Outlet	2012	10	31	22	15.247
SJRGPF-Outlet	2012	10	31	21	15.27
SJRGPF-Outlet	2012	10	31	20	15.342
SJRGPF-Outlet	2012	10	31	19	15.39
SJRGPF-Outlet	2012	10	31	18	15.461
SJRGPF-Outlet	2012	10	31	17	15.414
SJRGPF-Outlet	2012	10	31	16	15.414
SJRGPF-Outlet	2012	10	31	15	15.247
SJRGPF-Outlet	2012	10	31	14	15.103
SJRGPF-Outlet	2012	10	31	13	15.079
SJRGPF-Outlet	2012	10	31	12	15.008
SJRGPF-Outlet	2012	10	31	11	15.031
SJRGPF-Outlet	2012	10	31	10	14.96
SJRGPF-Outlet	2012	10	31	9	14.912
SJRGPF-Outlet	2012	10	31	8	14.912
SJRGPF-Outlet	2012	10	31	7	14.936
SJRGPF-Outlet	2012	10	31	6	14.984
SJRGPF-Outlet	2012	10	31	5	15.008
SJRGPF-Outlet	2012	10	31	4	15.055
SJRGPF-Outlet	2012	10	31	3	15.103
SJRGPF-Outlet	2012	10	31	2	15.151
SJRGPF-Outlet	2012	10	31	1	15.199
SJRGPF-Outlet	2012	10	31	0	15.247
SJRGPF-Outlet	2012	10	30	23	15.294
SJRGPF-Outlet	2012	10	30	22	15.342
SJRGPF-Outlet	2012	10	30	21	15.414
SJRGPF-Outlet	2012	10	30	20	15.461
SJRGPF-Outlet	2012	10	30	19	15.509
SJRGPF-Outlet	2012	10	30	18	15.533
SJRGPF-Outlet	2012	10	30	17	15.581
SJRGPF-Outlet	2012	10	30	16	15.533
SJRGPF-Outlet	2012	10	30	15	15.39
SJRGPF-Outlet	2012	10	30	14	15.247
SJRGPF-Outlet	2012	10	30	13	15.008
SJRGPF-Outlet	2012	10	30	12	14.96
SJRGPF-Outlet	2012	10	30	11	14.984
SJRGPF-Outlet	2012	10	30	10	14.888
SJRGPF-Outlet	2012	10	30	9	14.816
SJRGPF-Outlet	2012	10	30	8	14.816
SJRGPF-Outlet	2012	10	30	7	14.84

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	10	30	6	14.888
SJRGPF-Outlet	2012	10	30	5	14.912
SJRGPF-Outlet	2012	10	30	4	14.96
SJRGPF-Outlet	2012	10	30	3	15.008
SJRGPF-Outlet	2012	10	30	2	15.055
SJRGPF-Outlet	2012	10	30	1	15.103
SJRGPF-Outlet	2012	10	30	0	15.151
SJRGPF-Outlet	2012	10	29	23	15.199
SJRGPF-Outlet	2012	10	29	22	15.247
SJRGPF-Outlet	2012	10	29	21	15.27
SJRGPF-Outlet	2012	10	29	20	15.318
SJRGPF-Outlet	2012	10	29	19	15.318
SJRGPF-Outlet	2012	10	29	18	15.366
SJRGPF-Outlet	2012	10	29	17	15.342
SJRGPF-Outlet	2012	10	29	16	15.342
SJRGPF-Outlet	2012	10	29	15	15.414
SJRGPF-Outlet	2012	10	29	14	15.27
SJRGPF-Outlet	2012	10	29	13	15.055
SJRGPF-Outlet	2012	10	29	12	14.84
SJRGPF-Outlet	2012	10	29	11	14.792
SJRGPF-Outlet	2012	10	29	10	14.697
SJRGPF-Outlet	2012	10	29	9	14.625
SJRGPF-Outlet	2012	10	29	8	14.601
SJRGPF-Outlet	2012	10	29	7	14.625
SJRGPF-Outlet	2012	10	29	6	14.673
SJRGPF-Outlet	2012	10	29	5	14.697
SJRGPF-Outlet	2012	10	29	4	14.745
SJRGPF-Outlet	2012	10	29	3	14.792
SJRGPF-Outlet	2012	10	29	2	14.816
SJRGPF-Outlet	2012	10	29	1	14.864
SJRGPF-Outlet	2012	10	29	0	14.912
SJRGPF-Outlet	2012	10	28	23	14.984
SJRGPF-Outlet	2012	10	28	22	15.031
SJRGPF-Outlet	2012	10	28	21	15.079
SJRGPF-Outlet	2012	10	28	20	15.103
SJRGPF-Outlet	2012	10	28	19	15.127
SJRGPF-Outlet	2012	10	28	18	15.127
SJRGPF-Outlet	2012	10	28	17	15.151
SJRGPF-Outlet	2012	10	28	16	15.079
SJRGPF-Outlet	2012	10	28	15	15.079
SJRGPF-Outlet	2012	10	28	14	14.96
SJRGPF-Outlet	2012	10	28	13	14.768
SJRGPF-Outlet	2012	10	28	12	14.577
SJRGPF-Outlet	2012	10	28	11	14.553

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	10	28	10	14.433
SJRGPF-Outlet	2012	10	28	9	14.385
SJRGPF-Outlet	2012	10	28	8	14.385
SJRGPF-Outlet	2012	10	28	7	14.409
SJRGPF-Outlet	2012	10	28	6	14.433
SJRGPF-Outlet	2012	10	28	5	14.481
SJRGPF-Outlet	2012	10	28	4	14.529
SJRGPF-Outlet	2012	10	28	3	14.577
SJRGPF-Outlet	2012	10	28	2	14.601
SJRGPF-Outlet	2012	10	28	1	14.673
SJRGPF-Outlet	2012	10	28	0	14.721
SJRGPF-Outlet	2012	10	27	23	14.768
SJRGPF-Outlet	2012	10	27	22	14.816
SJRGPF-Outlet	2012	10	27	21	14.888
SJRGPF-Outlet	2012	10	27	20	14.912
SJRGPF-Outlet	2012	10	27	19	14.936
SJRGPF-Outlet	2012	10	27	18	14.984
SJRGPF-Outlet	2012	10	27	17	15.008
SJRGPF-Outlet	2012	10	27	16	14.96
SJRGPF-Outlet	2012	10	27	15	14.936
SJRGPF-Outlet	2012	10	27	14	14.936
SJRGPF-Outlet	2012	10	27	13	14.577
SJRGPF-Outlet	2012	10	27	12	14.409
SJRGPF-Outlet	2012	10	27	11	14.361
SJRGPF-Outlet	2012	10	27	10	14.337
SJRGPF-Outlet	2012	10	27	9	14.266
SJRGPF-Outlet	2012	10	27	8	14.242
SJRGPF-Outlet	2012	10	27	7	14.29
SJRGPF-Outlet	2012	10	27	6	14.314
SJRGPF-Outlet	2012	10	27	5	14.337
SJRGPF-Outlet	2012	10	27	4	14.385
SJRGPF-Outlet	2012	10	27	3	14.433
SJRGPF-Outlet	2012	10	27	2	14.481
SJRGPF-Outlet	2012	10	27	1	14.505
SJRGPF-Outlet	2012	10	27	0	14.577
SJRGPF-Outlet	2012	10	26	23	14.649
SJRGPF-Outlet	2012	10	26	22	14.673
SJRGPF-Outlet	2012	10	26	21	14.721
SJRGPF-Outlet	2012	10	26	20	14.745
SJRGPF-Outlet	2012	10	26	19	14.792
SJRGPF-Outlet	2012	10	26	18	14.888
SJRGPF-Outlet	2012	10	26	17	14.96
SJRGPF-Outlet	2012	10	26	16	14.96
SJRGPF-Outlet	2012	10	26	15	14.768

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	10	26	14	14.745
SJRGPF-Outlet	2012	10	26	13	14.505
SJRGPF-Outlet	2012	10	26	12	14.29
SJRGPF-Outlet	2012	10	26	11	14.146
SJRGPF-Outlet	2012	10	26	10	14.074
SJRGPF-Outlet	2012	10	26	9	14.002
SJRGPF-Outlet	2012	10	26	8	13.978
SJRGPF-Outlet	2012	10	26	7	14.002
SJRGPF-Outlet	2012	10	26	6	14.026
SJRGPF-Outlet	2012	10	26	5	14.05
SJRGPF-Outlet	2012	10	26	4	14.098
SJRGPF-Outlet	2012	10	26	3	14.146
SJRGPF-Outlet	2012	10	26	2	14.17
SJRGPF-Outlet	2012	10	26	1	14.218
SJRGPF-Outlet	2012	10	26	0	14.242
SJRGPF-Outlet	2012	10	25	23	14.29
SJRGPF-Outlet	2012	10	25	22	14.337
SJRGPF-Outlet	2012	10	25	21	14.361
SJRGPF-Outlet	2012	10	25	20	14.409
SJRGPF-Outlet	2012	10	25	19	14.457
SJRGPF-Outlet	2012	10	25	18	14.505
SJRGPF-Outlet	2012	10	25	17	14.625
SJRGPF-Outlet	2012	10	25	16	14.625
SJRGPF-Outlet	2012	10	25	15	14.577
SJRGPF-Outlet	2012	10	25	14	14.577
SJRGPF-Outlet	2012	10	25	13	14.17
SJRGPF-Outlet	2012	10	25	12	13.906
SJRGPF-Outlet	2012	10	25	11	13.81
SJRGPF-Outlet	2012	10	25	10	13.738
SJRGPF-Outlet	2012	10	25	9	13.642
SJRGPF-Outlet	2012	10	25	8	13.618
SJRGPF-Outlet	2012	10	25	7	13.642
SJRGPF-Outlet	2012	10	25	6	13.642
SJRGPF-Outlet	2012	10	25	5	13.666
SJRGPF-Outlet	2012	10	25	4	13.69
SJRGPF-Outlet	2012	10	25	3	13.714
SJRGPF-Outlet	2012	10	25	2	13.714
SJRGPF-Outlet	2012	10	25	1	13.738
SJRGPF-Outlet	2012	10	25	0	13.762
SJRGPF-Outlet	2012	10	24	23	13.81
SJRGPF-Outlet	2012	10	24	22	13.834
SJRGPF-Outlet	2012	10	24	21	13.882
SJRGPF-Outlet	2012	10	24	20	13.93
SJRGPF-Outlet	2012	10	24	19	13.978

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	10	24	18	14.074
SJRGPF-Outlet	2012	10	24	17	14.122
SJRGPF-Outlet	2012	10	24	16	14.194
SJRGPF-Outlet	2012	10	24	15	14.194
SJRGPF-Outlet	2012	10	24	14	14.098
SJRGPF-Outlet	2012	10	24	13	13.642
SJRGPF-Outlet	2012	10	24	12	13.57
SJRGPF-Outlet	2012	10	24	11	13.594
SJRGPF-Outlet	2012	10	24	10	13.522
SJRGPF-Outlet	2012	10	24	9	13.497
SJRGPF-Outlet	2012	10	24	8	13.497
SJRGPF-Outlet	2012	10	24	7	13.57
SJRGPF-Outlet	2012	10	24	6	13.618
SJRGPF-Outlet	2012	10	24	5	13.69
SJRGPF-Outlet	2012	10	24	4	13.714
SJRGPF-Outlet	2012	10	24	3	13.762
SJRGPF-Outlet	2012	10	24	2	13.81
SJRGPF-Outlet	2012	10	24	1	13.882
SJRGPF-Outlet	2012	10	24	0	13.93
SJRGPF-Outlet	2012	10	23	23	13.978
SJRGPF-Outlet	2012	10	23	22	14.05
SJRGPF-Outlet	2012	10	23	21	14.122
SJRGPF-Outlet	2012	10	23	20	14.17
SJRGPF-Outlet	2012	10	23	19	14.242
SJRGPF-Outlet	2012	10	23	18	14.361
SJRGPF-Outlet	2012	10	23	17	14.385
SJRGPF-Outlet	2012	10	23	16	14.505
SJRGPF-Outlet	2012	10	23	15	14.409
SJRGPF-Outlet	2012	10	23	14	14.505
SJRGPF-Outlet	2012	10	23	13	14.314
SJRGPF-Outlet	2012	10	23	12	14.026
SJRGPF-Outlet	2012	10	23	11	14.002
SJRGPF-Outlet	2012	10	23	10	14.026
SJRGPF-Outlet	2012	10	23	9	14.098
SJRGPF-Outlet	2012	10	23	8	14.122
SJRGPF-Outlet	2012	10	23	7	14.218
SJRGPF-Outlet	2012	10	23	6	14.29
SJRGPF-Outlet	2012	10	23	5	14.361
SJRGPF-Outlet	2012	10	23	4	14.457
SJRGPF-Outlet	2012	10	23	3	14.529
SJRGPF-Outlet	2012	10	23	2	14.625
SJRGPF-Outlet	2012	10	23	1	14.673
SJRGPF-Outlet	2012	10	23	0	14.768
SJRGPF-Outlet	2012	10	22	23	14.864

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	10	22	22	14.936
SJRGPF-Outlet	2012	10	22	21	15.031
SJRGPF-Outlet	2012	10	22	20	15.031
SJRGPF-Outlet	2012	10	22	19	15.079
SJRGPF-Outlet	2012	10	22	18	15.151
SJRGPF-Outlet	2012	10	22	17	15.27
SJRGPF-Outlet	2012	10	22	16	15.485
SJRGPF-Outlet	2012	10	22	15	15.485
SJRGPF-Outlet	2012	10	22	14	15.557
SJRGPF-Outlet	2012	10	22	13	15.533
SJRGPF-Outlet	2012	10	22	12	15.533
SJRGPF-Outlet	2012	10	22	11	15.605
SJRGPF-Outlet	2012	10	22	10	15.652
SJRGPF-Outlet	2012	10	22	9	15.724
SJRGPF-Outlet	2012	10	22	8	15.748
SJRGPF-Outlet	2012	10	22	7	15.796
SJRGPF-Outlet	2012	10	22	6	15.843
SJRGPF-Outlet	2012	10	22	5	15.915
SJRGPF-Outlet	2012	10	22	4	15.963
SJRGPF-Outlet	2012	10	22	3	16.01
SJRGPF-Outlet	2012	10	22	2	16.058
SJRGPF-Outlet	2012	10	22	1	16.106
SJRGPF-Outlet	2012	10	22	0	16.153
SJRGPF-Outlet	2012	10	21	23	16.201
SJRGPF-Outlet	2012	10	21	22	16.249
SJRGPF-Outlet	2012	10	21	21	16.32
SJRGPF-Outlet	2012	10	21	20	16.392
SJRGPF-Outlet	2012	10	21	19	16.463
SJRGPF-Outlet	2012	10	21	18	16.534
SJRGPF-Outlet	2012	10	21	17	16.63
SJRGPF-Outlet	2012	10	21	16	16.749
SJRGPF-Outlet	2012	10	21	15	16.677
SJRGPF-Outlet	2012	10	21	14	16.463
SJRGPF-Outlet	2012	10	21	13	16.249
SJRGPF-Outlet	2012	10	21	12	16.201
SJRGPF-Outlet	2012	10	21	11	16.177
SJRGPF-Outlet	2012	10	21	10	16.225
SJRGPF-Outlet	2012	10	21	9	16.225
SJRGPF-Outlet	2012	10	21	8	16.249
SJRGPF-Outlet	2012	10	21	7	16.32
SJRGPF-Outlet	2012	10	21	6	16.392
SJRGPF-Outlet	2012	10	21	5	16.439
SJRGPF-Outlet	2012	10	21	4	16.487
SJRGPF-Outlet	2012	10	21	3	16.534

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	10	21	2	16.606
SJRGPF-Outlet	2012	10	21	1	16.654
SJRGPF-Outlet	2012	10	21	0	16.725
SJRGPF-Outlet	2012	10	20	23	16.773
SJRGPF-Outlet	2012	10	20	22	16.82
SJRGPF-Outlet	2012	10	20	21	16.915
SJRGPF-Outlet	2012	10	20	20	16.987
SJRGPF-Outlet	2012	10	20	19	17.082
SJRGPF-Outlet	2012	10	20	18	17.177
SJRGPF-Outlet	2012	10	20	17	17.249
SJRGPF-Outlet	2012	10	20	16	17.296
SJRGPF-Outlet	2012	10	20	15	17.177
SJRGPF-Outlet	2012	10	20	14	16.915
SJRGPF-Outlet	2012	10	20	13	16.82
SJRGPF-Outlet	2012	10	20	12	16.749
SJRGPF-Outlet	2012	10	20	11	16.654
SJRGPF-Outlet	2012	10	20	10	16.63
SJRGPF-Outlet	2012	10	20	9	16.582
SJRGPF-Outlet	2012	10	20	8	16.606
SJRGPF-Outlet	2012	10	20	7	16.654
SJRGPF-Outlet	2012	10	20	6	16.701
SJRGPF-Outlet	2012	10	20	5	16.749
SJRGPF-Outlet	2012	10	20	4	16.82
SJRGPF-Outlet	2012	10	20	3	16.868
SJRGPF-Outlet	2012	10	20	2	16.915
SJRGPF-Outlet	2012	10	20	1	16.987
SJRGPF-Outlet	2012	10	20	0	17.058
SJRGPF-Outlet	2012	10	19	23	17.106
SJRGPF-Outlet	2012	10	19	22	17.177
SJRGPF-Outlet	2012	10	19	21	17.225
SJRGPF-Outlet	2012	10	19	20	17.296
SJRGPF-Outlet	2012	10	19	19	17.391
SJRGPF-Outlet	2012	10	19	18	17.439
SJRGPF-Outlet	2012	10	19	17	17.439
SJRGPF-Outlet	2012	10	19	16	17.391
SJRGPF-Outlet	2012	10	19	15	17.296
SJRGPF-Outlet	2012	10	19	14	17.225
SJRGPF-Outlet	2012	10	19	13	17.153
SJRGPF-Outlet	2012	10	19	12	17.082
SJRGPF-Outlet	2012	10	19	11	16.796
SJRGPF-Outlet	2012	10	19	10	16.82
SJRGPF-Outlet	2012	10	19	9	16.749
SJRGPF-Outlet	2012	10	19	8	16.749
SJRGPF-Outlet	2012	10	19	7	16.796

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	10	19	6	16.844
SJRGPF-Outlet	2012	10	19	5	16.915
SJRGPF-Outlet	2012	10	19	4	16.963
SJRGPF-Outlet	2012	10	19	3	17.011
SJRGPF-Outlet	2012	10	19	2	17.058
SJRGPF-Outlet	2012	10	19	1	17.106
SJRGPF-Outlet	2012	10	19	0	17.153
SJRGPF-Outlet	2012	10	18	23	17.201
SJRGPF-Outlet	2012	10	18	22	17.272
SJRGPF-Outlet	2012	10	18	21	17.296
SJRGPF-Outlet	2012	10	18	20	17.344
SJRGPF-Outlet	2012	10	18	19	17.391
SJRGPF-Outlet	2012	10	18	18	17.534
SJRGPF-Outlet	2012	10	18	17	17.534
SJRGPF-Outlet	2012	10	18	16	17.486
SJRGPF-Outlet	2012	10	18	15	17.344
SJRGPF-Outlet	2012	10	18	14	17.177
SJRGPF-Outlet	2012	10	18	13	17.058
SJRGPF-Outlet	2012	10	18	12	16.844
SJRGPF-Outlet	2012	10	18	11	16.677
SJRGPF-Outlet	2012	10	18	10	16.606
SJRGPF-Outlet	2012	10	18	9	16.582
SJRGPF-Outlet	2012	10	18	8	16.558
SJRGPF-Outlet	2012	10	18	7	16.582
SJRGPF-Outlet	2012	10	18	6	16.63
SJRGPF-Outlet	2012	10	18	5	16.654
SJRGPF-Outlet	2012	10	18	4	16.701
SJRGPF-Outlet	2012	10	18	3	16.749
SJRGPF-Outlet	2012	10	18	2	16.773
SJRGPF-Outlet	2012	10	18	1	16.82
SJRGPF-Outlet	2012	10	18	0	16.868
SJRGPF-Outlet	2012	10	17	23	16.892
SJRGPF-Outlet	2012	10	17	22	16.963
SJRGPF-Outlet	2012	10	17	21	16.963
SJRGPF-Outlet	2012	10	17	20	17.058
SJRGPF-Outlet	2012	10	17	19	17.058
SJRGPF-Outlet	2012	10	17	18	17.13
SJRGPF-Outlet	2012	10	17	17	17.201
SJRGPF-Outlet	2012	10	17	16	17.201
SJRGPF-Outlet	2012	10	17	15	17.272
SJRGPF-Outlet	2012	10	17	14	17.011
SJRGPF-Outlet	2012	10	17	13	16.534
SJRGPF-Outlet	2012	10	17	12	16.463
SJRGPF-Outlet	2012	10	17	11	16.368

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	10	17	10	16.249
SJRGPF-Outlet	2012	10	17	9	16.201
SJRGPF-Outlet	2012	10	17	8	16.201
SJRGPF-Outlet	2012	10	17	7	16.225
SJRGPF-Outlet	2012	10	17	6	16.249
SJRGPF-Outlet	2012	10	17	5	16.296
SJRGPF-Outlet	2012	10	17	4	16.32
SJRGPF-Outlet	2012	10	17	3	16.344
SJRGPF-Outlet	2012	10	17	2	16.392
SJRGPF-Outlet	2012	10	17	1	16.415
SJRGPF-Outlet	2012	10	17	0	16.463
SJRGPF-Outlet	2012	10	16	23	16.487
SJRGPF-Outlet	2012	10	16	22	16.511
SJRGPF-Outlet	2012	10	16	21	16.534
SJRGPF-Outlet	2012	10	16	20	16.558
SJRGPF-Outlet	2012	10	16	19	16.63
SJRGPF-Outlet	2012	10	16	18	16.701
SJRGPF-Outlet	2012	10	16	17	16.868
SJRGPF-Outlet	2012	10	16	16	16.701
SJRGPF-Outlet	2012	10	16	15	16.582
SJRGPF-Outlet	2012	10	16	14	16.368
SJRGPF-Outlet	2012	10	16	13	16.058
SJRGPF-Outlet	2012	10	16	12	16.034
SJRGPF-Outlet	2012	10	16	11	15.963
SJRGPF-Outlet	2012	10	16	10	15.867
SJRGPF-Outlet	2012	10	16	9	15.748
SJRGPF-Outlet	2012	10	16	8	15.724
SJRGPF-Outlet	2012	10	16	7	15.772
SJRGPF-Outlet	2012	10	16	6	15.796
SJRGPF-Outlet	2012	10	16	5	15.843
SJRGPF-Outlet	2012	10	16	4	15.867
SJRGPF-Outlet	2012	10	16	3	15.915
SJRGPF-Outlet	2012	10	16	2	15.939
SJRGPF-Outlet	2012	10	16	1	15.986
SJRGPF-Outlet	2012	10	16	0	16.01
SJRGPF-Outlet	2012	10	15	23	16.058
SJRGPF-Outlet	2012	10	15	22	16.106
SJRGPF-Outlet	2012	10	15	21	16.129
SJRGPF-Outlet	2012	10	15	20	16.177
SJRGPF-Outlet	2012	10	15	19	16.201
SJRGPF-Outlet	2012	10	15	18	16.225
SJRGPF-Outlet	2012	10	15	17	16.201
SJRGPF-Outlet	2012	10	15	16	16.225
SJRGPF-Outlet	2012	10	15	15	16.129

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	10	15	14	15.939
SJRGPF-Outlet	2012	10	15	13	15.819
SJRGPF-Outlet	2012	10	15	12	15.533
SJRGPF-Outlet	2012	10	15	11	15.485
SJRGPF-Outlet	2012	10	15	10	15.39
SJRGPF-Outlet	2012	10	15	9	15.318
SJRGPF-Outlet	2012	10	15	8	15.294
SJRGPF-Outlet	2012	10	15	7	15.318
SJRGPF-Outlet	2012	10	15	6	15.342
SJRGPF-Outlet	2012	10	15	5	15.366
SJRGPF-Outlet	2012	10	15	4	15.39
SJRGPF-Outlet	2012	10	15	3	15.414
SJRGPF-Outlet	2012	10	15	2	15.438
SJRGPF-Outlet	2012	10	15	1	15.485
SJRGPF-Outlet	2012	10	15	0	15.509
SJRGPF-Outlet	2012	10	14	23	15.557
SJRGPF-Outlet	2012	10	14	22	15.581
SJRGPF-Outlet	2012	10	14	21	15.629
SJRGPF-Outlet	2012	10	14	20	15.652
SJRGPF-Outlet	2012	10	14	19	15.652
SJRGPF-Outlet	2012	10	14	18	15.676
SJRGPF-Outlet	2012	10	14	17	15.724
SJRGPF-Outlet	2012	10	14	16	15.843
SJRGPF-Outlet	2012	10	14	15	15.605
SJRGPF-Outlet	2012	10	14	14	15.438
SJRGPF-Outlet	2012	10	14	13	15.175
SJRGPF-Outlet	2012	10	14	12	14.96
SJRGPF-Outlet	2012	10	14	11	14.888
SJRGPF-Outlet	2012	10	14	10	14.768
SJRGPF-Outlet	2012	10	14	9	14.721
SJRGPF-Outlet	2012	10	14	8	14.721
SJRGPF-Outlet	2012	10	14	7	14.745
SJRGPF-Outlet	2012	10	14	6	14.768
SJRGPF-Outlet	2012	10	14	5	14.816
SJRGPF-Outlet	2012	10	14	4	14.84
SJRGPF-Outlet	2012	10	14	3	14.888
SJRGPF-Outlet	2012	10	14	2	14.912
SJRGPF-Outlet	2012	10	14	1	14.96
SJRGPF-Outlet	2012	10	14	0	15.008
SJRGPF-Outlet	2012	10	13	23	15.055
SJRGPF-Outlet	2012	10	13	22	15.103
SJRGPF-Outlet	2012	10	13	21	15.151
SJRGPF-Outlet	2012	10	13	20	15.223
SJRGPF-Outlet	2012	10	13	19	15.247

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	10	13	18	15.247
SJRGPF-Outlet	2012	10	13	17	15.223
SJRGPF-Outlet	2012	10	13	16	15.27
SJRGPF-Outlet	2012	10	13	15	15.151
SJRGPF-Outlet	2012	10	13	14	15.079
SJRGPF-Outlet	2012	10	13	13	14.912
SJRGPF-Outlet	2012	10	13	12	14.792
SJRGPF-Outlet	2012	10	13	11	14.768
SJRGPF-Outlet	2012	10	13	10	14.697
SJRGPF-Outlet	2012	10	13	9	14.673
SJRGPF-Outlet	2012	10	13	8	14.721
SJRGPF-Outlet	2012	10	13	7	14.792
SJRGPF-Outlet	2012	10	13	6	14.864
SJRGPF-Outlet	2012	10	13	5	14.912
SJRGPF-Outlet	2012	10	13	4	14.984
SJRGPF-Outlet	2012	10	13	3	15.079
SJRGPF-Outlet	2012	10	13	2	15.151
SJRGPF-Outlet	2012	10	13	1	15.223
SJRGPF-Outlet	2012	10	13	0	15.27
SJRGPF-Outlet	2012	10	12	23	15.342
SJRGPF-Outlet	2012	10	12	22	15.39
SJRGPF-Outlet	2012	10	12	21	15.461
SJRGPF-Outlet	2012	10	12	20	15.509
SJRGPF-Outlet	2012	10	12	19	15.557
SJRGPF-Outlet	2012	10	12	18	15.605
SJRGPF-Outlet	2012	10	12	17	15.652
SJRGPF-Outlet	2012	10	12	16	15.676
SJRGPF-Outlet	2012	10	12	15	15.7
SJRGPF-Outlet	2012	10	12	14	15.748
SJRGPF-Outlet	2012	10	12	13	15.772
SJRGPF-Outlet	2012	10	12	12	15.748
SJRGPF-Outlet	2012	10	12	11	15.748
SJRGPF-Outlet	2012	10	12	10	15.748
SJRGPF-Outlet	2012	10	12	9	15.819
SJRGPF-Outlet	2012	10	12	8	15.867
SJRGPF-Outlet	2012	10	12	7	15.891
SJRGPF-Outlet	2012	10	12	6	15.963
SJRGPF-Outlet	2012	10	12	5	15.986
SJRGPF-Outlet	2012	10	12	4	16.034
SJRGPF-Outlet	2012	10	12	3	16.106
SJRGPF-Outlet	2012	10	12	2	16.129
SJRGPF-Outlet	2012	10	12	1	16.201
SJRGPF-Outlet	2012	10	12	0	16.225
SJRGPF-Outlet	2012	10	11	23	16.272

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	10	11	22	16.32
SJRGPF-Outlet	2012	10	11	21	16.32
SJRGPF-Outlet	2012	10	11	20	16.344
SJRGPF-Outlet	2012	10	11	19	16.392
SJRGPF-Outlet	2012	10	11	18	16.463
SJRGPF-Outlet	2012	10	11	17	16.654
SJRGPF-Outlet	2012	10	11	16	16.63
SJRGPF-Outlet	2012	10	11	15	16.534
SJRGPF-Outlet	2012	10	11	14	16.534
SJRGPF-Outlet	2012	10	11	13	16.344
SJRGPF-Outlet	2012	10	11	12	16.296
SJRGPF-Outlet	2012	10	11	11	16.32
SJRGPF-Outlet	2012	10	11	10	16.368
SJRGPF-Outlet	2012	10	11	9	16.415
SJRGPF-Outlet	2012	10	11	8	16.415
SJRGPF-Outlet	2012	10	11	7	16.463
SJRGPF-Outlet	2012	10	11	6	16.534
SJRGPF-Outlet	2012	10	11	5	16.582
SJRGPF-Outlet	2012	10	11	4	16.63
SJRGPF-Outlet	2012	10	11	3	16.677
SJRGPF-Outlet	2012	10	11	2	16.749
SJRGPF-Outlet	2012	10	11	1	16.796
SJRGPF-Outlet	2012	10	11	0	16.868
SJRGPF-Outlet	2012	10	10	23	16.963
SJRGPF-Outlet	2012	10	10	22	17.011
SJRGPF-Outlet	2012	10	10	21	17.082
SJRGPF-Outlet	2012	10	10	20	17.177
SJRGPF-Outlet	2012	10	10	19	17.249
SJRGPF-Outlet	2012	10	10	18	17.201
SJRGPF-Outlet	2012	10	10	17	17.225
SJRGPF-Outlet	2012	10	10	16	17.225
SJRGPF-Outlet	2012	10	10	15	17.106
SJRGPF-Outlet	2012	10	10	14	17.13
SJRGPF-Outlet	2012	10	10	13	16.963
SJRGPF-Outlet	2012	10	10	12	16.868
SJRGPF-Outlet	2012	10	10	11	16.677
SJRGPF-Outlet	2012	10	10	10	16.677
SJRGPF-Outlet	2012	10	10	9	16.677
SJRGPF-Outlet	2012	10	10	8	16.677
SJRGPF-Outlet	2012	10	10	7	16.701
SJRGPF-Outlet	2012	10	10	6	16.749
SJRGPF-Outlet	2012	10	10	5	16.796
SJRGPF-Outlet	2012	10	10	4	16.844
SJRGPF-Outlet	2012	10	10	3	16.915

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	10	10	2	16.987
SJRGPF-Outlet	2012	10	10	1	17.058
SJRGPF-Outlet	2012	10	10	0	17.106
SJRGPF-Outlet	2012	10	9	23	17.177
SJRGPF-Outlet	2012	10	9	22	17.272
SJRGPF-Outlet	2012	10	9	21	17.344
SJRGPF-Outlet	2012	10	9	20	17.344
SJRGPF-Outlet	2012	10	9	19	17.439
SJRGPF-Outlet	2012	10	9	18	17.558
SJRGPF-Outlet	2012	10	9	17	17.653
SJRGPF-Outlet	2012	10	9	16	17.701
SJRGPF-Outlet	2012	10	9	15	17.534
SJRGPF-Outlet	2012	10	9	14	17.344
SJRGPF-Outlet	2012	10	9	13	17.249
SJRGPF-Outlet	2012	10	9	12	17.177
SJRGPF-Outlet	2012	10	9	11	16.939
SJRGPF-Outlet	2012	10	9	10	16.892
SJRGPF-Outlet	2012	10	9	9	16.844
SJRGPF-Outlet	2012	10	9	8	16.844
SJRGPF-Outlet	2012	10	9	7	16.892
SJRGPF-Outlet	2012	10	9	6	16.939
SJRGPF-Outlet	2012	10	9	5	16.987
SJRGPF-Outlet	2012	10	9	4	17.058
SJRGPF-Outlet	2012	10	9	3	17.106
SJRGPF-Outlet	2012	10	9	2	17.177
SJRGPF-Outlet	2012	10	9	1	17.225
SJRGPF-Outlet	2012	10	9	0	17.296
SJRGPF-Outlet	2012	10	8	23	17.368
SJRGPF-Outlet	2012	10	8	22	17.415
SJRGPF-Outlet	2012	10	8	21	17.486
SJRGPF-Outlet	2012	10	8	20	17.51
SJRGPF-Outlet	2012	10	8	19	17.605
SJRGPF-Outlet	2012	10	8	18	17.772
SJRGPF-Outlet	2012	10	8	17	17.796
SJRGPF-Outlet	2012	10	8	16	17.819
SJRGPF-Outlet	2012	10	8	15	17.724
SJRGPF-Outlet	2012	10	8	14	17.51
SJRGPF-Outlet	2012	10	8	13	17.463
SJRGPF-Outlet	2012	10	8	12	17.32
SJRGPF-Outlet	2012	10	8	11	17.177
SJRGPF-Outlet	2012	10	8	10	17.034
SJRGPF-Outlet	2012	10	8	9	16.939
SJRGPF-Outlet	2012	10	8	8	16.892
SJRGPF-Outlet	2012	10	8	7	16.939

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	10	8	6	17.011
SJRGPF-Outlet	2012	10	8	5	17.058
SJRGPF-Outlet	2012	10	8	4	17.13
SJRGPF-Outlet	2012	10	8	3	17.177
SJRGPF-Outlet	2012	10	8	2	17.272
SJRGPF-Outlet	2012	10	8	1	17.32
SJRGPF-Outlet	2012	10	8	0	17.344
SJRGPF-Outlet	2012	10	7	23	17.391
SJRGPF-Outlet	2012	10	7	22	17.439
SJRGPF-Outlet	2012	10	7	21	17.486
SJRGPF-Outlet	2012	10	7	20	17.558
SJRGPF-Outlet	2012	10	7	19	17.582
SJRGPF-Outlet	2012	10	7	18	17.677
SJRGPF-Outlet	2012	10	7	17	17.724
SJRGPF-Outlet	2012	10	7	16	17.701
SJRGPF-Outlet	2012	10	7	15	17.629
SJRGPF-Outlet	2012	10	7	14	17.629
SJRGPF-Outlet	2012	10	7	13	17.32
SJRGPF-Outlet	2012	10	7	12	17.153
SJRGPF-Outlet	2012	10	7	11	17.082
SJRGPF-Outlet	2012	10	7	10	17.034
SJRGPF-Outlet	2012	10	7	9	17.034
SJRGPF-Outlet	2012	10	7	8	17.011
SJRGPF-Outlet	2012	10	7	7	17.034
SJRGPF-Outlet	2012	10	7	6	17.13
SJRGPF-Outlet	2012	10	7	5	17.177
SJRGPF-Outlet	2012	10	7	4	17.201
SJRGPF-Outlet	2012	10	7	3	17.296
SJRGPF-Outlet	2012	10	7	2	17.368
SJRGPF-Outlet	2012	10	7	1	17.439
SJRGPF-Outlet	2012	10	7	0	17.486
SJRGPF-Outlet	2012	10	6	23	17.534
SJRGPF-Outlet	2012	10	6	22	17.582
SJRGPF-Outlet	2012	10	6	21	17.629
SJRGPF-Outlet	2012	10	6	20	17.724
SJRGPF-Outlet	2012	10	6	19	17.867
SJRGPF-Outlet	2012	10	6	18	18.057
SJRGPF-Outlet	2012	10	6	17	18.033
SJRGPF-Outlet	2012	10	6	16	18.033
SJRGPF-Outlet	2012	10	6	15	17.891
SJRGPF-Outlet	2012	10	6	14	17.748
SJRGPF-Outlet	2012	10	6	13	17.582
SJRGPF-Outlet	2012	10	6	12	17.51
SJRGPF-Outlet	2012	10	6	11	17.439

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	10	6	10	17.486
SJRGPF-Outlet	2012	10	6	9	17.391
SJRGPF-Outlet	2012	10	6	8	17.368
SJRGPF-Outlet	2012	10	6	7	17.415
SJRGPF-Outlet	2012	10	6	6	17.51
SJRGPF-Outlet	2012	10	6	5	17.582
SJRGPF-Outlet	2012	10	6	4	17.677
SJRGPF-Outlet	2012	10	6	3	17.748
SJRGPF-Outlet	2012	10	6	2	17.819
SJRGPF-Outlet	2012	10	6	1	17.915
SJRGPF-Outlet	2012	10	6	0	17.962
SJRGPF-Outlet	2012	10	5	23	18.033
SJRGPF-Outlet	2012	10	5	22	18.105
SJRGPF-Outlet	2012	10	5	21	18.152
SJRGPF-Outlet	2012	10	5	20	18.224
SJRGPF-Outlet	2012	10	5	19	18.295
SJRGPF-Outlet	2012	10	5	18	18.366
SJRGPF-Outlet	2012	10	5	17	18.366
SJRGPF-Outlet	2012	10	5	16	18.39
SJRGPF-Outlet	2012	10	5	15	18.343
SJRGPF-Outlet	2012	10	5	14	18.224
SJRGPF-Outlet	2012	10	5	13	18.2
SJRGPF-Outlet	2012	10	5	12	18.176
SJRGPF-Outlet	2012	10	5	11	18.176
SJRGPF-Outlet	2012	10	5	10	18.129
SJRGPF-Outlet	2012	10	5	9	18.105
SJRGPF-Outlet	2012	10	5	8	18.105
SJRGPF-Outlet	2012	10	5	7	18.152
SJRGPF-Outlet	2012	10	5	6	18.247
SJRGPF-Outlet	2012	10	5	5	18.295
SJRGPF-Outlet	2012	10	5	4	18.366
SJRGPF-Outlet	2012	10	5	3	18.438
SJRGPF-Outlet	2012	10	5	2	18.533
SJRGPF-Outlet	2012	10	5	1	18.628
SJRGPF-Outlet	2012	10	5	0	18.699
SJRGPF-Outlet	2012	10	4	23	18.771
SJRGPF-Outlet	2012	10	4	22	18.842
SJRGPF-Outlet	2012	10	4	21	18.866
SJRGPF-Outlet	2012	10	4	20	18.961
SJRGPF-Outlet	2012	10	4	19	19.056
SJRGPF-Outlet	2012	10	4	18	19.175
SJRGPF-Outlet	2012	10	4	17	19.199
SJRGPF-Outlet	2012	10	4	16	19.127
SJRGPF-Outlet	2012	10	4	15	19.056

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	10	4	14	18.985
SJRGPF-Outlet	2012	10	4	13	18.818
SJRGPF-Outlet	2012	10	4	12	18.675
SJRGPF-Outlet	2012	10	4	11	18.58
SJRGPF-Outlet	2012	10	4	10	18.533
SJRGPF-Outlet	2012	10	4	9	18.509
SJRGPF-Outlet	2012	10	4	8	18.485
SJRGPF-Outlet	2012	10	4	7	18.557
SJRGPF-Outlet	2012	10	4	6	18.604
SJRGPF-Outlet	2012	10	4	5	18.675
SJRGPF-Outlet	2012	10	4	4	18.747
SJRGPF-Outlet	2012	10	4	3	18.818
SJRGPF-Outlet	2012	10	4	2	18.889
SJRGPF-Outlet	2012	10	4	1	18.961
SJRGPF-Outlet	2012	10	4	0	19.032
SJRGPF-Outlet	2012	10	3	23	19.103
SJRGPF-Outlet	2012	10	3	22	19.175
SJRGPF-Outlet	2012	10	3	21	19.27
SJRGPF-Outlet	2012	10	3	20	19.318
SJRGPF-Outlet	2012	10	3	19	19.389
SJRGPF-Outlet	2012	10	3	18	19.46
SJRGPF-Outlet	2012	10	3	17	19.508
SJRGPF-Outlet	2012	10	3	16	19.555
SJRGPF-Outlet	2012	10	3	15	19.341
SJRGPF-Outlet	2012	10	3	14	19.103
SJRGPF-Outlet	2012	10	3	13	18.889
SJRGPF-Outlet	2012	10	3	12	18.794
SJRGPF-Outlet	2012	10	3	11	18.723
SJRGPF-Outlet	2012	10	3	10	18.652
SJRGPF-Outlet	2012	10	3	9	18.628
SJRGPF-Outlet	2012	10	3	8	18.604
SJRGPF-Outlet	2012	10	3	7	18.628
SJRGPF-Outlet	2012	10	3	6	18.699
SJRGPF-Outlet	2012	10	3	5	18.747
SJRGPF-Outlet	2012	10	3	4	18.794
SJRGPF-Outlet	2012	10	3	3	18.866
SJRGPF-Outlet	2012	10	3	2	18.913
SJRGPF-Outlet	2012	10	3	1	18.985
SJRGPF-Outlet	2012	10	3	0	19.056
SJRGPF-Outlet	2012	10	2	23	19.103
SJRGPF-Outlet	2012	10	2	22	19.175
SJRGPF-Outlet	2012	10	2	21	19.222
SJRGPF-Outlet	2012	10	2	20	19.318
SJRGPF-Outlet	2012	10	2	19	19.365

Site ID	Year	Month	Day	Hour	Temp (C)
SJRGPF-Outlet	2012	10	2	18	19.484
SJRGPF-Outlet	2012	10	2	17	19.508
SJRGPF-Outlet	2012	10	2	16	19.484
SJRGPF-Outlet	2012	10	2	15	19.413
SJRGPF-Outlet	2012	10	2	14	19.294
SJRGPF-Outlet	2012	10	2	13	19.008
SJRGPF-Outlet	2012	10	2	12	18.747
SJRGPF-Outlet	2012	10	2	11	18.675
SJRGPF-Outlet	2012	10	2	10	18.723
SJRGPF-Outlet	2012	10	2	9	18.628
SJRGPF-Outlet	2012	10	2	8	18.58
SJRGPF-Outlet	2012	10	2	7	18.604
SJRGPF-Outlet	2012	10	2	6	18.652
SJRGPF-Outlet	2012	10	2	5	18.723
SJRGPF-Outlet	2012	10	2	4	18.771
SJRGPF-Outlet	2012	10	2	3	18.842
SJRGPF-Outlet	2012	10	2	2	18.889
SJRGPF-Outlet	2012	10	2	1	18.937
SJRGPF-Outlet	2012	10	2	0	19.008
SJRGPF-Outlet	2012	10	1	23	19.056
SJRGPF-Outlet	2012	10	1	22	19.127
SJRGPF-Outlet	2012	10	1	21	19.199
SJRGPF-Outlet	2012	10	1	20	19.27
SJRGPF-Outlet	2012	10	1	19	19.365
SJRGPF-Outlet	2012	10	1	18	19.436
SJRGPF-Outlet	2012	10	1	17	19.484
SJRGPF-Outlet	2012	10	1	16	19.436
SJRGPF-Outlet	2012	10	1	15	19.389
SJRGPF-Outlet	2012	10	1	14	19.199
SJRGPF-Outlet	2012	10	1	13	18.985
SJRGPF-Outlet	2012	10	1	12	18.747
SJRGPF-Outlet	2012	10	1	11	18.675
SJRGPF-Outlet	2012	10	1	10	18.652
SJRGPF-Outlet	2012	10	1	9	18.604
SJRGPF-Outlet	2012	10	1	8	18.58
SJRGPF-Outlet	2012	10	1	7	18.604
SJRGPF-Outlet	2012	10	1	6	18.675
SJRGPF-Outlet	2012	10	1	5	18.723
SJRGPF-Outlet	2012	10	1	4	18.771
SJRGPF-Outlet	2012	10	1	3	18.818
SJRGPF-Outlet	2012	10	1	2	18.866
SJRGPF-Outlet	2012	10	1	1	18.937
SJRGPF-Outlet	2012	10	1	0	18.985