

## 8 REFERENCES

- ACOE (U.S. Army Corps of Engineers). 1917. California Debris Commission maps.
- Alpert, P., F. T. Griggs, and D. R. Peterson. 1999. Riparian forest restoration along large rivers: initial results from the Sacramento River project. *Restoration Ecology* 7: 360-368.
- Amlin, N.M. and S.B. Rood. 2002. Comparative tolerances of riparian willows and cottonwoods to water-table decline. *Wetlands* 22(2).
- Arnold, R. A., J. A. Halstead, D. Kavanaugh, and K. H. Osborne. 1994. Valley elderberry longhorn beetle. Pages 414-415 in C. G. Thelander and M. Crabtree, editors. *Life on the edge*. BioSystems Books, Santa Cruz, California.
- Bachman, R. A. 1991. Brown trout. Trout. J. Stolz and J. Schnell. Harrisburg, Pennsylvania, Stackpole Books: 208-228.
- Bailey, E. D. 1954. Time pattern of 1953-54 migration of salmon and steelhead into the upper Sacramento River, California Department of Fish and Game: 4.
- Bailey, H. C., E. Hallen, T. Hampson, M. Emanuel, and B.S. Washburn. 1999. Characterization of reproductive status and spawning and rearing conditions for splittail *Pogonichthys macrolepidotus*, a cyprinid of special concern, endemic to the Sacramento-San Joaquin estuary. Unpublished report. University of California, Davis. [as cited in Moyle et al. 2001]
- Baker, W.L., 1990. Climatic and hydrologic effects on the regeneration of *Populus angustifolia* James along the Animas River, Colorado. *Journal of Biogeography*, 17: 59-73.
- Baltz, D. M. and P. B. Moyle. 1993. Invasion resistance to introduced species by a native assemblage of California stream fishes. *Ecological Applications* 3(2): 246-255.
- Barbour, R. W. and W. H. Davis. 1969. *Bats of America*. University of Kentucky Press, Lexington, Kentucky.
- Barnhart, R. A. 1991. Steelhead *Oncorhynchus mykiss*. Trout. J. Stolz and J. Schnell, Stackpole Books, Harrisburg, Pennsylvania: 324-336.
- Bartholow, J. M. 1989. Stream temperature investigations: field and analytic methods. Instream Flow Information Paper No. 13. Biological Report 89 (17). U. S. Fish and Wildlife Service, Washington, D. C.
- Becker, C. D. 1973. Food and growth parameters of juvenile chinook salmon, *Oncorhynchus tshawytscha*, in central Columbia River. *Fishery Bulletin* 71: 387-400.
- Beedy, T. 2002. Jones and Stokes Associates, Inc., Sacramento, CA. Personal Communication.
- Beedy, E. C., and III W. J. Hamilton. 1997. Tricolored blackbird status update and management guidelines. Prepared by Jones & Stokes Associates, Inc. and University of California, Davis for U. S. Fish and Wildlife Service, Migratory Birds and Habitat Programs and California Department of Fish and Game, Bird and Mammal Conservation Program.

- Bell, M. C., Ed. 1986. Fisheries handbook of engineering requirements and biological criteria. Report No. NTIS AD/A167-877, Fish Passage Development and Evaluation Program, U. S. Army Corps of Engineers, North Pacific Division, Portland, Oregon.
- Berman, C. 1998. Oregon temperature standard review, U. S. Environmental Protection Agency, Region 10, Seattle, Washington.
- Beschta, R. L., R. E. Bilby, G. W. Brown, L. B. Holtby, and T. D. Hofstra. 1987. Stream temperature and aquatic habitat: fisheries and forestry interactions. Streamside management: forestry and fishery interactions. Contribution No. 57. E. O. Salo and T. W. Cundy, College of Forest Resources, University of Washington, Seattle: 191-232.
- BioAnalysts, Inc. 2000. A status of Pacific lamprey in the mid-Columbia region. Rocky Reach Hydroelectric Project, FERC Project No. 2145. Prepared for Public Utility District No. 1 of Chelan County, Wenatchee, Washington. [cited in Klamath-Siskiyou Wildlands Center et al. 2003]
- Bisson, P., J. L. Nielsen, R. A. Palmason, and L. E. Grove. 1982. A system of naming habitat types in small streams, with examples of habitat utilization by salmonids during low streamflows. Proceedings of the symposium on acquisition and utilization of aquatic habitat inventory information, Portland, Oregon, American Fisheries Society, Western Division, Bethesda, Maryland.
- Bisson, P. A., K. Sullivan, and J. L. Nielsen. 1998. Channel hydraulics, habitat use, and body form of juvenile coho salmon, steelhead trout, and cutthroat trout in streams. Transactions of the American Fisheries Society 117:262-273.
- Bjornn, T. C. and D. W. Reiser. 1991. Habitat requirements of salmonids in streams. Influences of forest and rangeland management on salmonid fishes and their habitats. Special Publication No. 19. W. R. Meehan, American Fisheries Society, Bethesda, Maryland: 83-138.
- Bradford, M. J., J. A. Grout, and S. Moodie. 2001. Ecology of juvenile chinook salmon in a small non-natal stream of the Yukon River drainage and the role of ice conditions on their distribution and survival. Canadian Journal of Zoology 79: 2043-2054.
- Block, W.M., M.L. Morrison, and J. Verner. 1990. Wildlife and oak-woodland interdependency. Fremontia 18(3):72-76).
- Bloom, P. H. 1980. The status of the Swainson's hawk in California, 1979. California Department of Fish and Game and USDI Bureau of Land Management, Sacramento.
- Bradley, C.E. and Smith, D.G., 1986. Plains cottonwood recruitment and survival on a prairie meandering river floodplain, Milk River, southern Alberta and northern Montana. Canadian Journal of Botany, 64: 1433-1442.
- Bray, M. P. and D. A. Klebenow. 1988. Feeding ecology of white-faced ibises in a Great Basin valley, USA. Colonial Waterbirds 11: 24-31.
- Brett, J. R., W. C. Clarke, and J. E. Shelbourn. 1982. Experiments on thermal requirements for growth and food conversion efficiency of juvenile chinook salmon *Oncorhynchus tshawytscha*,

Department of Fisheries and Oceans, Fisheries Research Branch, Pacific Biological Station, Nanaimo, British Columbia.

Brown, C. B., and E. M. Thorp. 1947. Reservoir sedimentation in the Sacramento–San Joaquin drainage basins, California. Special Report 10. Washington, DC: Soil Conservation Service, Sedimentation Section, Office of Research.

Brown, L. R. and T. Ford. 2002. Effects of flow on the fish communities of a regulated California river: implications for managing native fishes. *River Research and Applications* 18: 331-342.

Brownlie, W. R. 1982. Prediction of flow depth and sediment discharge in open channels. Doctoral dissertation. California Institute of Technology, Pasadena.

Brylski, P., and A. I. Roest. 1994. Fresno kangaroo rat. Pages 76-77 *in* Life on the edge: a guide to California's endangered natural resources: wildlife, C. G. Thelander and M. Crabtree, editor. Biosystems Books, Santa Cruz, California.

Burner, C. J. 1951. Characteristics of spawning nests of Columbia River salmon. *U. S. Fish and Wildlife Service Fishery Bulletin* 52: 97-110.

Cain, J. R. 1997. Hydrologic and geomorphic changes to the San Joaquin River between Friant Dam and Gravelly Ford, University of California, Berkeley.

Cain, J. 2002. National Heritage Institute, Berkeley, CA. Personal Communication.

CalEPPC (California Exotic Pest Plant Council). 1999. Exotic pest plants of greatest ecological concern in California. Petaluma, CA.

CALFED. 1997. Vision section (various wildlife species). *In* Volume I: Ecosystem Restoration Program Plan, Review Draft, June 13, 1997, p. 177.

CALFED 2000. Ecosystem restoration program plan, volume II: ecological management zone visions.

CALFED Bay-Delta Program. 2000. Multi-species Conservation Strategy. Final Programmatic EIS/EIR Technical Appendix. Prepared by the CALFED Bay-Delta Program for the U. S. Bureau of Reclamation, U. S. Fish and Wildlife Service, National Marine Fisheries Service, U. S. Environmental Protection Agency, Natural Resources Conservation Service, U. S. Army Corps of Engineers, and the California Resources Agency.

California Natural Diversity Database (CNDDDB), 2002. Electronic database search, Sacramento, CA: California Department of Fish and Game.

California Resources Agency. 1998. Draft Sacramento River Conservation Area Handbook. California Resources Agency, Sacramento, CA.

Callaway, R. M. 1992b. Effect of shrubs on recruitment of *Quercus douglasii* and *Quercus lobata* in California. *Ecology* 73:2118-2128.

CalPIF (California Partners in Flight). 2002. The oak woodland bird conservation plan: A strategy for protecting and managing oak woodland habitats and associated birds in California.

Version 2.0. S. Zack, lead author. Point Reyes Bird Observatory, Stinson Beach, CA.  
<http://www.prbo.org/calpif/plans.html>.

CDFG. 1983. Annual report on the status of California state listed threatened and endangered animals and plants. Fish and Game Commission, Sacramento.

CDFG (California Department of Fish and Game). 1992. Annual report on the status of California state listed threatened and endangered animals and plants. Fish and Game Commission, Sacramento.

CDFG (California Department of Fish and Game). 1994. Nonregulatory guidelines for determining appropriate mitigation for impacts to Swainson's hawks (*Buteo swainsoni*) in the Central Valley of California. Draft Report.

CDFG (California Department of Fish and Game). 1997. The definition and location of Central California sycamore alluvial woodland. Prepared by Natural Heritage Division, Bay-Delta and Special Water Project Division, CDFG for Division of Planning California Department of Water Resources. May.

CDFG (California Department of Fish and Game). 1997. Revised fish screening criteria. Memorandum. 14 April.

CDFG (California Department of Fish and Game). 2000. Annual report on the status of California state listed threatened and endangered animals and plants. Fish and Game Commission, Sacramento.

CDFG (California Department of Fish and Game). 2001. California Natural Diversity Database search of Merced Falls, Snelling, Yosemite Lake, Winton, Turlock, Turlock Lake, Cressey, Stevinson, and Gustine quadrangles, 11 June 2001. CDFG, Natural Heritage Division, Sacramento, California.

CDWR. 2002. Riparian vegetation of the San Joaquin River. Prepared for San Joaquin River Habitat Restoration Program, Fresno, CA. Prepared by CDWR, San Joaquin District, Fresno, CA.

Cech, J. J., Jr., S. J. Mitchell, D. T. Castleberry, and M. McEnroe. 1990. Distribution of California stream fishes: influence of environmental temperature and hypoxia. *Environmental Biology of Fishes* 29: 95-105.

Chapman, D. W. and T. C. Bjornn. 1969. Distribution of salmonids in streams with special reference to food and feeding. Symposium on salmon and trout in streams, University of British Columbia, Vancouver, Canada, H. R. MacMillan Lectures in Fisheries, University of British Columbia, Vancouver.

Chesemore, D. L. 1980. Impact of oil and gas development on blun-nosed leopard lizards. U.S. Bureau Land Management, Bakersfield, CA. Final Report, Contract No. YA-512-CT9-118.

Chetham, N.D. 1976. Conservation of vernal pools. Pages 87-89 *in*: S. Jain (Editor). *Vernal Pools: Their Ecology and Conservation*. Institute of Ecology, Publication Number 9, University of California. Davis, CA.

Clark, G. H. 1942. Salmon at Friant Dam-1942. *California Fish and Game* 29(3): 89-91.

Close, D. A., M. S. Fitzpatrick, and H. W. Li. 2002. The ecological and cultural importance of a species at risk of extinction, Pacific lamprey. *Fisheries* 27: 19-25.

CNPS (California Native Plant Society). 1989. Oak action kit: resources for preservation and conservation of oak habitats. California Native Plant Society, Sacramento, CA.

Coble, D. W. 1961. "Influence of water exchange and dissolved oxygen in redds on survival of steelhead trout embryos." 90: 469-474.

Collinge, S. K., M. Holyoak, C. B. Barr, and J. T. Marty. 2001. Riparian habitat fragmentation and population persistence of the threatened valley elderberry longhorn beetle in central California. *Biological Conservation* 100(1):103-113.

Cordes, L.D., 1991. The distribution and age structure of cottonwood stands along the Lower Bow River, Alberta. In: S.B. Rood and J.M. Mahoney (Eds.), *Proceedings of the biology and management of southern Alberta's cottonwoods conference*, University of Lethbridge, Lethbridge, AB, Canada, pp. 13-24.

Cordes, L.D., Hughes, F.M.R. and Getty, M., 1997. Factors affecting the regeneration and distribution of riparian woodlands long a northern prairie river: the Red Deer River, Alberta, Canada. *Journal of Biogeography*, 24: 675-695.

Cooper, A. C. 1965. The effect of transported stream sediments on the survival of sockeye and pink salmon eggs and alevin, International Pacific Salmon Fisheries Commission, New Westminster, British Columbia, Canada.

County, California. Subcontract S99-024. Prepared for Chico State University Research Foundation.

Cox, G. 1999. *Alien species in North America and Hawaii: impacts on natural ecosystems*. Island Press, Washington D.C.

Culbertson, A. E. 1946. Observations on the natural history of the Fresno kangaroo rat. *Journal of Mammalogy* 27:189-203.

Curtis, T.C. 1981. Acorn woodpecker. Pages 30-31 in J.F. Hurley, S.R. Robertson, S.R. Brouger, and A.M. Palmer. *Wildlife habitat capability models and habitat quality criteria for the western Sierra Nevada*. USDA Forest Service, Stanislaus Natl. Forest, Sonora, CA. 56 pp.

Dobkin, D. S. 1994. *Conservation and management of Neotropical migrant land birds in the Northern Rockies and Great Plains*. University of Idaho Press, Moscow, Idaho.

EA Engineering, Science, and Technology (EA). 1991. Lower Tuolumne River 1990 predation study. Draft Interim Report. Prepared for Turlock Irrigation District and Modesto Irrigation District, California by EA, Lafayette, California.

EA Engineering, S., and Technology (EA) (1992). Don Pedro Project fisheries study report (FERC Article 39, Project No. 2299). In Report of Turlock Irrigation District and Modesto Irrigation District Pursuant to Article 39 of the License for the Don Pedro Project, No. 2299. Vol. II, EA, Lafayette, California.

- Earnst, S. L., L. Neel, G. L. Ivey, and T. Zimmerman. 1998. Status of the white-faced ibis: breeding colony dynamics of the Great Basin population, 1985-1997. *Colonial Waterbirds* 21: 301-476.
- Edminster, R. J. 1998. The Merced River basin: geographic and ecological considerations of natural wetlands in Merced County, California. Excerpts from "Streams of the San Joaquin". Los Banos, California.
- England, A. S., M. J. Bechard, and C. S. Houston. 1997. Swainson's hawk (*Buteo swainsoni*). No. 265. A. Poole and F. Gill, editors. *The birds of North America*. The Academy of Natural Sciences, Philadelphia, Pennsylvania and The American Ornithologists' Union, Washington, D.C.
- Erwin, K.L. 1990. Wetland evaluation for restoration and creation. In: *Wetland creation and restoration: the status of the science*. Eds: Kusler, J.A. and M.E. Kentula. Island Press, Washington, D.C. Pages 429-449.
- Estep, J.A. 1989. Biology, movements, and habitat relationships of the Swainson's Hawk in the Central Valley of California, 1986-87. CDFG, Nongame Bird and Mammal Sec. Rep., 52pp.
- Everest, F. H. and D. W. Chapman. 1972. Habitat selection and spatial interaction by juvenile chinook salmon and steelhead trout in two Idaho streams. *Journal of the Fisheries Research Board of Canada* 29: 91-100.
- Farquar, F. P. 1966. *Up and down California in 1860-1864: the journal of William H. Brewer*. University of California Press, Berkeley.
- Fiedler, P.L. and P.M. Kareiva. 1998. *Conservation Biology: for the coming decade*. Second Edition. International Thomson Publishing, Thomson Science, New York. 533 pp.
- Folmar, L. C. and W. W. Dickhoff. 1980. The parr-smolt transformation (smoltification) and seawater adaptation in salmonids. A review of selected literature. *Aquaculture* 21: 1-37.
- Fontaine, B. L. 1988. An evaluation of the effectiveness of instream structures for steelhead trout rearing habitat in the Steamboat Creek basin. Master's thesis. Oregon State University, Corvallis.
- Gaines, D. 1974. Review of the status of the yellow-billed cuckoo in California: Sacramento Valley populations. *Condor* 76: 204-209.
- Goldingay, R. L., P. A. Kelly, and D. F. Williams. 1997. The kangaroo rats of California: endemism and conservation of keystone species. *Pacific Conservation Biology* 3:47-60. Accessed December 2002 at <http://arnica.csustan.edu/esrpp/keykrats.html>.
- Golet G.H., M.D. Roberts, D.R. Peterson, D.E. Jukkola, E.E. Crone, G.R. Geupel, S.L. Small, S.E. Greco, K.D. Holl, E.W. Larsen, F.K. Ligon, B.K. Orr, J.C. Vick, M.E. Power, W.E. Rainey, J.G. Silveira, D.S. Wilson. [In press]. Using science to evaluate restoration efforts and ecosystem health on the Sacramento River Project, California. In: Faber, P.M., editor. *Proceedings of the Riparian Habitat and Floodplains Conference*. The Western Section of the Wildlife Society and the Riparian Habitat Joint Venture, March 12-15, 2001, Sacramento, CA.

Grant, G. E., H. Fassnacht, E. McClure, and P. Klingeman. 1999. Downstream effects of the Pelton Round Butte Hydroelectric Project on bedload transport, channel morphology, and channel bed texture, Deschutes River, Oregon, Prepared for Portland General Electric, Portland, Oregon.

Greco, S.E. 1999. Monitoring riparian landscape change and modeling habitat dynamics of the yellow-billed cuckoo on the Sacramento River, California. PhD Dissertation, University of California, Davis, California.

GreenInfo Network. 2001. Maps of species location and listing status based on the CDFG Natural Diversity Database and 1999 TNC priority conservation areas. Maps produced by GreenInfo Network for Stillwater Sciences, March 2001.

Gregory, S. V., F. J. Swanson, W. A. McKee, and K. W. Cummins. 1991. An ecosystem perspective of riparian zones. *BioScience* 41: 540-551.

Griggs, F.T. 2003. The interaction of biological and physical processes and the long-term survival of riparian forests at the San Joaquin River National Wildlife Refuge. Second Biennial CALFED Science Conference. January 14-16, 2003. Sacramento, CA.

Griggs, F. T. and G. H. Golet. 2002. Riparian valley oak (*Quercus lobata*) forest restoration on the Middle Sacramento River, California, USDA Forest Service: 8.

Grinnell, J., and A. H. Miller. 1944. The distribution of the birds of California. Pacific Coast Avifauna No. 27.

Groot, C. and L. Margolis (eds.). 1991. Pacific salmon life histories. University of British Columbia Press, Vancouver, B. C.

Guilloy-Froget, H., E. Muller, N. Barsoum, and F.M.R. Hughes. 2002. Dispersal, germination, and survival of *Populus Nigra* L. (Salicaceae) in changing hydrologic conditions. *Wetlands* 22(3): 478-488.

Hallock, R. J. and W. F. V. Woert. 1959. A survey of anadromous fish losses in irrigation diversions from the Sacramento and San Joaquin Rivers. *California Fish and Game* 45(4): 227-296.

Hallock, R. J., W. F. V. Woert, and L. Shapovalov. 1961. An evaluation of stocking hatchery-reared steelhead rainbow trout (*Salmo gairdnerii gairdnerii*) in the Sacramento River system. Fish Bulletin 114. California Department of Fish and Game.

Halterman, M.D. 1991. Distribution and habitat use of the Yellow-billed Cuckoo (*Coccyzus americanus occidentalis*) on the Sacramento River, California, 1987-1990. Masters Thesis, California State University, Chico.

Hamilton III, W.J. 2002. University of California at Davis, Division of Environmental Studies, Davis, CA. Personal Communication.

Hathaway, E. S. 1927. The relation of temperature to the quantity of food consumed by fishes. *Ecology* 8: 428-434.

- Hatton, S. R. 1940. Progress report on the Central Valley fisheries investigations, 1939. California Fish and Game 26(4): 334-373.
- Hausle, D. A. and D. W. Coble 1976. "Influence of sand in redds on survival and emergence of brook trout (*Salvelinus fontinalis*).” 105(1): 57-63.
- Hawke, S. P. 1978. Stranded redds of quinnat salmon in the Mathias River, South Island, New Zealand. New Zealand Journal of Marine and Freshwater Research 12: 167-171.
- Hayes, J. W. 1987. Competition for spawning space between brown (*Salmo trutta*) and rainbow trout (*S. gairdneri*) in a lake inlet tributary, New Zealand. Canadian Journal of Fisheries and Aquatic Sciences 44: 40-47.
- Healey, M. C. 1991. Life history of chinook salmon (*Oncorhynchus tshawytscha*). Pages 311-393 in C. Groot and L. Margolis, editors. Pacific salmon life histories. University of British Columbia Press, Vancouver, British Columbia.
- Heidinger, R. C. 1975. Life history and biology of the largemouth bass. Black bass biology and management. R. H. Stroud and H. Clepper, Sport Fishing Institute, Washington, D. C.: 11-20.
- Hill, K. A. and J. D. Webber. 1999. Butte Creek spring-run chinook salmon, *Oncorhynchus tshawytscha*, juvenile outmigration and life history 1995-1998, California Department of Fish and Game, Sacramento Valley and Central Sierra Region, Rancho Cordova.
- Holland, R. F. 1986. Preliminary descriptions of the terrestrial natural communities of California. California Department of Fish and Game, Nongame-Heritage Program, Sacramento.
- Holland, V. L. and D. Keil. 1996. California Vegetation. Kendall/Hunt Publishers
- Howe, W.H. and Knopf, F.L., 1991. On the imminent decline of Rio Grande cottonwoods in central New Mexico. Southwestern Naturalist, 36: 218-224.
- Hughes, F.M.R. 1994. Environmental change, disturbance, and regeneration in semi-arid floodplain forests, Pages 321-345, in Millington, A.C. and K. Pye (eds.), Environmental change in drylands: biogeographical and geomorphological perspectives, John Wiley & Sons, New York.
- Hume, N., P. Baker, A. Keith, J. Vick, and T. Ford. 2001. 2000 Tuolumne River smolt survival and upper screw traps report. Report 2000-4 in 2000 Lower Tuolumne River annual report. Prepared by Stillwater Sciences, Berkeley, California and Turlock and Modesto Irrigation Districts, California, with assistance from S. P. Cramer and Associates, Gresham, Oregon.
- IHRMP (Integrated Hardwood Range Management Program). 1996. Guidelines for managing California's hardwood rangelands. University of California, Division of Agriculture and Natural Resources, Oakland, California.
- Janda, R.J. 1966. Pleistocene history and hydrogeology of the upper San Joaquin River, California. PhD Dissertation, University of California, Berkeley.
- Johnson, W. C. (1994). "Woodland expansion in the Platte River, Nebraska: patterns and causes." Ecological Monographs 64(1): 45-84.



Johnson, W. C. (1998). Adjustment of riparian vegetation to river regulation in the Great Plains, USA. *Wetlands* 18(4): 608-618.

JSA (Jones and Stokes Associates, Inc.). 2001. Potential benefits and constraints of Little Dry Creek as a source of gravel and potential extension of Reach 1 spawning habitat. Field Assessment Memorandum (Draft Report) to Friant Water Users Authority and Natural Resources Defense Council, December 10, 2001.

Jones & Stokes. 2001. Technical memorandum on the potential barriers to migrating steelhead and chinook salmon on the San Joaquin River. December 17. (J&S 00343). Sacramento, CA. Prepared for Friant Water Users Authority, Lindsay, CA, and Natural Resources Defense Council, San Francisco, CA.

Jones & Stokes (2002). Foundation runs report for restoration actions gaming trials, Prepared for Friant Water Users Authority, Lindsay, California and Natural Resources Defense Council, San Francisco, California by Jones & Stokes, Sacramento, Sacramento.

Keeley, J.E., and P.H. Zedler. 1998. Characterization and global distribution of vernal pools. Pages 15-23 in C.W. Witham, E.T. Bauder, D. Bekl, W.R. Ferren Jr., and R. Ornduff (Editors). *Ecology, Conservation, and Management of Vernal Pool Ecosystems – Proceedings from a 1996 Conference*. California Native Plant Society, Sacramento, CA. 1998.

Kellner, C.V. 1992. The presence of the valley elderberry longhorn beetle (*Desmocerus californicus dimorphus*) in the San Joaquin Valley, California. Pages 143-147 in Endangered and sensitive species of the San Joaquin Valley, California: their biology, management and conservation, D. F. Williams, S. Byrne and T. A. Rado, editor. California Energy Commission.

Klamath-Siskiyou Wildlands Center, Siskiyou Regional Education Project, Umpqua Watersheds, Friends of the Eel, Northcoast Environmental Center, Environmental Protection Information Center, Native Fish Society, Center for Biological Diversity, Oregon Natural Resources Council, Washington Trout, and Umpqua Valley Audubon Societ. 2003. A petition for rules to list: Pacific lamprey (*Lampetra tridentata*); river lamprey (*Lampetra ayresi*); western brook lamprey (*Lampetra richardsoni*); and Kern brook lamprey (*Lampetra hubbsi*) as threatened or endangered under the Endangered Species Act. Submitted to U. S. Fish and Wildlife Service, Office of Endangered Species by Siskiyou Regional Education Project, Cave Junction, Oregon.

Knight, N. J. 1985. Microhabitats and temperature requirements of hardhead (*Mylopharodon conocephalus*) and Sacramento squawfish (*Ptychocheilus grandis*), with notes for some other native California stream fishes. Doctoral dissertation. University of California, Davis.

Knopf, F. L., J. A. Sedgwick, and R. W. Cannon. 1988. Guild structure of a riparian avifauna relative to seasonal cattle grazing. *Journal of Wildlife Management* 52: 280-290.

Kondolf, G. M. 2000. Some suggested guidelines for geomorphic aspects of anadromous salmonid habitat restoration proposals. *Restoration Ecology* 8(1): 48-56.

Kondolf, G. M. and M. G. Wolman (1993). "The sizes of salmonid spawning gravels." 29: 2275-2285.

Kozlowski, T. T. (1997). Responses of woody plants to flooding and salinity. *Tree Physiology Monograph No. 1*, Heron Publishing, Victoria, Canada: 1-29.

Kucera, T.E., P. Kelly, S. Phillips, and J. Smith. 2001. Preliminary surveys for endangered and sensitive species, 2001 pilot project of the San Joaquin River riparian habitat restoration program. Prepared for K. Moody, San Joaquin River Riparian Habitat Restoration Program, USDI Bureau of Reclamation, Fresno, California by Endangered Species Recovery Program, California State University, Stanislaus, Fresno, California.

Lantz, R. L. 1971. Influence of water temperature on fish survival, growth, and behavior. Forest land uses and stream environment: proceedings of a symposium. Eds. J. T. Krygier and J. D. Hall, Oregon State University, Corvallis: 182-193.

Laymon, S.A. 1998. Yellow-billed cuckoo (*Coccyzus americanus*) species account. Partners in Flight Riparian Bird Conservation Plan. (<http://www.prbo.org/calpif/html/docs/riparian.html>). Prepared January 24, 1998.

Laymon, S.A. and M.D. Halterman. 1989. A proposed habitat management plan for Yellow-billed Cuckoos in California. USDA Forest Service, Gen. Tech. Rep. PSW-110.

Laymon, S.A., P.L. Williams, and M.D. Halterman. 1997. Breeding status of the Yellow-billed Cuckoo in the South Fork Kern River Valley, Kern County, California: Summary report 1985-1996. Administrative Report, USDA Forest Service, Sequoia National Forest, Cannell Meadow Ranger District, Challenge Cost-Share Grant #92-5-13.

Leopold, L. B., and M. G. Wolman. 1964. Fluvial processes in geomorphology, W. H. Freeman and Company, San Francisco, California.

Ligon, F. K., W. E. Dietrich, et al. (1995). "Downstream ecological effects of dams: a geomorphic perspective." *BioScience* 45(3): 183-192.

Lister, D. B. and H. S. Genoe. 1970. Stream habitat utilization of cohabiting underyearlings of chinook (*Oncorhynchus tshawytscha*) and coho (*O. kisutch*) salmon in the Big Qualicum River, British Columbia. *Journal of the Fisheries Research Board of Canada* 27: 1215-1224.

Lotspeich, F. B. and F. H. Everest (1981). A new method for reporting and interpreting textural composition of spawning gravel, USDA Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, Oregon.

Mahoney, J. M., and S. B. Rood. 1991. A device for studying the influence of declining water table on poplar growth and survival. *Tree Physiology* 8: 305-314.

Mahoney, J.M. and Rood, S.B., 1992. Response of a hybrid poplar to water table decline in differernt substrates. *Forest Ecology and Management*, 54: 141-156.

Mahoney, J. M. and S. B. Rood. 1998. Streamflow requirements for cottonwood seedling recruitment--an integrative model. *Wetlands* 18: 634-645.

Malanson, G. P. 1993. Riparian landscapes. Cambridge University Press, Cambridge, England.

Martin, A. C., H. S. Zim, and A. L. Nelson. 1951. American wildlife and plants: a guide to wildlife food habits. Dover, New York.

- McBain & Trush, Inc. (eds.). 2002. San Joaquin River Restoration Study Background Report. Prepared for Friant Water Users Authority, Lindsay, CA, and Natural Resources Defense Council, San Francisco, CA.
- McBain and Trush. 2000. Habitat restoration plan for the lower Tuolumne River corridor. Prepared for Tuolumne River Technical Advisory Committee (TRTAC) by McBain and Trush, Arcata, with assistance from U. S. Fish and Wildlife Service Anadromous Fish Restoration Program (AFRP).
- McBain and Trush. 1998. Tuolumne River corridor restoration plan, Stanislaus County, CA. Prepared for Tuolumne River Technical Advisory Committee (Don Pedro Project, FERC License No. 2299). Prepared by McBain and Trush, Arcata, California.
- McBain and Trush, Graham Matthews and Associates, and North State Resources, 2000. Lower Clear Creek Floodway Rehabilitation Project, Channel reconstruction, riparian vegetation, and wetland creation design document, Prepared for the Clear Creek Restoration Team and Bureau of Reclamation, Shasta Lake, CA, 43 pages.
- McBain and Trush and Stillwater Sciences (1999). Tuolumne River restoration project monitoring: Special Run Pools 9/10 and gravel mining reach 7/11 phase, Prepared for Tuolumne River Technical Advisory Committee (TRTAC), U. S. Fish and Wildlife Service Anadromous Fish Restoration Program (AFRP), and CALFED Ecosystem Restoration Program (CALFED), by McBain & Trush, Arcata and Stillwater Sciences, Berkeley, California.
- McBain and Trush and Stillwater Sciences (2000). Tuolumne River restoration project monitoring: Special Run Pools 9/10 and, 7/11 mining reach, Ruddy mining reach, Prepared for Tuolumne River Technical Advisory Committee (TRTAC), U. S. Fish and Wildlife Service Anadromous Fish Restoration Program (AFRP), and CALFED Ecosystem Restoration Program (CALFED), by McBain & Trush, Arcata and Stillwater Sciences, Berkeley, California.
- McBride, J. R., and J. Strahan. 1984. Establishment and survival of woody riparian species on gravel bars of an intermittent stream. *The American Midland Naturalist* 112: 235-245.
- McBride, J. R., N. Sugihara and E. Norberg. 1989. Growth and survival of three riparian woodland species in relation to simulated water table dynamics. Prepared for Pacific Gas and Electric Company, Department of Research and Development, San Ramon, CA.
- McCreary, D.D. 1990. Native oaks: the next generation. *Fremontia* 18(3):44-47.
- McCuddin, M. E. 1977. Survival of salmon and trout embryos and fry in gravel-sand mixtures. Master's thesis. University of Idaho, Moscow.
- McEwan, D. R. 2001. Central Valley steelhead. Contributions to the biology of Central Valley salmonids. *Fish Bulletin* 179: Volume 1. R. L. Brown, California Department of Fish and Game, Sacramento: 1-43.
- McEwan, D. and T. A. Jackson. 1996. Steelhead restoration and management plan for California, California Department of Fish and Game, Inland Fisheries Division, Sacramento.

- McElhany, P., M. H. Ruckelshaus, M. J. Ford, T. C. Wainwright, and E. P. Bjorkstedt. 2000. Viable salmonid populations and the recovery of evolutionarily significant units, National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, Washington.
- McNeil, W. J. 1964. Redd superimposition and egg capacity of pink salmon spawning beds. 21: 1385-1396.
- Meehan, W. R. and T. C. Bjornn. 1991. Salmonid distributions and life histories. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication No. 19. W. R. Meehan, Bethesda, Maryland: 47-82.
- Middleton, B. 1999. Wetland Restoration, Flood pulsing and Disturbance Dynamics. John Wiley and Sons, Inc., New York.
- Milar, S. 2002. Merced National Wildlife Refuge, Merced, CA. Personal Communication.
- Miller, K. J. and K. Hornaday. 1999. Draft recovery plan for the giant garter snake. Prepared by USFWS, Sacramento Field and Wildlife Office and the Giant Garter Snake Recovery Team for Region 1, USFWS, Portland, Oregon.
- Mitsch, W. J., and J. G. Gosselink. 1986. Wetlands. First edition. Van Nostrand Reinhold, New York.
- Mitsch, W. J., and J. G. Gosselink. 1993. Wetlands. Second edition. Van Nostrand Reinhold, New York.
- Mohler, S. H. 1966. Comparative seasonal growth of the largemouth, spotted and smallmouth bass. Master's thesis. University of Missouri, Columbia.
- Moyle, P. B. 1976. Inland fishes of California. University of California Press, Berkeley.
- Moyle, P. B. 2002. Inland fishes of California. University of California Press, Berkeley.
- Moyle, P. B. 2002. Personal communication. University of California, Davis.
- Moyle, P. B. and T. Light. 1996a. Biological invasions of fresh water: empirical rules and assembly theory. *Biological Conservation* 78: 149-161.
- Moyle, P. B. and T. Light. 1996b. Fish invasions in California: do abiotic factors determine success? *Ecology* 77(6): 1666-1670.
- Moyle, P. B., J. J. Smith, R. A. Daniels, and D. M. Baltz. 1982. Distribution and ecology of stream fishes of the Sacramento-San Joaquin drainage system, California. IV. A review. *University of California Publications in Zoology* 115: 225-256.
- Moyle, P. B., J. E. Williams, and E. D. Wikramanayake. 1989. Fish species of special concern of California, Prepared by Department of Wildlife and Fisheries Biology, University of California, Davis for California Department of Fish and Game, Inland Fisheries Division, Rancho Cordova.

- Moyle, P. B., R. D. Baxter, T. Sommer, T. C. Foin, and R. R. Abbott. 2001. Sacramento splittail white paper. Draft report prepared for CALFED Bay-Delta Program, Sacramento, California.
- Moyle, P., J. Cech, et al. 2002. Restoration of Sacramento perch to San Francisco Estuary, CALFED Bay-Delta 2002 ERP PSP Proposal No. 208. Prepared by University of California, Davis.
- Myrick, C. A. 1996. The application of bioenergetics to the control of fish populations below reservoirs: California stream fish swimming performances, University of California, Davis.
- Myrick, C. A. 1998. Temperature, genetic, and ration effects on juvenile rainbow trout (*Oncorhynchus mykiss*) bioenergetics. Doctoral dissertation. University of California, Davis.
- Myrick, C. A. and J. J. J. Cech. 2001. Temperature effects on chinook salmon and steelhead: a review focusing on California's Central Valley populations, Prepared by Department of Fishery and Wildlife Biology, Colorado State University, Fort Collins and Department of Wildlife, Fish, and Conservation Biology, University of California, Davis.
- Naiman, R. J., and H. Decamps. 1997. The ecology of interfaces: riparian zones. Annual Review of Ecology and Systematics 28: 621-658.
- Neff, J. A. 1937. Nesting distribution of the tri-colored redwing. Condor 39: 61-81.
- Nicholas, J. W. and D. G. Hankin. 1989. Chinook salmon populations in Oregon coastal river basins: descriptions of life histories and assessment of recent trends in run strengths, Oregon Department of Fish and Wildlife, Research and Development Section, Corvallis.
- NMFS (National Marine Fisheries Service). 1996. Endangered and threatened species; proposed endangered status for five ESUs of steelhead and proposed threatened status for five ESU's of steelhead in Washington, Oregon, Idaho, and California. Federal Register 61(155):41541-41561.
- NMFS (National Marine Fisheries Service). 1997. Fish screening criteria for anadromous salmonids. NMFS, Southwest Region, Santa Rosa, California.
- NMFS (National Marine Fisheries Service). 1999. Endangered and threatened species; threatened status for two chinook salmon evolutionarily significant units (ESUs) in California. Federal Register 64: 50394-50415.
- Noss, R.F. and A.Y. Cooperrider. 1994. Saving Nature's Legacy, Protecting and Restoring Biodiversity. Island Press, Washington D.C., 416 pp.
- NRC (National Research Council). 1995. Wetlands characteristics and boundaries. National Academy Press, Washington D.C. 307 pp.
- NRCS (Natural Resource Conservation Service). 1995. Oconee bioengineering demonstration project. Prepared by NRCS with assistance of Piedmont Soil and Water Conservation District, Oconee River RC&D Council, Georgia Soil and Water Conservation Commission, and Georgia Power Company.
- NRCS (Natural Resources Conservation Service). 2001. Buffer strips: common sense conservation [website]. Accessed at <http://www.nhq.nrcs.usda.gov/ccs/buffers.html>.

- Nussbaum, R. A., Jr., E. D. Brodie, and R. M. Storm. 1983. Amphibians and reptiles of the Pacific Northwest. University Press, Moscow, Idaho.
- Oldham, J. A., and B. E. Valentine. 1989. The Crescent Bypass: a riparian restoration project on the Kings River (Fresno County). Pages 457-461 *in* Abell, D. L. Tech Coord. 1989. Proceedings of the California Riparian Systems Conference: protection, management, and restoration for the 1990s; 1988 September 22-24; Davis, CA. Gen. Tech. Rep. PSW-110. Berkeley, CA: Pacific Southwest Forest and Range Experiment Station, Forest Service, U.S. Department of Agriculture.
- Parker, G. 1990a. Surface-based bedload transport relation for gravel rivers. *Journal of Hydraulic Research*, 28(4):417-436.
- Parker, G. 1990b. The ACRONYM series of PASCAL programs for computing bedload transport in gravel rivers. External Memorandum M-220, St. Anthony Falls Laboratory, University of Minnesota. 124p.
- Pavlik, B. M., P. C. Muick, S. G. Johnson, and M. Popper. 1991. Oaks of California. Cachuma Press, Los Olivos, California.
- Pearcy, W. G. 1992. Ocean ecology of North Pacific salmonids. Washington Sea Grant Program, University of Washington, Seattle, Washington.
- Peven, C. M., R. R. Whitney, and K. R. Williams. 1994. Age and length of steelhead smolts from the mid-Columbia River basin, Washington. *North American Journal of Fisheries Management* 14: 77-86.
- Press, Los Olivos, California.
- Pelzman, R. J. (1973). Causes and possible prevention of riparian plant encroachment on anadromous fish habitat, California Department of Fish and Game, Region 1.
- Petrusso, P. A., and D. B. Hayes. 2001. Invertebrate drift and feeding habits of juvenile chinook salmon in the upper Sacramento River, California. *California Fish and Game* 87(1): 1-18.
- Phillips, A., J. Marshall, and G. Monson. 1964. The Birds of Arizona. University of Arizona Press, Tucson.
- Pickett, S.T.A., and J.N. Thompson. 1978. Patch dynamics and the design of nature reserves. *Biological Conservation* 13:27-37.
- Pickett, S.T.A., Ostfeld, R.S., Shachak, M., and G.E. Likens. 1997. The Ecological Basis for Conservation: heterogeneity, ecosystems, and biodiversity. International Thomson Publishing, New York. 466 pp.
- Pierson, E. D. 2002. Personal communication with E. D. Pierson, bat biologist, by S. Khandwala, aquatic ecologist, Stillwater Sciences.
- Pierson, E.D., W.E. Rainey, and C. Corben. 1999.[ABS]. The western red bat, *Lasiurus blossevillii* - implications of distribution for conservation. *Bat Research News*, 40(4):187.

- Pierson, E.D., W.E. Rainey, and C. Corben. 2000. Distribution and status of red bats, *Lasiurus blossevillii* in California. Report to Species Conservation and Recovery Program, Habitat Conservation Planning Branch, California Department of Fish and Game, Sacramento, CA, 40pp.
- Platts, W. S., M. A. Shirazi, et al. (1979). Sediment particle sizes used by salmon for spawning with methods for evaluation, U. S. Environmental Protection Agency, Corvallis Environmental Research Laboratory, Corvallis, Oregon.
- Pletcher, T. F. 1963. The life history and distribution of lampreys in the Salmon and certain other rivers in British Columbia, Canada. University of British Columbia, Vancouver.
- Puckett, L. E. 1975. The status of spring-run steelhead (*Salmo gairdneri*) of the Eel River system. Memorandum Report. California Department of Fish and Game.
- Randall, J. and M. Hoshovsky, 2000. California's Wildland Invasive Plants, in Brossard, C., J. C. Randall, and M. Hoshovsky [eds.] Invasive Plants of California's Wildlands, produced by Phyllis M. Faber, Pickleweed Press, for University of California Press, Berkeley, CA.
- Reese, D. A. 1996. Comparative demography and habitat use of western pond turtle in northern California: the effects of damming and related alterations. Doctoral dissertation. University of California, Berkeley.
- Reid, D.E., 1991. Cottonwoods on the Milk River. In: S.B. Rood and J.M. Mahoney (Eds.), Proceedings of the biology and management of southern Alberta's cottonwoods conference, University of Lethbridge, Lethbridge, AB, Canada, pp. 35-42.
- RHJV (Riparian Habitat Joint Venture). 2000. The riparian bird conservation plan: a strategy for reversing the decline of riparian associated birds in California. Version 1.0. California Partners in Flight, Point Reyes Bird Observatory, Stinson Beach, California. Accessed August 2002 at <http://www.prbo.org/CPIF/Consplan.html>.
- Rich, A. A. 1987. Water temperatures which optimize growth and survival of the anadromous fishery resources of the lower American River. Report. Prepared by A. A. Rich and Associates, San Rafael for McDonough, Holland, and Allen, Sacramento, California.
- Richards, J. E. 1980. Freshwater life history of the anadromous Pacific lamprey *Lampetra tridentata*. University of Guelph, Ontario.
- Riviere, R.L., K. Fry, and R. Kelley. 2000. James J. Stevinson Corporation land protection, restoration and management Plan. Riviere and Associates, Merced, California.
- Roelofs, T. D. 1983. Current status of California summer steelhead (*salmo gairdneri*) stocks and habitat, and recommendations for their management. Report to USDA Forest Service, Region 5.
- Roelofs, T. D. 1985. Steelhead by the seasons. The News-Review. Roseburg, Oregon: A4; A8.
- Rogers, D.C. 2003. Personal communication with D.C. Rogers, invertebrate ecologist, by M.K. Hayden, biologist, Stillwater Sciences.

- Rood, S.B. et al., 1997. Canyonlands cottonwoods: mortality of Fremont cottonwoods in the Matheson Wetlands Preserve along the Colorado River at Moab, Utah, The Nature Conservancy, Moab, Utah.
- Rood, S.B., Kalischuk, A.R. and Mahoney, J.M., 1998. Initial cottonwood seedling recruitment following the flood of the century of the Oldman River, Alberta, Canada. *Wetlands*, 18(4): 557-570.
- Rood, S.B. 2002. Personal communication with S.B. Rood by B.K. Orr, Senior Ecologist, Stillwater Sciences.
- ROST Riparian Vegetation Subcommittee. 2001. Reach by reach limitations, opportunities, and assumptions for vegetation restoration. Memorandum.
- RWQCB (Regional Water Quality Control Board) (1998). The water quality control plan (basin plan) for the California Regional Water Quality Control Board Central Valley Region: the Sacramento River basin and the San Joaquin River basin, RWQCB, Sacramento, California.
- Saab, V. A., C. E. Bock, T. D. Rich, and D. S. Dobkin. 1995. Livestock grazing effects on migratory landbirds in western North America. Pages 311-353 in T. E. Martin and D. M. Finch, editors. *Ecology and management of neotropical migratory birds: a synthesis and review of critical issues*. Oxford University Press, New York.
- Sacchi, C.F. and P.W. Price. 1992. The relative roles of abiotic and biotic factors in seedling demography of arroyo willow (*Salix lasiolepis*: Salicaceae). *American Journal of Botany* 79(4): 395-405.
- Sacramento River Advisory Council. 1998. Sacramento River Conservation Area handbook. Draft report. Prepared for The Resources Agency of California under the SB 1086 Program. California Department of Water Resources, Sacramento.
- San Joaquin River Conservancy. 2000. [website]. Accessed at <http://www.sjriverconservancy.com/sjrdirectory.html>.
- Sawyer, J. O., and T. Keeler-Wolf. 1995. A manual of California vegetation. California Native Plant Society, Sacramento, California.
- Scott, M.L., Auble, G.T. and Friedman, J.M., 1997. Flood dependency of cottonwood establishment along the Missouri River, Montana, USA. *Ecological Applications*, 7(2): 677-690.
- Scott, M.L., Auble, G.T. and Shafroth, P.B., 2000. Evaluating effectiveness of flow releases for restoration of riparian vegetation on the San Joaquin River, U.S. Geological Survey, in conjunction with the U.S. Bureau of Reclamation San Joaquin River Riparian Habitat Restoration Program, Fresno, CA.
- Segelquist, C. A., M. L. Scott, and G. T. Auble. 1993. Establishment of *Populus deltoides* under simulated alluvial groundwater decline. *The American Midland Naturalist* 130: 274-285.
- Shapovalov, L. and A. C. Taft. 1954. The life histories of the steelhead rainbow trout (*Salmo gairdneri gairdneri*) and silver salmon (*Oncorhynchus kisutch*) with special reference to Waddell



Creek, California, and recommendations regarding their management. California Department of Fish and Game.

Silveira, J.G. 1998. Avian uses of vernal pools and implications for conservation practice. Pages 92-106 *in* C.W. Witham, E.T. Bauder, D. Bekl, W.R. Ferren Jr., and R. Ornduff (Editors). Ecology, Conservation, and Management of Vernal Pool Ecosystems – Proceedings from a 1996 Conference. California Native Plant Society, Sacramento, CA. 1998.

Simenstad, C. A., K. L. Fresh, and E. O. Salo. 1982. The role of Puget Sound and Washington coastal estuaries in the life history of Pacific salmon: an unappreciated function. Estuarine comparisons. V. S. Kennedy, Academic Press, Toronto, Ontario: 343-364.

Small, A. 1994. California birds: their status and distribution. Ibis Publishing Company, Vista, California.

Small, S. L., N. Nur, A. Black, G. R. Geupel, D. Humple, and G. Ballard. 2000. Riparian bird populations of the Sacramento River system: results from the 1993-1999 field seasons. Point Reyes Bird Observatory. Unpublished report to The Nature Conservancy and the U. S. Fish and Wildlife Service, Stinson Beach, CA.

Smith, D.W., and W.L. Verrill. 1998. Vernal pool-soil-landform relationships in the Central Valley, California. Pages 15-23 *in* C.W. Witham, E.T. Bauder, D. Bekl, W.R. Ferren Jr., and R. Ornduff (Editors). Ecology, Conservation, and Management of Vernal Pool Ecosystems – Proceedings from a 1996 Conference. California Native Plant Society, Sacramento, CA. 1998.

Sommer, T. R., M. L. Nobriga, W. C. Harrell, W. Batham, and W. J. Kimmerer. 2001b. Floodplain rearing of juvenile chinook salmon: evidence of enhanced growth and survival. Canadian Journal of Fisheries and Aquatic Sciences 58: 325-333.

Sommer, T., B. Harrell, M. Nobriga, R. Brown, P. Moyle, W. Kimmerer and L. Schemel. 2001a. California's Yolo Bypass: evidence that flood control can be compatible with fisheries, wetlands, wildlife, and agriculture. Fisheries 26(8): 6-16.

Sommer, T., R. Baxter, and B. Herbold. 1997. Resilience of splittail in the Sacramento-San Joaquin Estuary. Transactions of the American Fisheries Society 126(6): 961-976.

Stanley, J. T., L. R. Silva, H. C. Appleton, M. S. Marangio, W. J. Lapaz, and B. H. Goldner. 1989. Coyote Creek (Santa Clara County) pilot revegetation project. Proceedings of the California riparian systems conference: protection, management, and restoration for the 1990s. General Technical Report PSW-110, Davis, California, USDA Forest Service, Pacific Southwest Forest and Range Experiment Station, Berkeley, California.

Stauffer, G. D. 1973. A growth model for salmonids reared in hatchery environments. Doctoral dissertation. University of Washington, Seattle.

Stillwater Sciences. 2003a. Restoration Objectives for the San Joaquin River. Prepared for Natural Resources Defense Council, San Francisco, California and Friant Water Users Authority, Lindsay, California. Prepared by Stillwater Sciences, Berkeley, CA. February.

Stillwater Sciences. 2003b. Draft Restoration Strategies for the San Joaquin River Adaptive Management Report. Prepared for Natural Resources Defense Council, San Francisco, California

and Friant Water Users Authority, Lindsay, California. Prepared by Stillwater Sciences, Berkeley, CA. February.

Stillwater Sciences. 2003c. Sacramento River ecological indicators pilot study. Final. Prepared for The Nature Conservancy, Chico, California by Stillwater Sciences with William Rainey, Elizabeth Pierson, and Chris Corben, in consultation with Dr. Mary Power, University of California, Berkeley.

Stillwater Sciences. 2002. Merced River Corridor Restoration Plan. Stillwater Sciences, Berkeley, California. 245 pages.

Stromberg, J.C., Patten, D.T. and Richter, B.D., 1991. Flood flows and dynamics of Sonoran riparian forests. *Rivers*, 2(3): 221-235.

Stromberg, J.C., Richter, B.D., Patten, D.T. and Wolden, L.G., 1993. Response of a Sonoran riparian forest to a 10-year return flood. , 53(2): 118-130.

Stromberg, J.C. and Patten, D.T., 1996. Instream flow and cottonwood growth in the eastern Sierra Nevada of California, U. S. A. *Regulated Rivers: Research and Management*, 12: 1-12.

Stromberg, J. C., R. Tiller, B. Richter. 1996. "Effects of groundwater decline on riparian vegetation of semiarid regions: the San Pedro, Arizona." *Ecological Applications* 6(1): 113-131.

Stuber, R. J., G. Gebhart, and O. E. Maughan. 1982. Habitat suitability index models: largemouth bass. Report FWS/OBS-82/10.16. U. S. Fish and Wildlife Service, Western Energy and Land Use Team, Washington, D. C.

Swales, S., F. Caron, J. R. Irvine, and C. D. Levings. 1988. Overwintering habitats of coho salmon (*Oncorhynchus kisutch*) and other juvenile salmonids in the Keogh River system, British Columbia. *Canadian Journal of Zoology* 66: 254-261.

Swales, S., R. B. Lauzier, and C. D. Levings. 1986. Winter habitat preferences of juvenile salmonids in two interior rivers in British Columbia. *Canadian Journal of Zoology* 64: 1506-1514.

Swearingen, E.M. 1977. Group size, sex ration, reproductive success, and territory size in acorn woodpeckers. *West. Birds* 8:21-24.

The Trust for Public Land (TPL). 2001. The State of California Rivers [website]. Accessed at [http://www.tpl.org/tier2\\_rp2.cfm?folder\\_id=1685](http://www.tpl.org/tier2_rp2.cfm?folder_id=1685). Accessed January 2003.

Thompson, K. 1972. Determining stream flows for fish life. Proceedings of the instream flow requirement workshop, Pacific Northwest River Basin Commission, Vancouver, Washington.

TID/MID (Turlock and Modesto Irrigation Districts). 1991. Tuolumne River summer flow invertebrate study. Appendix 28 to Don Pedro Project Fisheries Studies Report (FERC Article 39, Project No. 2299). *In* Report of Turlock Irrigation District and Modesto Irrigation District Pursuant to Article 39 of the License for the Don Pedro Project, No. 2299. Vol. VIII. Prepared by EA, Science and Engineering, Lafayette, California.

TID/MID (Turlock Irrigation District and Modesto Irrigation District). 1992, 1 May. Report of Turlock Irrigation District and Modesto Irrigation District pursuant to Article 39 of the license for the New Don Pedro Project and report in support of settlement agreement between licensees and California Department of Fish and Game. Prepared by TID/MID, California for the Federal Energy Regulatory Commission (FERC), Washington, D. C.

ULEP (Umpqua Land Exchange Project) 1998. Mapping rules for Pacific lamprey (*Lampetra tridentata*). ULEP, Roseburg, Oregon.

URS. 2002. Final Water Supply Study-Development of water supply alternatives for use in habitat restoration for the San Joaquin River. Prepared for Friant Water Users Authority Lindsay, CA and Natural Resources Defense Council Coalition, San Francisco, CA. October 10, 2002.

USFWS (U. S. Fish and Wildlife Service). 1980. Blunt-nosed leopard lizard recovery plan. Prepared by Blunt-nosed Leopard Lizard Recovery Team, USFWS, Portland, Oregon.

USFWS (U.S. Fish and Wildlife Service). 1999. Conservation guidelines for the valley elderberry longhorn beetle. USFWS, Sacramento, California.

USFWS (U.S. Fish and Wildlife Service). 1999. Draft Recovery Plan for the Giant Garter Snake (*Thamnophis gigas*). U.S. Fish and Wildlife Service, Portland, Oregon. ix+ 192 pp.

USFWS. 2003. U.S. Fish and Wildlife Service – Pacific Region. San Luis National Wildlife Refuge Complex [website]. Accessed January 2003. [http://sanluis.fws.gov/sanluis\\_info.htm](http://sanluis.fws.gov/sanluis_info.htm).

van de Wetering, S. J., and R. E. Ewing. 1999. Lethal temperatures for larval Pacific lamprey, *Lampetra tridentata*. Confederated Tribes of the Siletz Indians, Siletz, Oregon. [cited in Klamath-Siskiyou Wildlands Center et al. 2003]

Verner, J., and A.S. Boss. 1980. California wildlife and their habitats: western Sierra Nevada. USDA Forest Service, Berkeley, General Technical Rept. PSW-37. 439 pp.

Vick, J. C., A. J. Keith, and P. F. Baker. 2000. 1999 Tuolumne River outmigrant trapping report. Report 99-5 in 1999 Lower Tuolumne River annual report, Volume II. Prepared by Stillwater Sciences, Berkeley, California with assistance from S. P. Cramer and Associates, Gresham, Oregon for the Tuolumne River Technical Advisory Committee.

Wagner, H. H., R. L. Wallace, and H. K. Campbell. 1963. The seaward migration and return of hatchery-reared steelhead trout in the Alsea River, Oregon. Transactions of the American Fisheries Society 92: 202-210.

Weller, M.W. 1990. Waterfowl Management Techniques for Wetland Enhancement, Restoration, and Creation Useful in Mitigation Procedures. in Kusler, J.A. and M.E. Kentula. (eds.) 1990. Wetland Creation and Restoration: The Status of the Science. USEPA Corvallis, OR. pp. 105-116.

Weller, M.W. 1994. Freshwater marshes: ecology and wildlife management. Third edition. University of Minnesota Press.

Williams, D. F. 1986. Mammalian species of special concern in California. Wildlife Management Division Administrative Report. 86-1. California Department of Fish and Game.

Williams, D. F., E. A. Cypher, P. A. Kelly, K. J. Miller, N. Norvell, S. E. Phillips, C. D. Johnson, and G. W. Colliver. 1998. Recovery plan for upland species of the San Joaquin Valley, California. U. S. Fish and Wildlife Service, Region 1, Portland, Oregon.

Williams, J. G., G. M. Kondolf, and E. Ginney. 2002. Geomorphic assessment of Butte Creek, Butte

Woodbridge, B. 1998. California Partners in Flight riparian bird conservation plan for the Swainson's hawk. <http://www.prbo.org/calpif/htmldocs/species/riparian/swhaacct.html>. California Partners in Flight, Point Reyes Bird Observatory, Stinson Beach, California.

Wylie, G.D., M. Cassaza, and J.K Daugherty. 1997. 1996 Progress report for the giant garter snake study. Preliminary report, U.S. Geological Survey, Biological Resources Division.

Yoshiyama, R. M., E. R. Gerstung, F. W. Fisher, and P. B. Moyle. 1996. Historical and present distribution of chinook salmon in the Central Valley drainage of California. Sierra Nevada Ecosystem Project: final report to congress. Volume III: Assessments, commissioned reports, and background information, University of California, Center for Water and Wildland Resources, Davis: 309-362.

Zeiner, D. C., W. F. Laudenslayer Jr., and K. E. Mayer, editor. 1988. California's wildlife. Volume I. Amphibians and reptiles. California Statewide Habitat Relationships System. California Department of Fish and Game, Sacramento.

Zeiner, D. C., W. F. Laudenslayer Jr., K. E. Mayer, and M. White, editor. 1990a. California's wildlife. Volume II. Birds. California Statewide Habitat Relationships System. California Department of Fish and Game.