

Appendix H. Groundwater Level Thresholds

This appendix documents the ongoing development of thresholds associated with water levels measured in wells. This process has included input from stakeholders, and will continue to do so as part of the update and revision process.

H.1 Conceptual Development of Thresholds

Thresholds represent surface or groundwater elevations that may risk adverse impacts due to groundwater seepage. The SJRRP will operate to maintain groundwater levels below thresholds. Estimates of flow increases that would exceed a threshold will trigger a site visit and a response action. Crop type and associated rooting depths, soil type, and other factors vary spatially; therefore, the thresholds are customized to represent site conditions at each monitoring well location.

Events unrelated to river flows may also cause groundwater levels to exceed thresholds. For example, an irrigation event or local precipitation may cause a rapid rise in the water table. Such events would likely cause short-term saturation of the root zone resulting in little effect on crop health. Field notes during groundwater measurements and site visits would attempt to address this complication. Temporal aspects to groundwater levels, for example during the dormant season or fallow periods, may allow increased flows, in coordination with landowners, above threshold levels.

H.1.1 Purpose

The purpose of this appendix is to describe the development of groundwater level thresholds for SJRRP wells.

H.1.2 Objectives

The objectives of groundwater level thresholds development include:

- Determine the components to include in threshold development,
- Solicit stakeholder input and comments on each threshold component, and
- Determine the threshold values to use for each of the components.

H.1.3 Approach

Reclamation has developed two different methods to determine monitoring well thresholds. These include approaches based on: (1) idealized agricultural practices and (2) historical groundwater levels. The shallower threshold from these two methods is


1 used as the project threshold. Ideal agricultural root zones may be constrained by pre-
2 existing groundwater tables.

3 **H.1.3.1 Agricultural Practices Method**

4 A conceptual model, shown in Figure H-1, has been developed for determining
5 thresholds based on idealized agricultural practices. This model is based on input from
6 landowners and water district managers. The model considers several different
7 components including site characteristics, farming practices, and physical processes.

8 The components of the threshold model include:

- 9 • Effective Root Zone: provides an unsaturated zone to avoid waterlogging;
- 10 • Capillary Fringe: allows for the saturated (anoxic) portion of the capillary rise and
11 maintain an aerated root zone; and
- 12 • Ground Surface Adjustment: adjusts for differences in elevation between the
13 ground surface of the field and the ground surface at the monitoring well. Wells
14 located in locations most convenient for landowners may not be in the most
15 critical seepage location.



16

17

18

Figure H-1.
Schematic Diagram of Idealized Agricultural Practices Threshold Model

1 Field Threshold ($Threshold_{Field}$) is calculated according to the following:

2
$$Threshold_{Field} = h_{Root\ Zone} + h_{Capillary\ Fringe}$$

3 Where: $h_{Root\ Zone}$ = depth of the effective root zone; and
 4 $h_{Capillary\ Fringe}$ = height of capillary fringe.

5 To monitor for groundwater levels at the field threshold in a monitoring well, which may
 6 not be located at the same elevation as the most critical location, a ground surface
 7 adjustment and lateral gradient buffer are applied. The Well Threshold ($Threshold_{Well}$) is
 8 defined as:

9
$$Threshold_{Well} = h_{RootZone} + h_{Capillary\ Fringe} + (Elevation_{WellGS} - Elevation_{FieldGS}) - LG_{Buffer}$$

10 Where: $Elevation_{WellGS}$ = elevation of the ground surface at a monitoring well; and
 11 $Elevation_{FieldGS}$ = elevation of the ground surface within 750 feet of the
 12 well in the adjacent field.
 13 LG_{Buffer} = lateral gradient buffer, as described in section H.1.3.3.

14 Thresholds may also include a time component, resulting in potentially different
 15 thresholds in spring than during other times throughout the year.

16 **H.1.3.2 Historical Groundwater Method**

17 In some locations along the San Joaquin River, historical groundwater measurements
 18 show elevations above the computed agricultural threshold. In locations where
 19 thresholds estimated using the agricultural practices approach are deeper than historical
 20 groundwater levels, the shallower historical groundwater level will be used. The
 21 historical threshold method results in more localized thresholds rather than
 22 generalizations.

23 Thresholds based on historical groundwater levels were developed using four methods:

- 24 • For wells with long-term groundwater level records, thresholds were calculated
 25 based on spring measurements of groundwater levels in those wells.
- 26 • For wells without long-term records, nearby wells with long-term records were
 27 used to calculate the threshold.
- 28 • For wells without long-term records and with no nearby wells, depth to water
 29 (DTW) maps were created; groundwater levels were interpolated between wells
 30 for a number of years and seasons. This analysis allows for using available
 31 groundwater level data in the region to inform the choice at each threshold
 32 location.
- 33 • For wells with groundwater level measurements available after October 1, 2009
 34 and in periods without Interim, Restoration, or flood flows, an analysis of the
 35 shallowest monitored groundwater level of a variable moving average was used.

1 Additional methods could be used if identified later during the analysis process.

2 **H.1.3.3 Lateral Gradient Buffer**

3 Appendix J (Operations) describes the concept of the “lateral gradient buffer” and how
4 this affects operations along the river. This buffer accounts for the fact that, in some
5 areas (losing reaches), the groundwater table slopes away from the river. Without
6 accounting for this slope, threshold calculations assume that the water table is horizontal.
7 This horizontal water table assumption may result in thresholds in the field (away from
8 the river) that are artificially too high, given the slope of the groundwater table. This
9 buffer term adjusts the threshold to a more realistic estimate of depth, based on
10 groundwater conditions in that area. The lateral gradient buffer relates the threshold in
11 the well to the threshold in the field:

12
$$Threshold_{field} = Threshold_{well} - GS_{Buffer} + LG_{Buffer}$$

13 Where:

14	$Threshold_{field}$	Threshold in the field
15	$Threshold_{well}$	Threshold in the monitoring well
16	GS_{Buffer}	Ground surface buffer, or the difference in elevation between
17		the well and the field within 750 feet of the well. This adjusts
18		groundwater levels for wells located up on a levee or down in a
19		channel to match the groundwater level under the field.
20	LG_{Buffer}	Lateral gradient buffer, to account for losing reaches where the
21		groundwater table slopes away from the river

22 To calculate lateral gradients, Reclamation reviewed existing field data (groundwater
23 level and river stage) to estimate the slope of the groundwater table, as the groundwater
24 table drops away from the river. The slope is calculated based on the difference between
25 either (1) the river stage adjacent to the monitoring well and the groundwater level in the
26 wells in the well transect (if there is flow in the river) or (2) the assumed water table
27 under the river and the groundwater levels in the well transect (no flow in the river). The
28 slope of the groundwater table away from the river is multiplied by the distance between
29 the groundwater well and the field to determine the lateral gradient buffer.

30 Table H-1 shows lateral gradient buffers for a selection of high priority wells.

1

Table H-1. Example of Lateral Gradient Buffers from Priority Wells

Well	Reach	Bank	Lateral Gradient Buffer (feet)
FA-9	2A	Left	2.5
MW-09-47	2A	Right	3.3
MA-4	2A	Right	4.6
MW-09-49B	2A	Left	2.4
MW-09-54B	2B	Right	2.0
MW-09-55B	2B	Left	6.5
PZ-09-R3-5	3	Right	0.0
PZ-09-R3-7	3	Right	1.1
MW-10-75	3	Left	0.2
MW-18-80B	4A	Right	1.2
MW-10-89	4A	Right	0.0
MW-17-225	4A	Left	1.1

2 **H.1.4 Next Steps**

3 Thresholds, as a component of the SMP, may undergo revisions as additional information
4 and historical groundwater analysis becomes available.

5 **H.2 Method 1 - Agricultural Practices**

6 This section describes the components of threshold development including the effective
7 crop root zone, ground surface buffer, and capillary rise.

8 **H.2.1 Effective Crop Root Zone**

9 The establishment of an effective crop root zone includes the following:

- 10 • Identification of different effective root zones based on crop type.
- 11 • Inclusion of multiple effective root zones for each crop based on young and
12 mature plants, if information is available.

13 **H.2.1.1 Approach**

14 The effective root zone refers to the soil depth within which a majority of a crop's root
15 metabolic activity takes place. The effective root zone differs from the maximum root
16 depth which describes the depth to which a particular crop's roots may penetrate given
17 unrestricted growth conditions and no physical impediments. The effective root zone
18 generally occurs in the top few feet of soil (Erie et al., 1982) or in some cases in the top
19 six inches (Hanaway and Larson, 2004), and can account for 60 to 70 percent of root
20 mass, even for deep-rooted crops. The type of crop, soil texture, irrigation practices, and
21 depth to the groundwater table affect crop rooting depth. Poorly drained soils generally
22 restrict crop root growth (Sands, 2001). Fine-grained soils can restrict root growth of

1 some crops, although grape root depth does not appear to be affected by soil texture
2 (Smart et al., 2006). Irrigation practices can have important and variable impacts on root
3 depth. For many crops, including alfalfa, proper irrigation results in more roots near the
4 top of the soil column and fewer roots at depth (Speigel Roy, 1996; Abdul-Jabbar et al.,
5 1982); however, this effect is not seen in cotton crops (McMichael et al., 2011). Because
6 of the multitude of conditions that can affect root depth for different crops in diverse
7 ways, only unrestricted root growth in soils with adequate drainage is considered here.

8 A literature review was conducted to identify sources of crop root depths. References
9 include:

- 10 • Allen et al., Crop Evapotranspiration, Guidelines for Computing Crop Water
11 Requirements, FAO Irrigation and Drainage Paper No. 56.
- 12 • Almond Board of California. Undated. Irrigation Management, California
13 Almond Sustainability Program. Ed. Sonke, D., A. Arnold, G. Ludwig, and J
14 Dlott.
- 15 • Carlson, L. and J. Bauder. 2005. Sugarbeet Agronomy 101. Montana State
16 University. <http://waterquality.montana.edu/docs/irrigation/sugarbeet101.shtml>.
17 Accessed September 25, 2012.
- 18 • Food and Agriculture Organization (FAO) of the United Nations, 2009 Crop
19 Water Information.
- 20 • Scherer, T. 1997. Understanding Crop Water Availability. Water Spouts No. 228.
- 21 • South Jersey RC&D Council, Inc. Undated.
22 http://www.sjrccd.org/ag/effective_root_zone.htm. Accessed September 24, 2012.
- 23 • University of California Division of Agriculture and Natural Resources Almond
24 Production Manual Publication 3364
- 25 • University of California Division of Agriculture and Natural Resources Cotton
26 Production Manual Publication 3352
- 27 • University of California Division of Agriculture and Natural Resources Small
28 Grains Production Manual Publication 8167
- 29 • U.S. Department of the Interior, Bureau of Reclamation, Drainage Manual
- 30 • Weaver, J.E. 1926. Root Development of Field Crops. McGraw-Hill, New York.
- 31 • Westlands Irrigation District

32 The Reclamation Drainage Manual (page 48) does not make recommendations by crop
33 type but generalizes two feet for shallow-rooted crops such as potatoes and vegetables
34 and six feet for peach, walnut, and avocado trees. For most irrigated crops, a three to

1 four-foot root zone can be used. The Reclamation Drainage Manual assumes adequate
2 drainage and leaching for salinity control are provided.

3 Local information is available on tomato root zones from the Irrigation Training and
4 Research Center (ITRC) report (Burt, 2010). This local information was used over other
5 sources. In general, an integer value towards the high end of the FAO identified effective
6 root zone was used as a threshold for all crop types.

7 **H.2.1.2 Results**

8 Table H-2 below shows effective crop root depths by crop type. The ranges in Table H-2
9 are due to variations in soil type and time in the growing season.

10

1

Table H-2. Maximum Effective Crop Root Depths

Crop	Effective Root Depth (feet)¹
Alfalfa (Hay)	3.3-6.6 5 ²
Almonds	3.3-6.6 2.5 ³
Barley	3.3-4.9 3.5 ²
Broccoli	1.3 - 2.0
Carrot	1.6 - 3.3
Citrus	2.6 - 4.9
Corn	3.3-5.6 (sweet) 2.6-3.9 (field) 4 ²
Cotton	3.3-5.6
Garlic	1.0 - 1.6
Grape	3.3-6.6 2 ⁴
Lima Beans	2.6-3.9
Melon	2.6-4.9 2 ⁴
Onion	1.0 - 2.0
Pasture	1.6 - 4.9
Pistachio	3.3-4.9
Safflower	3.3-6.6
Spring Wheat Winter ⁷	3.3-4.9 3.5 ² 2 ^{4,5}
Sugar Beet	2.3-3.9 4 ² 3.3 ⁶
Sweet Potato	3.3 - 4.9
Tomato	2.3-4.9 2 ⁴
Vegetable	1.0 - 4.9
Walnut	5.6 - 7.9
Wheat (Fall Planted)	3.3-4.9 2 ^{4,5}

Notes:

¹ Unless otherwise noted, root depths from Food and Agriculture Organization of the United Nations, 2009

² Scherer, 2007

³ Almond Board of California, Undated

⁴ South Jersey RC&D Council, Undated

⁵ Weaver, 1926

⁶ Carlson and Bauder, 2005

⁷ Hard red spring wheat planted during the winter growing season

2 For the purposes of the SMP, buffer zones, and action level thresholds, the root zone
3 values are summarized in Table H-3.

1

Table H-3. Root Zone Values

Crop	Root Zone Depth
Broccoli, garlic, onion,	2 feet
Carrot, lima bean, sugar beet,	4 feet
Assumed annual crop, citrus, corn, cotton, grain (barley, wheat), melon, palm, pasture, pistachio, sweet potato, tomato, vegetable,	5 feet
Alfalfa, grape, pomegranate, safflower	6 feet
Almond, walnut	6 feet

H.2.1.3 Limitations

2 Limitations of this analysis include:

- 3
- 4 • This approach does not address soil type or irrigation methods which could affect
- 5 root zones and may restrict root growth to shallower depths.
- 6 • These values do not take into consideration the effects of a historically shallow
- 7 water table on crop root depths or seasonal or long term trends in the water table.
- 8 However, by selecting the shallowest of the agricultural or historical thresholds,
- 9 this is addressed.
- 10 • The root zone buffer is chosen based on root zone depth of mature crops. This
- 11 depth is not modified to accommodate the age of the crop.
- 12 • Field crops are generally rotated each year, which may require changing
- 13 thresholds on an annual basis as cropping patterns change. Landowners should
- 14 review the SMP and notify the SJRRP when crop changes may require
- 15 adjustments to the root zone assumptions.

H.2.2 Ground Surface Adjustment

16 Adjustments due to differences in ground surface elevation intend to:

- 17
- 18 • Represent groundwater levels below agricultural fields near monitoring wells
- 19 where groundwater levels are measured, and
- 20 • Adjust the groundwater well threshold based on the difference between the
- 21 elevation of the ground surface in the adjacent field and the ground surface
- 22 elevation at the monitoring well.

H.2.2.1 Approach

23 The ground surface adjustment (or buffer) is calculated as the difference in the ground

24 surface elevation between the monitoring well and the point in the field with lowest

25 elevation within 750 feet of the well. Roads, ditches, and canals are excluded as they do


26 not represent field elevations.

27

1 Ground surface adjustments were calculated using ground surface elevations from a 2021
2 Light Detection and Ranging¹ (LiDAR) survey available from the USGS 3D Elevation
3 Program (3DEP). The LiDAR survey was flown over the majority of the San Joaquin
4 Valley (including portions of Fresno, Madera, and Merced Counties) and has a resolution
5 of 1 foot.

6 The difference between the ground surface elevation at the well and the minimum field
7 elevation within 750 feet of the well was used as the ground surface adjustment. A
8 negative ground surface adjustment indicates that the well is located lower than the
9 adjacent field, such as in the river channel. An example of this for a selected well is
10 shown in Figure H-2. The minimum field elevation associated with the well example is
11 shown as a red “X”.

¹ An optical remote sensing technology that measures properties of scattered light to find topographic information.



1
2
3
4
5

Figure H-2.
Monitoring Well MW-09-23 Surrounding Ground Surface Elevation and Lowest
Field Reference Point used to Determine Ground Surface Adjustment.

1 **H.2.2.2 Results**

2 Ground surface adjustments are shown per well in Table H-7.

3 **H.2.2.3 Limitations**

4 Limitations of this analysis include:

- 5 • This approach assumes the groundwater level measured at a monitoring well
6 represents the groundwater level under the lowest point within 750 feet of the
7 well in the adjacent field. It does not address ground slope away from the river
8 and assumes there is no groundwater table gradient within 750 feet of each well.
- 9 • The lowest adjacent field elevation within 750 feet may not represent a large
10 acreage of the actively growing adjacent crop. The adjacent field could have a
11 small depression that would result in a large ground surface adjustment and a
12 conservative threshold in the well. Reclamation has confirmed the ground surface
13 adjustments for priority wells with in-field observations.

14 **H.2.3 Capillary Fringe Objectives**

15 This section addresses the inclusion of a capillary fringe buffer with the intentions of
16 accounting for the tension saturated (anoxic) capillary fringe.

17 **H.2.3.1 Approach**

18 The height of the capillary fringe depends on soil texture, depth to the water table,
19 evaporative demand of the atmosphere, and land use (Belitz, 1993). Fine-grained soil
20 texture with broad distribution of grain sizes contains small pores, which increases the
21 capillary rise (Hackett, 1927; Carman, 1941). A deeper water table will often have a
22 larger capillary fringe. In addition, crop roots transpire water, affecting capillary rise and
23 concentrating salts.


24 Shallow groundwater impacts include potential saturation of the crop root zone and the
25 movement of dissolved salts and potential to increase the salinity of the soil root zone.
26 Saturation of the crop root zone is addressed in this section by including a capillary fringe
27 buffer for the anaerobic (tension saturated) portion of the capillary fringe.

28 A water table and associated capillary rise under actively growing crops can increase soil
29 moisture and supply some of the crop water demand, reducing irrigation (Ramirez, 1996).
30 If the water table is too deep, then groundwater is not able to move up far enough, or at a
31 rate fast enough, to supply much of the crop demand. If the water table is too shallow
32 and encroaches on the root zone then crop production will suffer due to lack of air in the
33 root zone. Also, if the water table is too saline, the crop cannot use much of the
34 groundwater.

35 For this approach, capillary rise refers to the full range of capillary moisture above the
36 water table and capillary fringe refers to the tension saturated, anoxic portion of the
37 capillary rise.


38 The illustrations presented in Figures H-3 and H-4 (adapted from Sands, 2001) show the
39 relationship of soil capillary rise potential vs. the amount of saturation and air in the soil

1 pore space. Capillary forces can conduct water several feet above a water table in
 2 medium and fine textured soils. A large portion of the capillary rise above the water
 3 table contains air and water and is not detrimental to plant root growth from a water
 4 logging standpoint. The capillary rise is a zone above a water table that is nearly
 5 saturated near the base and just above field capacity at the top. Field capacity is
 6 representative of the condition when a fully saturated soil profile is allowed to drain for
 7 12 to 24 hours, where the water is held under slight tension often defined as 1/3 bar or 1/3
 8 atmospheric pressure (Brady, 1974). Only the part of the capillary rise that is
 9 immediately above the water table is the area of concern for water-logging and could be
 10 included in the monitoring threshold. For the purposes of the SMP, only this anoxic
 11 portion will be included in the capillary fringe buffer.



12
 13
 14
 15

Figure H-3.
Soil Moisture Variation above the Water Table
 (adapted from Sands, 2001)



1

2

3

4

5

Figure H-4.
Proportion of Air- and Water-Filled Pores between the Water Table and the Soil Surface after the Downward Flow of Water Ceases
 (adapted from Sands, 2001)

6

7

8

9

10

The lower, tension saturated portion of the capillary rise is considered too wet for crop health and few roots penetrate this zone. However, crops do use water from the top portion of this capillary rise zone which has more entrapped air. Capillary fringes may be thicker in the non-growing season, under roads and other barren areas, and when water tables are deeper in the substrata.

11

12

Usually entrapped air, soil stratification, and the discontinuity of soil pores and structural channels limit the thickness of a capillary fringe.

13

14

Capillary fringe values used in this analysis include values from literature, input from university experts, and local observations. References include:

15

16

17

- Aghajani, H. F., A. S., Piltan, and T. Shourijeh. 2011. An improved solution to capillary rise of water in soils. *International Journal of Civil Engineering*, Vol. 9, No. 4.

18

19

20

- Alley, W.M., T.E. Reilly, and O.L. Franke. 1999. *Sustainability of Ground-Water Resources*. U.S. Geological Survey Circular 1186. http://pubs.usgs.gov/circ/circ1186/html/gen_facts.html

21

22

- Brouwer, C., A. Goffeau and M. Heibloem. 1985. *Irrigation and Training Manual No. 1*. FAO.

- 1 • Burt, Charles. Retired Professor, Bioresource and Agricultural Engineering, Cal
2 Poly San Luis Obispo; Chairman of Irrigation Training and Research Center;
3 Personal Communication. May 10, 2016.

- 4 • Burt, C. and B. Freeman. 2010. Impacts of the San Joaquin River Restoration
5 Flows on Agricultural Fields Adjacent to Reach 4A of the San Joaquin River.
6 ITRC.

- 7 • Cloke, H.L., M.G. Anderson, J.J. McDonnell, J.P. Renaud. H.L. Cloke et al.
8 2006. Using numerical modelling to evaluate the capillary fringe groundwater
9 ridging hypothesis of streamflow generation. *Journal of Hydrology* 316 (2006)
10 141–162.

- 11 • Grismer, Mark. Professor of Hydrology and Biological and Agricultural
12 Engineering, UC Davis. Personal Communication. May 19, 2016.

- 13 • Grönberger, O., J. L. Michelot, L. Bouchaou, P. Macaigne, Y. Hsissou, and C.
14 Hammecker. *Hydrol.* 2011. Capillary rise quantifications based on in-situ
15 artificial deuterium peak displacement and laboratory soil characterization. *Earth*
16 *Syst. Sci.*, 15, 1629–1639, 2011.

- 17 • Hamed Farshbaf Aghajani, Abbas Soroush, Piltan Tabatabaie Shourijeh. An
18 improved solution to capillary rise of water in soils. October 2010. *International*
19 *Journal of Civil Engineering*, Vol. 9, No. 4, December 2011.

- 20 • Holtzer, T. 2010. *Groundwater*, Technical Commentary, Vol 48 no. 2 March-
21 April 2010.

- 22 • Hopmans, Jan. Associate Dean, International Programs Office, Soil Physicist
23 Professor of Vadose Zone Hydrology, UC Davis. Personal Communication. May
24 4, 2016.

- 25 • Hutmacher, Robert. UCCE Specialist and Center Director, Westside Research and
26 Extension Center. Personal Communication. May 9, 2016.

- 27 • Salem and Hampton, 2012. Capillary Rise in Sands and Silts. SSSA Annual
28 Meeting Proceedings. Oct. 23, 2012.

- 29 • Ronen, D., H. Scher, and M. Blunt. 2000. Field observations of a capillary fringe
30 before and after a rainy season. *Journal of Contaminant Hydrology*. 44:103-118.

- 31 • Roscoe Moss Company. 1990. *Handbook of Groundwater Development*. John
32 Wiley & Sons. 494 pp.

- 33 • Sumner, M.E. *Handbook of Soil Science*. 1999. CRC Press. 2048 pp.

- 34 • Tanji, K.K. and N. C. Keilen. 2002. *Agricultural Drainage Water Management in*
35 *Arid and Semi-arid Areas*. FAO Irrigation and Drainage Report 61.

- 1 • University of Colorado Boulder. Undated. Water in soils: infiltration and
2 redistribution.
3 http://www.colorado.edu/geography/class_homepages/geog_3511_s11/notes/Notes_8.pdf
4 Accessed November 30, 2015.
- 5 • Webster, D.H. and G.C. Topp. 1983. Measurement of capillary rise under field
6 conditions and related soil properties. Kentville Research Station Technical
7 Bulletin No. 3. Research Branch Agriculture Canada.

8 Literature review on capillary fringe values and consultations with University experts
9 verify that capillary rise determination is complex and variable with soil conditions. As a
10 result, experts agree that published values of capillary fringe represent good
11 approximations of capillary fringe thickness in various soil types and additional field
12 investigation may only improve these estimates incrementally.

13 The most widely cited literature values are summarized in the Handbook of Soil Science
14 (Sumner 1999) and consider capillary fringe studies in over 1,320 soils across 32 states.
15 These are presented in Table H-4 below.

16

Table H-4. Soil-Water Parameters of Saturated Soils

Soil Type	Saturated Hydraulic Conductivity (cm/hr)	Total Porosity (cm ³ /cm ³)	Estimated Capillary Rise (inches)
Sand	21.00	0.437	6.4
Loamy sand	6.11	0.437	8.24
Sandy loam	2.59	0.453	12.08
Loam	1.32	0.463	16.04
Silt loam	0.68	0.501	20.36
Clay loam	0.23	0.464	22.56
Sandy clay loam	0.43	0.398	23.76
Silty clay loam	0.15	0.471	28.12
Silty clay	0.09	0.479	30.6
Sandy clay	0.12	0.43	31.8
Clay	0.06	0.475	34.24

Source: Handbook of Soil Science. Ed. Sumner. 2000. CRC Press LLC, Boca Raton, FL. Adapted from Rawls et al. (1982) and Brakensiek and Rawls (1992).

17 Soil boring logs from 85 local SJRRP soil sampling sites collected in March and April of
18 2010 were also reviewed to determine the potential thickness of capillary fringe zones in
19 soils of various textures on lands near the San Joaquin River. These are presented in
20 Table H-5.

21 Drill logs or soil boring logs (when available) were examined to determine soil textures
22 in the monitoring wells from four to six feet deep. Many soil sampling sites were offset
23 from stakes that were planned for future monitoring well sites when wells had not yet
24 been drilled. In some cases, the drill logs had fill. Under these circumstances the texture
25 evaluation was four to six feet below the fill or the native soil boundary as noted on the

1 logs for the subsurface profile. Each well was assigned a capillary fringe thickness based
 2 on this analysis. Capillary fringe thicknesses for each well are presented in Table H-5.

3 **H.2.3.2 Results**

4 A summary of the findings from the review of soil logs is presented below in Table H-5.
 5 These observations reflect shallower soil profile conditions within field crops in the
 6 growing season.

7 **Table H-5. Capillary Fringe Thickness**

Category	Soil Texture	Number of Observations	Average Rise (Inches)	95% Confidence Range (Inches)
1	Sand, loamy sand	15	6.9	4.1 – 9.1
2	Sandy loam, loamy fine sand	4	13.75	9.5 – 18.1
3	Fine sandy loam, loam, silt loam, very fine sandy loam	21	18.3	14.3 – 22.3
4	Clay loam, silty clay loam, clay	6	10.3	5.1 – 15.5
2 and 3	Loamy fine sand, silt loam	25	17.6	14.1 – 20.9

8 Based on the data provided in the literature, input from subject matter experts, and
 9 observations of local field conditions presented above from soil sampling sites (mostly in
 10 Reaches 4A and 4B) Table H-6 provides the capillary rise thicknesses for use in the SMP.

11 Values from Table H-6 will be the default capillary fringe values applied for well
 12 thresholds. Any capillary fringe site specific field studies conducted in the future will
 13 also be considered in establishing agricultural method thresholds. The greater capillary
 14 fringe value (more protective) between Table H-6 and site specific results will be used in
 15 assigning the threshold. The corresponding threshold tables will be updated accordingly
 16 and posted on the website.

17 **Table H-6. Capillary Fringe Values for Agricultural Method**

Soil Type	Capillary Fringe (inches)	Capillary Fringe (feet)
Sand	6	0.5
Loamy sand; very fine sand; fine sand	8	0.7
Sandy loam; loamy very fine sand; loamy fine sand	12	1.0
Very fine or fine sandy loam; silt loam; loam	20	1.7
Sandy clay loam; clay loam	24	2.0
Silty clay loam	28	2.3
Sandy clay; silty clay	32	2.7
Clay	36	3.0

Values adapted from Handbook of Soil Science. Ed. Sumner. 2000. CRC Press LLC, Boca Raton, FL. Adapted from Rawls et al. (1982) and Brakensiek and Rawls (1992).

18 The following assumptions were used for the capillary fringe estimates:

- 1 • Values were adapted from literature summarized in the Handbook of Soil Science
2 (Sumner 1999), which considers a broad range of soil characteristics.
- 3 • The soil physical characteristics of fine and very fine sands result in greater
4 capillary rise. As a result, these textural classes were added to Table H-6 and
5 grouped with finer texture classes observed to have similar capillary fringe
6 characteristics.
- 7 • These estimates focus on the tension saturated capillary fringe. The upper,
8 unsaturated portion of capillary rise contains enough air to permit root
9 establishment.
- 10 • When an actively growing crop is present and is consuming water from the upper
11 portion of the capillary fringe the thickness of the capillary fringe would likely be
12 less than the thickness used in this method.

13 ***H.2.3.3 Limitations***

14 Limitations of the analysis include:

- 15 • Timing of the capillary fringe vs. growing season or root development is not
16 addressed in this approach.
- 17 • Water quality of the groundwater is not included as part of this evaluation.
- 18 • This approach does not address the degree of soil salinity existing at each site, or
19 the potential for salts to rise through the entire capillary fringe rather than just the
20 anaerobic portion addressed here.

21 ***H.2.3.4 Agricultural Practices Threshold Results***

22 Table H-7 below shows the results of the agricultural practices method.

Table H-7. Agricultural Practices Method Thresholds

Well	Reach	Bank	Crop Type(s)	Root Zone (feet)	Capillary Fringe (feet)	Agricultural Practices Threshold (feet bgs in field)	Ground Surface Adjustment (feet)	Agricultural Practices Threshold (feet bgs in well)
110	4A	Left	Almond, Cotton, Tomato	6.0	0.5	6.5	3.2	9.7
111	4A	Left	Alfalfa, Almond, Cotton, Wheat	6.0	0.5	6.5	2.5	9.0
118	4A	Left	Almond, Corn, Wheat	6.0	0.5	6.5	3.8	10.3
119	4A	Left	Alfalfa, Corn, Cotton	6.0	0.5	6.5	1.8	8.3
126	4A	Left	Almond, Corn, Cotton, Wheat	6.0	0.5	6.5	2.4	8.9
127	4A	Left	Alfalfa, Almond, Corn, Cotton	6.0	0.5	6.5	3.4	9.9
128	4A	Left	Pistachio	5.0	0.5	5.5	1.6	7.1
129	4A	Left	Alfalfa, Almond	6.0	0.5	6.5	2.7	9.2
130	4A	Left	Almond, Cotton	6.0	0.5	6.5	2.8	9.3
131	4A	Left	Almond	6.0	0.5	6.5	2.2	8.7
132	4A	Left	Alfalfa	6.0	0.5	6.5	2.6	9.1
133	4A	Left	Almond	6.0	0.5	6.5	2.8	9.3
134	4A	Left	Corn, Melon	5.0	0.5	5.5	2.2	7.7
135	3	Left	Alfalfa, Cotton, Vegetable	6.0	0.5	6.5	2.3	8.8
136	3	Left	Alfalfa, Cotton, Melon, Pistachio, Wheat	6.0	0.5	6.5	3.8	10.3
139	3	Left	Alfalfa, Corn, Melon, Tomato	6.0	0.5	6.5	2.7	9.2
140	3	Left	Cotton, Pistachio	5.0	0.5	5.5	3.2	8.7
141	3	Left	Cotton, Melon, Pistachio, Wheat	5.0	0.5	5.5	0.8	6.3
142	3	Left	Alfalfa, Corn, Cotton, Wheat	6.0	0.5	6.5	3.5	10.0
143	4A	Left	Almond	6.0	0.5	6.5	2.5	9.0
145	3	Left	Alfalfa, Cotton	6.0	0.5	6.5	2.3	8.8
146	3	Left	Almond, Corn	6.0	0.5	6.5	2.2	8.7

Table H-7. Agricultural Practices Method Thresholds

Well	Reach	Bank	Crop Type(s)	Root Zone (feet)	Capillary Fringe (feet)	Agricultural Practices Threshold (feet bgs in field)	Ground Surface Adjustment (feet)	Agricultural Practices Threshold (feet bgs in well)
147	3	Left	Almond, Cotton	6.0	0.5	6.5	2.0	8.5
148	3	Left	Corn, Cotton, Pistachio, Tomato	5.0	0.5	5.5	5.1	10.6
151	3	Left	Alfalfa, Almond	6.0	0.5	6.5	3.7	10.2
152	3	Left	Almond	6.0	0.5	6.5	3.0	9.5
154	3	Left	Almond, Wheat	6.0	0.5	6.5	2.6	9.1
155	3	Left	Almond	6.0	1.0	7.0	3.6	10.6
156	3	Left	Corn, Tomato	5.0	0.5	5.5	2.0	7.5
157	3	Left	Alfalfa, Almond, Corn, Tomato	6.0	0.5	6.5	4.1	10.6
158	3	Left	Alfalfa, Cotton	6.0	0.5	6.5	3.3	9.8
159	3	Left	Corn, Cotton, Wheat	5.0	0.5	5.5	1.9	7.4
161	3	Left	Alfalfa, Corn, Cotton	6.0	0.5	6.5	5.2	11.7
163	3	Left	Alfalfa, Almond, Pistachio	6.0	0.5	6.5	1.7	8.2
164	3	Left	Alfalfa, Almond	6.0	0.5	6.5	1.7	8.2
169	3	Left	Corn, Melon, Pistachio	5.0	0.5	5.5	2.6	8.1
181	4A	Left	Alfalfa, Corn, Tomato, Wheat	6.0	0.5	6.5	3.8	10.3
182	4A	Left	Alfalfa, Pasture, Tomato, Wheat	6.0	0.5	6.5	3.1	9.6
183	4A	Left	Alfalfa, Corn, Cotton, Pasture, Wheat	6.0	0.5	6.5	2.6	9.1
184	4A	Left	Alfalfa, Almond	6.0	0.5	6.5	2.8	9.3
187	4A	Left	Almond, Corn, Tomato, Wheat	6.0	0.5	6.5	2.6	9.1
190	4A	Left	Tomato	5.0	0.5	5.5	1.9	7.4
191	4A	Left	Tomato	5.0	1.0	6.0	3.7	9.7
350	4A	Left	Almond	6.0	0.5	6.5	6.1	12.6

Table H-7. Agricultural Practices Method Thresholds

Well	Reach	Bank	Crop Type(s)	Root Zone (feet)	Capillary Fringe (feet)	Agricultural Practices Threshold (feet bgs in field)	Ground Surface Adjustment (feet)	Agricultural Practices Threshold (feet bgs in well)
355	3	Left	Almond, Pistachio	6.0	0.5	6.5	1.0	7.5
356	3	Left	Almond	6.0	0.5	6.5	0.6	7.1
357	3	Left	Almond, Tomato	6.0	0.5	6.5	3.1	9.6
358	3	Left	Almond	6.0	0.5	6.5	7.3	13.8
359	3	Left	Almond	6.0	0.5	6.5	7.2	13.7
360	3	Left	Almond	6.0	0.5	6.5	6.3	12.8
361	3	Left	Alfalfa, Almond, Pistachio	6.0	0.5	6.5	2.3	8.8
362	3	Left	Almond	6.0	0.5	6.5	3.1	9.6
363	3	Left	Alfalfa, Cotton, Pistachio	6.0	0.5	6.5	3.4	9.9
364	3	Left	Almond, Cotton	6.0	0.5	6.5	8.8	15.3
365	3	Left	Almond, Wheat	6.0	0.5	6.5	1.7	8.2
366	3	Left	Cotton, Wheat	5.0	0.5	5.5	1.9	7.4
367	3	Left	Almond, Cotton	6.0	0.5	6.5	5.2	11.7
368	3	Left	Almond	6.0	0.5	6.5	4.8	11.3
369	3	Left	Almond, Cotton	6.0	0.5	6.5	0.7	7.2
370	3	Left	Almond	6.0	0.5	6.5	2.8	9.3
371	3	Left	Almond	6.0	0.5	6.5	1.3	7.8
372	3	Left	Alfalfa, Almond	6.0	0.5	6.5	1.3	7.8
373	3	Left	Almond	6.0	0.5	6.5	2.6	9.1
374	3	Left	Almond, Cotton	6.0	0.5	6.5	0.5	7.0
375	3	Left	Almond, Wheat	6.0	0.5	6.5	1.4	7.9
376	3	Left	Almond, Cotton, Wheat	6.0	0.5	6.5	1.0	7.5
377	3	Left	Almond	6.0	0.5	6.5	2.8	9.3
378	3	Left	Almond, Wheat	6.0	0.5	6.5	3.1	9.6
379	3	Left	Cotton, Wheat	5.0	0.5	5.5	5.5	11.0

Table H-7. Agricultural Practices Method Thresholds

Well	Reach	Bank	Crop Type(s)	Root Zone (feet)	Capillary Fringe (feet)	Agricultural Practices Threshold (feet bgs in field)	Ground Surface Adjustment (feet)	Agricultural Practices Threshold (feet bgs in well)
385	4A	Left	Almond, Tomato	6.0	0.5	6.5	2.3	8.8
386	4A	Left	Tomato	5.0	0.5	5.5	1.8	7.3
387	4A	Left	Tomato	5.0	0.5	5.5	2.0	7.5
388	4A	Left	Cotton, Tomato	5.0	0.5	5.5	2.4	7.9
389	4A	Left	Cotton, Tomato	5.0	0.5	5.5	2.5	8.0
390	4A	Left	Melon, Tomato, Wheat	5.0	0.5	5.5	3.2	8.7
110A	4A	Left	Almond, Cotton, Tomato	6.0	0.5	6.5	3.2	9.7
119A	4A	Left	Alfalfa, Corn, Cotton	6.0	0.5	6.5	1.8	8.3
120A	4A	Left	Almond, Cotton	6.0	0.5	6.5	2.6	9.1
121A	4A	Left	Almond, Cotton, Pistachio	6.0	0.5	6.5	3.8	10.3
127A	4A	Left	Alfalfa, Almond, Corn, Cotton	6.0	0.5	6.5	3.4	9.9
132A	4A	Left	Alfalfa	6.0	0.5	6.5	1.8	8.3
133A	4A	Left	Almond	6.0	0.5	6.5	2.8	9.3
135A	3	Left	Alfalfa, Cotton, Vegetable	6.0	0.5	6.5	2.3	8.8
139A	3	Left	Alfalfa, Corn, Melon, Tomato	6.0	0.5	6.5	2.7	9.2
140A	3	Left	Cotton, Pistachio	5.0	0.5	5.5	3.2	8.7
144A	4A	Left	Alfalfa, Corn, Wheat	6.0	0.5	6.5	4.2	10.7
148A	3	Left	Corn, Cotton, Pistachio, Tomato	5.0	0.5	5.5	5.1	10.6
151A	3	Left	Alfalfa, Almond	6.0	0.5	6.5	3.7	10.2
152A	3	Left	Almond	6.0	0.5	6.5	3.0	9.5
153A	3	Left	Almond	6.0	0.5	6.5	0.5	7.0
153C	3	Left	Almond	6.0	0.5	6.5	0.5	7.0
155A	3	Left	Almond	6.0	1.0	7.0	3.6	10.6

Table H-7. Agricultural Practices Method Thresholds

Well	Reach	Bank	Crop Type(s)	Root Zone (feet)	Capillary Fringe (feet)	Agricultural Practices Threshold (feet bgs in field)	Ground Surface Adjustment (feet)	Agricultural Practices Threshold (feet bgs in well)
156A	3	Left	Cotton, Tomato	5.0	0.5	5.5	2.0	7.5
157A	3	Left	Alfalfa, Almond, Corn, Tomato	6.0	0.5	6.5	4.1	10.6
161A	3	Left	Alfalfa, Corn, Cotton	6.0	0.5	6.5	5.2	11.7
162A	3	Left	Almond, Corn, Pistachio, Tomato	6.0	0.5	6.5	2.2	8.7
162C	3	Left	Almond, Corn, Pistachio, Tomato	6.0	0.5	6.5	2.2	8.7
163B	3	Left	Alfalfa, Almond, Pistachio	6.0	0.5	6.5	1.7	8.2
165A	3	Left	Almond, Tomato	6.0	0.5	6.5	1.7	8.2
166A	3	Left	Alfalfa, Melon, Tomato	6.0	0.5	6.5	3.0	9.5
167A	3	Left	Alfalfa, Tomato	6.0	0.5	6.5	3.1	9.6
182A	4A	Left	Alfalfa, Pasture, Tomato, Wheat	6.0	0.5	6.5	3.1	9.6
183A	4A	Left	Alfalfa, Corn, Cotton, Pasture, Wheat	6.0	0.5	6.5	2.6	9.1
184A	4A	Left	Alfalfa, Almond	6.0	0.5	6.5	2.8	9.3
184B	4A	Left	Alfalfa, Almond, Tomato	6.0	0.5	6.5	4.5	11.0
186A	4A	Left	Corn, Cotton, Melon, Tomato, Wheat	5.0	1.0	6.0	2.3	8.3
188A	4A	Left	Alfalfa, Almond, Cotton	6.0	0.5	6.5	2.1	8.6
189A	4A	Left	Almond	6.0	0.5	6.5	3.9	10.4
189C	4A	Left	Almond	6.0	0.5	6.5	3.9	10.4
191A	4A	Left	Tomato	5.0	1.0	6.0	3.7	9.7
369B	3	Left	Almond, Cotton	6.0	0.5	6.5	0.7	7.2
CNOW-13-50	2B	Left	Pistachio	5.0	3.0	8.0	0.9	8.9
CNOW-14-52	2B	Left	Pistachio	5.0	2.0	7.0	0.9	7.9
CNSPT-52	2B	Left	Pistachio	5.0	2.0	7.0	0.9	7.9

Table H-7. Agricultural Practices Method Thresholds

Well	Reach	Bank	Crop Type(s)	Root Zone (feet)	Capillary Fringe (feet)	Agricultural Practices Threshold (feet bgs in field)	Ground Surface Adjustment (feet)	Agricultural Practices Threshold (feet bgs in well)
CWOW-14-15	2B	Left	Almond	6.0	3.0	9.0	2.3	11.3
CWSPT-15	2B	Left	Almond	6.0	3.0	9.0	2.3	11.3
FA-1	1B	Left	Almond, Vineyard	6.0	1.0	7.0	1.8	8.8
FA-2	1B	Left	Vineyard	6.0	1.0	7.0	2.2	9.2
FA-3	1B	Left	Vineyard	6.0	1.0	7.0	1.7	8.7
FA-4	2A	Left	River Channel, Levee	N/A	N/A	N/A	-3.5	N/A
FA-5	2A	Left	River Channel, Levee	N/A	N/A	N/A	-3.9	N/A
FA-6	2A	Left	River Channel, Levee	N/A	N/A	N/A	3.3	N/A
FA-7	2A	Left	Almond	6.0	1.0	7.0	4.3	11.3
FA-8	2A	Left	River Channel, Levee	N/A	N/A	N/A	1.6	N/A
FA-9	2A	Left	Corn, Wheat	5.0	1.0	6.0	2.7	6.2 *
JR-1	1A	Left	Public Land	N/A	N/A	N/A	4.5	N/A
JR-2	1A	Left	Public Land	N/A	N/A	N/A	9.2	N/A
MA-1	1B	Left	Walnut	6.0	1.0	7.0	2.8	9.8
MA-2	2A	Right	Vineyard	6.0	1.0	7.0	3.9	10.9
MA-3	2A	Right	Alfalfa	6.0	1.0	7.0	3.0	10.0
MA-4	2A	Right	Vineyard	6.0	1.0	7.0	6.3	8.7 *
MW-09-1	1A	Right	Public Land	N/A	N/A	N/A	0.2	N/A
MW-09-2	1A	Right	Public Land	N/A	N/A	N/A	-0.7	N/A
MW-09-21	1B	Left	Almond, Vineyard	6.0	1.0	7.0	5.5	12.5
MW-09-22	1B	Left	Almond, Vineyard	6.0	1.0	7.0	3.4	10.4
MW-09-23	1B	Left	Public Land	N/A	N/A	N/A	-8.8	N/A
MW-09-23B	1B	Left	Public Land	N/A	N/A	N/A	-8.8	N/A
MW-09-25	1B	Right	Public Land	N/A	N/A	N/A	-3.1	N/A
MW-09-26	1B	Right	Citrus, Vegetable, Vineyard	6.0	1.7	7.7	-1.3	6.4

Table H-7. Agricultural Practices Method Thresholds

Well	Reach	Bank	Crop Type(s)	Root Zone (feet)	Capillary Fringe (feet)	Agricultural Practices Threshold (feet bgs in field)	Ground Surface Adjustment (feet)	Agricultural Practices Threshold (feet bgs in well)
MW-09-27	1B	Right	Citrus, Pistachio, Vegetable, Vineyard	6.0	2.3	8.3	1.5	9.8
MW-09-36	2A	Right	Almond	6.0	1.0	7.0	4.6	11.6
MW-09-37	2A	Left	Vineyard	6.0	1.7	7.7	10.0	17.7
MW-09-37B	2A	Left	Vineyard	6.0	1.7	7.7	10.2	17.9
MW-09-39	2A	Left	Alfalfa, Pistachio	6.0	1.0	7.0	0.3	7.3
MW-09-39B	2A	Left	Alfalfa, Pistachio	6.0	1.0	7.0	0.4	7.4
MW-09-41	2A	Left	River Channel, Levee	N/A	N/A	N/A	-4.0	N/A
MW-09-44	2A	Left	Almond	6.0	1.7	7.7	3.1	10.8
MW-09-46	2A	Left	Corn, Wheat	5.0	1.0	6.0	1.6	7.6
MW-09-47	2A	Right	Alfalfa, Corn, Vineyard, Wheat	6.0	1.7	7.7	3.5	7.9 *
MW-09-49	2A	Left	Corn, Wheat	5.0	1.0	6.0	1.5	7.5
MW-09-49B	2A	Left	Corn, Wheat	5.0	1.0	6.0	1.4	5.0
MW-09-52	2B	Right	Almond	6.0	2.0	8.0	1.9	9.9
MW-09-53	2B	Right	Almond	6.0	3.0	9.0	2.8	11.8
MW-09-54	2B	Right	Almond	6.0	1.0	7.0	8.0	15.0
MW-09-54B	2B	Right	Almond	6.0	1.0	7.0	7.8	12.8 *
MW-09-55	2B	Left	Palms, Pistachio	5.0	1.0	6.0	4.2	10.2
MW-09-55B	2B	Left	Palms, Pistachio	5.0	1.0	6.0	3.7	3.2 *
MW-09-56	2B	Left	Pistachio	5.0	1.7	6.7	1.7	8.4
MW-09-57	2B	Left	Pistachio, Pomegranate	6.0	1.0	7.0	2.6	9.6
MW-09-83	4A	Right	Corn, Tomato, Wheat	5.0	2.0	7.0	2.5	9.5
MW-09-83B	4A	Right	Corn, Tomato, Wheat	5.0	2.0	7.0	2.7	9.7
MW-09-84	4A	Right	Almond, Corn, Wheat	6.0	1.7	7.7	4.3	12.0
MW-09-85	4A	Right	Almond, Corn, Wheat	6.0	1.0	7.0	7.7	14.7

Table H-7. Agricultural Practices Method Thresholds

Well	Reach	Bank	Crop Type(s)	Root Zone (feet)	Capillary Fringe (feet)	Agricultural Practices Threshold (feet bgs in field)	Ground Surface Adjustment (feet)	Agricultural Practices Threshold (feet bgs in well)
MW-09-85B	4A	Right	Almond, Corn, Wheat	6.0	1.0	7.0	7.5	14.5
MW-09-86	4A	Left	Almond	6.0	2.7	8.7	7.9	16.6
MW-09-86B	4A	Left	Almond	6.0	2.7	8.7	7.6	16.3
MW-09-87	4A	Left	Almond	6.0	0.5	6.5	2.5	9.0
MW-09-87B	4A	Left	Almond	6.0	0.5	6.5	2.5	8.0
MW-09-88	4A	Left	Almond, Cotton	6.0	2.0	8.0	2.1	10.1
MW-09-121	5	Left	Public Land	N/A	N/A	N/A	5.9	N/A
MW-09-123	5	Left	Public Land	N/A	N/A	N/A	12.9	N/A
MW-09-124	5	Right	Public Land	N/A	N/A	N/A	0.1	N/A
MW-09-125	5	Right	Almond, Corn, Pasture, Sweet Potato, Wheat	6.0	1.0	7.0	2.6	9.6
MW-10-74	3	Left	Almond	6.0	3.0	9.0	5.1	14.1
MW-10-75	3	Left	Almond, Cotton	6.0	3.0	9.0	1.3	10.1 *
MW-10-76	3	Left	Almond	6.0	3.0	9.0	3.1	12.1
MW-10-78	3	Right	Wheat	5.0	3.0	8.0	3.5	11.5
MW-10-80	4A	Right	Alfalfa	6.0	2.0	8.0	5.5	13.5
MW-10-89	4A	Right	Almond	6.0	0.5	6.5	3.3	9.8
MW-10-90	4B1	Right	Pistachio	5.0	2.0	7.0	1.3	8.3
MW-10-91	4A	Left	Tomato	5.0	3.0	8.0	3.7	11.7
MW-10-92	4A	Left	Tomato	5.0	2.0	7.0	2.0	9.0
MW-10-93	4A	Left	Tomato	5.0	2.0	7.0	1.8	8.8
MW-10-94	4B1	Right	Pistachio	5.0	1.7	6.7	2.0	7.7 *
MW-10-95	4B1	Right	Alfalfa, Corn, Wheat	6.0	1.7	7.7	1.9	8.6 *
MW-10-96	4B1	Right	Corn, Tomato, Wheat	5.0	2.0	7.0	3.2	9.2 *
MW-10-97	4B1	Right	Alfalfa, Wheat	6.0	0.5	6.5	2.5	8.0 *

Table H-7. Agricultural Practices Method Thresholds

Well	Reach	Bank	Crop Type(s)	Root Zone (feet)	Capillary Fringe (feet)	Agricultural Practices Threshold (feet bgs in field)	Ground Surface Adjustment (feet)	Agricultural Practices Threshold (feet bgs in well)
MW-10-98	4B1	Left	Tomato, Wheat	5.0	2.0	7.0	3.9	10.9
MW-10-99	4B1	Left	Melon, Tomato, Wheat	5.0	1.7	6.7	4.6	11.3
MW-10-100	4B1	Left	Corn, Melon, Tomato	5.0	2.7	7.7	4.2	11.9
MW-10-102	4B1	Right	Onion, Tomato	5.0	2.0	7.0	2.5	9.5
MW-10-103	4B1	Right	Cotton, Garlic, Onion, Vegetable	5.0	2.0	7.0	5.0	12.0
MW-10-105	4B1	Left	Carrot, Tomato	5.0	2.0	7.0	3.0	10.0
MW-10-106	4B1	Left	Tomato, Wheat	5.0	1.0	6.0	1.7	7.7
MW-10-107	4B1	Left	Melon, Wheat	5.0	1.7	6.7	4.3	11.0
MW-10-108	4B1	Left	Tomato, Vegetable	5.0	3.0	8.0	2.2	10.2
MW-10-109	4B1	Left	Onion, Tomato, Wheat	5.0	1.7	6.7	4.2	10.9
MW-10-110	4B1	Left	Wheat	5.0	1.0	6.0	4.1	10.1
MW-10-111	4B1	Left	Alfalfa	6.0	2.0	8.0	1.4	9.4
MW-10-112	4B1	Right	Corn, Wheat	5.0	3.0	8.0	2.9	10.9
MW-10-113	4B1	Left	Cotton, Tomato, Wheat	5.0	1.7	6.7	5.8	12.5
MW-10-114	4B1	Left	Cotton, Melon, Tomato, Wheat	5.0	2.0	7.0	4.4	11.4
MW-10-115	4A	Left	Tomato, Wheat	5.0	1.7	6.7	3.4	10.1
MW-10-116	4A	Right	Alfalfa, Pistachio	6.0	2.0	8.0	1.4	9.4
MW-10-117	3	Right	Almond	6.0	1.7	7.7	0.9	8.6
MW-10-118	3	Right	Almond	6.0	1.7	7.7	3.6	11.3
MW-10-119	3	Right	Almond	6.0	0.5	6.5	3.2	9.7
MW-10-120	3	Left	Almond	6.0	3.0	9.0	3.8	12.8
MW-10-126	3	Left	Almond, Tomato	6.0	3.0	9.0	4.3	13.3
MW-10-127	3	Right	Almond	6.0	1.7	7.7	1.6	9.3
MW-10-128	3	Left	Cotton, Tomato	5.0	3.0	8.0	2.8	10.8

Table H-7. Agricultural Practices Method Thresholds

Well	Reach	Bank	Crop Type(s)	Root Zone (feet)	Capillary Fringe (feet)	Agricultural Practices Threshold (feet bgs in field)	Ground Surface Adjustment (feet)	Agricultural Practices Threshold (feet bgs in well)
MW-10-129	3	Right	Almond	6.0	1.0	7.0	2.1	9.1
MW-10-188	4A	Left	Almond, Cotton, Wheat	6.0	1.7	7.7	2.6	10.3
MW-11-130	4A	Left	Almond	6.0	1.0	7.0	3.1	10.1
MW-11-131	4A	Left	Almond	6.0	2.0	8.0	1.6	9.6
MW-11-132	4A	Left	Almond	6.0	3.0	9.0	4.6	13.6
MW-11-133	4A	Left	Alfalfa, Almond	6.0	3.0	9.0	3.4	12.4
MW-11-134	4A	Left	Alfalfa, Almond	6.0	1.0	7.0	1.8	8.8
MW-11-135	4A	Left	Alfalfa, Almond	6.0	3.0	9.0	4.3	13.3
MW-11-136	4A	Left	Almond	6.0	3.0	9.0	2.1	11.1
MW-11-137	4B1	Right	Cotton, Tomato	5.0	2.0	7.0	1.9	8.9
MW-11-138	4B1	Right	Melon	5.0	3.0	8.0	3.9	11.9
MW-11-139	4B1	Right	Broccoli, Melon, Tomato	5.0	2.0	7.0	2.2	9.2
MW-11-140	4B1	Left	Tomato	5.0	3.0	8.0	2.8	10.8
MW-11-141	4B1	Right	Broccoli, Cotton, Tomato	5.0	1.0	6.0	1.8	7.8
MW-11-142	4B1	Right	Melon, Pistachio	5.0	1.7	6.7	2.9	9.6
MW-11-143	4B1	Right	Cotton, Melon, Pistachio, Tomato	5.0	2.0	7.0	1.8	8.8
MW-11-144	4B1	Right	Wheat	5.0	2.0	7.0	1.4	8.4
MW-11-145	4B1	Left	Tomato, Wheat	5.0	3.0	8.0	2.7	10.7
MW-11-146	4B1	Right	Rangeland	N/A	N/A	N/A	2.6	N/A
MW-11-147	4B1	Right	Rangeland	N/A	N/A	N/A	2.5	N/A
MW-11-148	4A	Left	Corn, Cotton, Tomato	5.0	3.0	8.0	1.6	9.6
MW-11-149	4A	Left	Almond, Tomato	6.0	2.0	8.0	2.6	10.6
MW-11-150	3	Left	Alfalfa	6.0	2.0	8.0	3.3	11.3
MW-11-151	2A	Right	Pistachio	5.0	1.7	6.7	2.2	8.9

Table H-7. Agricultural Practices Method Thresholds

Well	Reach	Bank	Crop Type(s)	Root Zone (feet)	Capillary Fringe (feet)	Agricultural Practices Threshold (feet bgs in field)	Ground Surface Adjustment (feet)	Agricultural Practices Threshold (feet bgs in well)
MW-11-152	4B1	Right	Alfalfa	6.0	1.7	7.7	8.3	16.0
MW-11-153	4B1	Right	Alfalfa, Wheat	6.0	1.7	7.7	2.1	9.8
MW-11-154	4B2	Right	Corn, Wheat	5.0	3.0	8.0	3.6	11.6
MW-11-155	3	Right	Almond	6.0	2.0	8.0	2.1	10.1
MW-11-156	3	Right	Almond, Pistachio	6.0	3.0	9.0	3.8	12.8
MW-11-157	3	Right	Pistachio	5.0	2.7	7.7	1.4	9.1
MW-11-158	2A	Right	Vineyard, Walnut	6.0	1.0	7.0	1.5	8.5
MW-11-159	2A	Right	Pistachio, Vineyard, Walnut	6.0	1.7	7.7	2.6	10.3
MW-11-160	3	Left	Almond, Cotton	6.0	3.0	9.0	0.7	9.7
MW-11-161	3	Right	Almond, Wheat	6.0	3.0	9.0	2.7	11.7
MW-11-162	4A	Right	Almond	6.0	2.7	8.7	1.9	10.6
MW-11-163	3	Right	Alfalfa, Almond, Pistachio	6.0	2.0	8.0	1.6	9.6
MW-11-164	2B	Left	Almond, Pistachio	6.0	3.0	9.0	3.6	12.6
MW-12-165	4A	Right	Wheat	5.0	1.0	6.0	2.0	8.0
MW-12-166	4A	Right	Corn, Wheat	5.0	1.0	6.0	2.3	8.3
MW-12-167	4A	Right	Corn, Pistachio, Wheat	5.0	2.0	7.0	0.7	7.7
MW-12-168	4A	Right	Alfalfa, Corn, Tomato, Wheat	6.0	1.0	7.0	2.2	9.2
MW-12-169	4A	Right	Alfalfa, Wheat	6.0	2.0	8.0	3.4	11.4
MW-12-170	4B1	Right	Alfalfa, Pistachio	6.0	3.0	9.0	2.0	11.0
MW-12-171	4B1	Right	Corn, Pistachio, Wheat	5.0	3.0	8.0	3.9	11.9
MW-12-172	4B1	Right	Corn, Wheat	5.0	1.7	6.7	1.7	8.4
MW-12-173	4B1	Right	Corn, Pistachio, Wheat	5.0	1.7	6.7	1.2	7.9
MW-12-174	4B1	Right	Pistachio	5.0	2.0	7.0	1.0	8.0
MW-12-175	4B1	Right	Corn, Pistachio, Wheat	5.0	1.7	6.7	0.7	7.4

Table H-7. Agricultural Practices Method Thresholds

Well	Reach	Bank	Crop Type(s)	Root Zone (feet)	Capillary Fringe (feet)	Agricultural Practices Threshold (feet bgs in field)	Ground Surface Adjustment (feet)	Agricultural Practices Threshold (feet bgs in well)
MW-12-176	4B1	Right	Pistachio	5.0	1.7	6.7	1.2	7.9
MW-12-177	4A	Right	Wheat	5.0	2.0	7.0	2.3	9.3
MW-12-178	4A	Left	Tomato	5.0	3.0	8.0	3.6	11.6
MW-12-179	4A	Left	Tomato	5.0	3.0	8.0	2.5	10.5
MW-12-180	3	Left	Alfalfa, Almond	6.0	3.0	9.0	1.9	10.9
MW-12-181	3	Left	Alfalfa, Almond	6.0	3.0	9.0	2.3	11.3
MW-12-182	3	Left	Almond	6.0	3.0	9.0	3.7	12.7
MW-12-183	3	Left	Almond	6.0	1.7	7.7	5.4	13.1
MW-12-184	3	Right	Almond	6.0	0.5	6.5	3.4	9.9
MW-12-185	3	Right	Almond	6.0	1.7	7.7	4.0	11.7
MW-12-186	3	Right	Almond	6.0	2.0	8.0	5.8	13.8
MW-12-187	3	Right	Almond	6.0	1.7	7.7	4.9	12.6
MW-12-189	3	Right	Grain, Fallow	5.0	0.5	5.5	3.3	8.8
MW-12-190	3	Right	Grain, Fallow	5.0	0.5	5.5	1.9	7.4
MW-12-191	3	Right	Almond	6.0	1.0	7.0	2.6	9.6
MW-12-192	3	Right	Almond	6.0	2.0	8.0	1.4	9.4
MW-13-193	3	Right	Alfalfa	6.0	2.7	8.7	2.0	10.7
MW-13-194	3	Right	Alfalfa	6.0	1.7	7.7	1.8	9.5
MW-13-195	3	Right	Alfalfa, Almond	6.0	3.0	9.0	4.6	13.6
MW-13-196	3	Right	Alfalfa, Almond	6.0	2.0	8.0	3.6	11.6
MW-13-197	3	Right	Alfalfa	6.0	1.7	7.7	4.4	12.1
MW-13-198	3	Right	Almond	6.0	3.0	9.0	2.5	11.5
MW-13-199	3	Right	Almond	6.0	3.0	9.0	6.6	15.6
MW-13-200	3	Right	Almond	6.0	3.0	9.0	5.5	14.5
MW-13-201	3	Right	Almond, Pistachio	6.0	3.0	9.0	2.7	11.7

Table H-7. Agricultural Practices Method Thresholds

Well	Reach	Bank	Crop Type(s)	Root Zone (feet)	Capillary Fringe (feet)	Agricultural Practices Threshold (feet bgs in field)	Ground Surface Adjustment (feet)	Agricultural Practices Threshold (feet bgs in well)
MW-13-202	2B	Left	Almond	6.0	3.0	9.0	1.4	10.4
MW-13-210	3	Right	Almond	6.0	2.0	8.0	3.5	11.5
MW-13-211	3	Right	Almond, Pistachio	6.0	1.7	7.7	1.0	8.7
MW-13-212	3	Right	Almond, Vegetable	6.0	2.0	8.0	3.9	11.9
MW-13-213	3	Right	Almond, Pistachio	6.0	3.0	9.0	3.5	12.5
MW-13-214	3	Right	Almond, Pistachio	6.0	2.0	8.0	3.6	11.6
MW-13-215	3	Right	Almond, Pistachio	6.0	3.0	9.0	0.4	9.4
MW-13-216	3	Right	Pistachio, Wheat	5.0	3.0	8.0	2.6	10.6
MW-14-203	4A	Right	Corn, Wheat	5.0	2.0	7.0	3.7	10.7
MW-14-204	4A	Right	Corn, Wheat	5.0	1.7	6.7	1.6	8.3
MW-14-205	4A	Right	Corn, Tomato, Wheat	5.0	1.7	6.7	2.3	9.0
MW-14-206	4A	Right	Tomato, Wheat	5.0	1.0	6.0	6.5	12.5
MW-14-207	4A	Right	Alfalfa, Tomato, Wheat	6.0	1.7	7.7	6.2	13.9
MW-14-208	4A	Right	Alfalfa, Tomato, Wheat	6.0	1.0	7.0	2.1	9.1
MW-14-209	4A	Right	Corn, Wheat	5.0	1.7	6.7	1.4	8.1
MW-16-219	4A	Left	Tomato	5.0	0.7	5.7	1.7	7.4
MW-16-220	4A	Left	Tomato	5.0	1.0	6.0	1.0	7.0
MW-16-221	4A	Left	Tomato	5.0	2.0	7.0	1.0	8.0
MW-16-222	4A	Left	Tomato	5.0	2.0	7.0	1.5	8.5
MW-16-224	4A	Left	Tomato	5.0	2.3	7.3	1.0	8.3
MW-17-225	4A	Left	Alfalfa, Corn, Wheat	6.0	0.5	6.5	1.3	6.7 *
MW-17-226	4A	Right	Almond	6.0	0.5	6.5	2.5	9.0
MW-18-158B	2A	Right	Vineyard, Walnut	6.0	1.0	7.0	1.5	8.5
MW-18-227	4B1	Right	Public Land	N/A	N/A	N/A	3.1	N/A
MW-18-228	4B1	Right	Public Land	N/A	N/A	N/A	5.6	N/A

Table H-7. Agricultural Practices Method Thresholds

Well	Reach	Bank	Crop Type(s)	Root Zone (feet)	Capillary Fringe (feet)	Agricultural Practices Threshold (feet bgs in field)	Ground Surface Adjustment (feet)	Agricultural Practices Threshold (feet bgs in well)
MW-18-80B	4A	Right	Alfalfa	6.0	1.7	7.7	4.5	11.0 *
MW-22-229	2B	Left	Almond	6.0	1.7	7.7	2.0	9.7
MW-22-230	2B	Left	Almond	6.0	1.7	7.7	4.5	12.2
MW-22-231	2B	Left	Almond, Pistachio	6.0	2.0	8.0	3.8	11.8
MW-22-232	2B	Left	Grain, Fallow	5.0	0.5	5.5	1.1	6.6
MW-22-233	2B	Left	Pistachio	5.0	0.5	5.5	1.3	6.8
MW-22-234	2B	Left	Almond, Pistachio	6.0	2.0	8.0	1.5	9.5
MW-22-235	2B	Left	Pistachio	5.0	1.0	6.0	0.3	6.3
MW-22-236	2B	Left	Pomegranate	6.0	1.0	7.0	1.4	8.4
OW-1	2B	Right	Almond	6.0	1.7	7.7	1.5	9.2
OW-2	2B	Right	Almond	6.0	1.7	7.7	1.8	9.5
OW-3	2B	Right	Almond	6.0	1.7	7.7	1.0	8.7
OW-4	2B	Right	Almond	6.0	1.7	7.7	1.7	9.4
OW-5	2B	Right	Almond	6.0	1.7	7.7	1.0	8.7
OW-5B	2B	Right	Almond	6.0	1.7	7.7	1.1	8.8
OW-6	2B	Right	Almond	6.0	1.7	7.7	2.2	9.9
OW-6B	2B	Right	Almond	6.0	1.7	7.7	2.0	9.7
PZ-09-R2B-1	2B	Right	Almond	6.0	1.7	7.7	1.9	9.6
PZ-09-R2B-2	2B	Right	Almond	6.0	0.5	6.5	3.2	9.7
PZ-09-R3-1	3	Right	Almond, Pomegranate	6.0	0.5	6.5	3.8	10.3
PZ-09-R3-2	3	Right	Almond, Pomegranate	6.0	1.0	7.0	3.8	10.8
PZ-09-R3-3	3	Right	Almond	6.0	1.7	7.7	3.8	11.5
PZ-09-R3-4	3	Right	Almond	6.0	1.7	7.7	3.7	11.4
PZ-09-R3-5	3	Right	Almond	6.0	0.7	6.7	5.4	12.1

Table H-7. Agricultural Practices Method Thresholds

Well	Reach	Bank	Crop Type(s)	Root Zone (feet)	Capillary Fringe (feet)	Agricultural Practices Threshold (feet bgs in field)	Ground Surface Adjustment (feet)	Agricultural Practices Threshold (feet bgs in well)
PZ-09-R3-6	3	Right	Almond, Cotton, Vineyard, Wheat	6.0	0.5	6.5	2.8	9.3
PZ-09-R3-7	3	Right	Almond	6.0	0.5	6.5	0.8	6.2 *
PZ-12-R2B-3	2B	Left	Vineyard	6.0	0.5	6.5	2.3	8.8
PZ-12-R2B-4	2B	Left	Vineyard	6.0	0.5	6.5	2.0	8.5
PZ-12-R2B-5	2B	Left	Vineyard	6.0	1.7	7.7	1.5	9.2
PZ-12-R2B-6	2B	Left	Vineyard	6.0	1.7	7.7	1.6	9.3
PZ-12-R4B-8	4B1	Right	River Channel, Levee	N/A	N/A	N/A	0.6	N/A
PZ-12-R4B-10	4B1	Right	River Channel, Levee	N/A	N/A	N/A	1.1	N/A
PZ-12-R4B-10D	4B1	Right	River Channel, Levee	N/A	N/A	N/A	1.1	N/A
PZ-13-R2B-7	4B1	Right	River Channel, Levee	N/A	N/A	N/A	-2.5	N/A
PZ-13-R2B-8	2B	Right	Almond	6.0	0.5	6.5	1.8	8.3
PZ-13-R4A-1	4A	Left	River Channel, Levee	N/A	N/A	N/A	-3.6	N/A
PZ-13-R4A-2	4A	Right	River Channel, Levee	N/A	N/A	N/A	-9.4	N/A
PZ-13-R4B-11	4B1	Right	Alfalfa, Wheat	6.0	0.5	6.5	0.4	6.9
PZ-13-R4B-12	4B1	Right	Corn, Wheat	5.0	0.5	5.5	3.3	8.8
SJR W-1	4B1	Left	Cotton, Tomato	5.0	1.0	6.0	2.6	8.6
SJR W-2	4B1	Left	Garlic, Tomato, Wheat	5.0	1.0	6.0	4.5	10.5
SJR W-3	4B1	Left	Alfalfa, Cotton, Tomato	6.0	1.0	7.0	4.1	11.1
SJR W-4	4A	Left	Melon, Onion	5.0	1.0	6.0	2.4	8.4
SJR W-5	4A	Left	Corn, Melon, Tomato	5.0	1.0	6.0	2.0	8.0
SJR W-6	4A	Left	Corn, Tomato	5.0	1.0	6.0	4.9	10.9
SJR W-7	4A	Left	Corn, Tomato	5.0	1.0	6.0	4.0	10.0
SJR W-8	4A	Left	Corn, Cotton	5.0	1.0	6.0	3.4	9.4
SJR W-9	4A	Left	Corn, Cotton, Tomato	5.0	1.0	6.0	1.1	7.1

Table H-7. Agricultural Practices Method Thresholds

Well	Reach	Bank	Crop Type(s)	Root Zone (feet)	Capillary Fringe (feet)	Agricultural Practices Threshold (feet bgs in field)	Ground Surface Adjustment (feet)	Agricultural Practices Threshold (feet bgs in well)
SJR W-10	4A	Left	Corn, Tomato	5.0	1.0	6.0	2.0	8.0
SJR W-11	4A	Left	Corn, Tomato	5.0	1.0	6.0	2.3	8.3
SJR W-12	4A	Left	Corn, Melon, Onion	5.0	1.0	6.0	2.8	8.8
SLCC-011	4B1	Left	Onion, Tomato, Vegetable, Wheat	5.0	0.5	5.5	3.2	8.7
SLCC-012	4B1	Left	Tomato, Wheat	5.0	0.5	5.5	2.0	7.5
SLCC-019	4B1	Left	Melon, Tomato, Wheat	5.0	0.5	5.5	1.7	7.2
SLCC-027	4B1	Left	Melon, Tomato, Wheat	5.0	0.5	5.5	2.5	8.0
SPT-11-1	4B1	Left	River Channel, Levee	N/A	N/A	N/A	11.7	N/A
SPT-11-2	4B1	Left	River Channel, Levee	N/A	N/A	N/A	11.4	N/A
SPT-21-1	2B	Right	Almond	6.0	0.5	6.5	1.8	8.3
SPT-21-7	3	Right	Almond	6.0	0.5	6.5	0.5	7.0
SPT-21-10	3	Right	Almond	6.0	0.5	6.5	2.0	8.5
SPT-21-12	3	Right	Almond	6.0	0.5	6.5	1.7	8.2
SPT-21-18	2B	Right	Almond	6.0	0.5	6.5	1.9	8.4
SPT-21-25	2B	Right	Almond	6.0	0.5	6.5	0.8	7.3
T8-1	2A	Left	Almond	6.0	0.5	6.5	2.5	9.0
T10-1 (1m)	2A	Center	River Channel, Levee	N/A	N/A	N/A	-7.1	N/A
T10-1 (3m)	2A	Center	River Channel, Levee	N/A	N/A	N/A	-7.1	N/A
T10-2	2A	Right	River Channel, Levee	N/A	N/A	N/A	-5.0	N/A
T12-1	2A	Left	Corn, Wheat	5.0	0.5	5.5	-6.0	-0.5
T12-2	2A	Left	Corn, Wheat	5.0	0.5	5.5	-3.9	1.6
T12-3	2A	Left	Corn, Wheat	5.0	0.5	5.5	-6.8	-1.3
T13-2	2A	Right	River Channel, Levee	N/A	N/A	N/A	-6.2	N/A
T13-3	2A	Right	River Channel, Levee	N/A	N/A	N/A	1.4	N/A

1 * Threshold calculation includes lateral gradient buffer as described in section H.1.3.3.

1 **H.3 Method 2 - Historical Groundwater Levels**

2 The second method to set thresholds makes use of long-term historical groundwater level
3 measurements to derive thresholds in the context of historical field conditions and
4 agricultural practices. Groundwater level data along the San Joaquin River does not exist
5 in all areas and times of interest. Sources of historical groundwater data include CCID
6 (which maintains a network of shallow monitoring wells), the USGS, and the DWR. The
7 majority of the available records represent the period from 1960 to the present, with some
8 wells covering a longer time period. Although some wells have monthly or weekly
9 measurements for short periods of time, the majority of wells have biannual spring and
10 fall measurements.

11 **H.3.1 Objectives**

12 The objective of the historical groundwater level method is to use long-term groundwater
13 level data, and data after October 1, 2009 which did not include the effects of Interim,
14 Restoration, or flood flow in the San Joaquin River, to indicate hydrologic conditions
15 under which agriculture has historically operated, and to derive thresholds on the basis of
16 this information.

17 **H.3.2 Approach**

18 Threshold development using historical groundwater levels is approached in four ways,
19 depending on availability of long-term data:

- 20 1. If the threshold well has been monitored long term, the groundwater levels are
21 used directly to derive a threshold;
- 22 2. If the threshold well has not been monitored long term, but a nearby well has, the
23 groundwater levels from the nearby well is used indirectly to derive a threshold;
24 or
- 25 3. If the threshold well has not been monitored long term, and no nearby wells have
26 been monitored long term, mapped estimates of the depth to water at the well
27 location are used to derive a threshold.
- 28 4. If the threshold well has not been monitored long term, but groundwater level
29 measurements are available after October 1, 2009, then an additional historical
30 level was developed – the shallowest monitored groundwater level of a variable
31 moving average over specific time periods. These identified time periods did not
32 have any Interim, Restoration, or flood flows, and therefore approximate pre-
33 SJRRP conditions for areas without historical groundwater level data.

34 ***H.3.2.1 Method A: Thresholds for Long-Term Wells***


35 Long-term groundwater level data for a shallow well provides a good indication of
36 historical variability and position of the water table. This data reflects a combination of
37 climatic influences and agricultural practices. Climatic influences include local
38 precipitation and flows in canals and the river. Agricultural practices include irrigation,
39 groundwater pumping, and various forms of drainage. Long-term groundwater levels

1 represent the combined effect of these processes, making the data very useful for
2 developing monitoring thresholds.


3 Hydrographs were made for threshold wells having available data during the period from
4 1983 through September 2009, just prior to the first Interim Restoration Flows in October
5 2009. This time period is relatively data rich, and represents the post-recovery period
6 following importation of surface water to various areas surrounding the exchange
7 contractors and the associated decline in groundwater pumping (Belitz and others, 1993).

8 From these hydrographs, spring (March through May) measurements were identified and
9 grouped. For each group of spring measurements for a threshold well, the greatest 31
10 percent of the groundwater level elevations were assumed to be representative of
11 relatively wet climatic conditions, and therefore not representative of typical agricultural
12 conditions. The 31 percent cutoff was based on the number of wet years (nine) that
13 occurred during the period of record for groundwater level measurements in CCID
14 monitoring wells (29 years). The threshold was then defined as the greatest remaining
15 groundwater level elevation after removal of the top 31 percent of values.

16 As an example, Figure H-5 shows the location of well CCID 191. Figure H-6 shows the
17 historical groundwater threshold developed for CCID 191 using this method.
18 Groundwater levels (points) shown in blue were measured during the spring; those in
19 grey were measured during other times of the year, or were among the greatest 31 percent
20 of spring measurements. The green dashed line is the threshold; note that the high
21 groundwater levels associated with 1983 and other relatively wet or flood years are above
22 the threshold, as designed.



23
24 **Figure H-5.**
25 **General location of CCID shallow monitoring well 191**



1

2

3

4

Figure H-6.
Thresholds Developed Using Historical Groundwater-Level Measurements in
CCID Well 191 (Ground Surface Elevation: 108.8 ft)

5

H.3.2.2 Method B: Thresholds for Wells Near Long-Term Wells

6

To assign thresholds for wells having only short-term groundwater level data (beginning in 2009 or later), long-term groundwater level data associated with a nearby well (within one mile) was used. Thresholds were calculated as described above using long-term groundwater levels from the nearby well, with one exception: groundwater level elevations for the nearby well were adjusted by the difference in ground surface elevation between the nearby and threshold wells.

11

12

A key assumption in this approach is that hydrologic conditions local to the well having long-term data, such as depth to water, are similar to those at the threshold well. This assumption was tested graphically by comparing historical data from the nearby well to short-term data from the threshold well. This comparison may not be precise, but it is reasonable as a first-cut test of the assumption.


16

17

MW-09-88 will be used as an example. Figure H-7 shows the location of well MW-09-88 and nearby well CCID 188a, which has long-term groundwater level data that was used to develop the threshold. The ground surface elevation at the CCID well is the same as the ground surface elevation at the threshold well; therefore, no adjustment for the difference in elevation was necessary in this case. Groundwater levels (points) shown as

21


1 blue circles in Figure H-8 were measured in CCID 188a during the spring, and those in
2 grey were measured during other times of the year, or were among the greatest 31 percent
3 of spring measurements; dark blue diamonds represent measurements in MW-09-88. The
4 green dashed line is the threshold; note that the high groundwater levels associated with
5 1983 and other relatively wet years are above the threshold, as designed. Also note that
6 the cluster of measurements in MW-09-88 during 2010 reasonably match measurements
7 made in CCID 188a; thus, the assumption of similar hydrologic conditions at the two
8 wells appears reasonable.



9

10
11
12

Figure H-7.
General Location of Well MW-09-88 and Nearby CCID Shallow
Monitoring Well 188a



1

2

3

4

Figure H-8.
Threshold Developed for MW-09-88 Using Historical Groundwater-Level Measurements from Nearby CCID Well 188a (Ground Surface Elevation: 112.0 ft)

5

H.3.2.3 Method C: Thresholds for Wells with No Long-Term Data

6

There is a third set of threshold wells for which little or no long-term groundwater level data are available. Thresholds for these wells based on historic groundwater levels, regardless of methodology, will have a relatively high degree of uncertainty. However, threshold estimates were determined using maps based on average long-term data from CCID, and existing maps of depth to water by the USGS. Additional threshold estimates were determined using data from more recent monitoring but without releases for the SJRRP as a proxy for hydrologic conditions under which agriculture has historically operated.

14

H.3.2.4 Thresholds Based on Map of Long-Term Average CCID Data (Method C1)

15


The above approach uses a database of mainly bi-annual measurements. However, CCID maintains an extensive monitoring well network along the west side of Reaches 3 and 4A of the San Joaquin River, representing a long historical record. Ground surface elevation is available for all CCID wells, thus ensuring vertical control and a large set of groundwater levels that represent the water table. Groundwater levels were averaged for each well; these measurements were made over an extensive period of time and at a set interval, which raises confidence that an average of these measurements best represents average groundwater conditions in this area.

23

Figure H-9 shows a typical hydrograph for well CCID 146. The dotted line represents the average groundwater level during the period shown. Average groundwater levels for

24

1 wells similar to this were used in the analysis; wells indicating strong influence from
 2 groundwater pumping were not used.




Note: BLS = below land surface datum (equivalent to below ground surface)

3
4
5
6

Figure H-9.
Hydrograph of CCID Well 146 Showing Long-term Average

7 As a first step, average DTW below ground surface at each CCID well was converted to
 8 water table elevation using the known ground surface elevation near each CCID well.
 9 CCID corrects their depth to water measurements to be below field ground surface, so no
 10 ground surface adjustment for the difference between the well and the field is necessary.
 11 Then these water table elevations were interpolated using inverse distance weighted
 12 (IDW) across Reaches 3 and 4A.

13 Figure H-10 below shows the interpolated water table elevation map. Green stars
 14 represent the subset of CCID wells with consistent data and hydrographs created by
 15 USGS. These green stars also represent the data points used for interpolating the
 16 groundwater level contour shown in Figure H-10. Thresholds at the threshold wells
 17 (represented by black squares in Figure H-10) were extracted from the groundwater level
 18 map. These extracted groundwater elevations were then converted to DTW at each well
 19 using the surveyed ground surface elevations.



1

2

3

Figure H-10.
Map of Average Historical Water-Table Elevation in CCID Wells

4

H.3.2.5 Thresholds Based on Maps of Depth to Water (Methods C2 and C3)

5

The USGS developed maps of DTW for various years from 1981 to present having the

6

greatest number of measurements and/or the greatest interest with respect to climatic

7

conditions. Because the water level database contains few spring groundwater level

8

measurements, DTW maps were created for the fall measurement period (September 15

9

through November 15). Dry, normal-dry, wet, and normal-wet water year designations

10

were based on the total annual unimpaired runoff at Friant Dam for the water year

11

(October through September) as defined by the SJRRP year type. Because the applied


12

kriging interpolation method required good spatial density of wells, an effort was made to

13


keep as many wells as possible with the following constraints; (1) deep wells were

1 removed, (2) wells screened throughout (pumping wells) were removed and: (3) wells
2 with unknown well construction data were evaluated using a nearest neighbor approach
3 in ArcGIS®. The nearest neighbor approach process evaluated DTW values of wells with
4 unknown well construction data to nearby wells with known construction data. A well
5 with unknown well construction data was included if the DTW values were similar and
6 seemed acceptable given changes in topography. The DTW maps presented in Figures
7 H-11 through H-14 were developed by the USGS using data from CCID, DWR, Mendota
8 Pool Group, and USGS; these data were interpolated using an ordinary kriging, as
9 described in Appendix B. Interpolations in areas having no wells within a two mile
10 radius (identified as stippled zones with less transparency on the DTW maps) can only be
11 considered an approximation of actual conditions. Interpolated depths to water at SJRRP
12 monitoring well locations were assigned as threshold values. Historical threshold
13 Method C2 uses data from 1999. Historical threshold Method C3 uses data from 2009.




14
15
16

Figure H-11.
Fall 2009 Depth to Water in Reaches 1A through 2B for a Normal-Dry Year




1
2
3

Figure H-12.
Fall 2009 Depth to Water in Reaches 2A through 4B1 for a Normal-Dry Year



4
5
6

Figure H-13.
Fall 1999 Depth to Water in Reaches 1A through 2B for a Normal-Wet Year



1
2
3

Figure H-14.
Fall 1999 Depth to Water in Reaches 2A through 4B1 for a Normal-Wet

4 ***H.3.2.6 Using a Range of Recent Groundwater Level Data (Method C4)***

5 Following the initial release of Interim Flows on October 1, 2009 and Restoration Flows
6 on January 1, 2014, there have been several periods of time where no releases for the
7 SJRRP were in the San Joaquin River. These time periods when Reclamation did not
8 have Interim or Restoration Flows can be used to represent conditions agriculture
9 historically operated to prior to the San Joaquin River Restoration Program. Further
10 removing periods with flood flows provides a more conservative proxy for historical
11 thresholds. The time periods without Interim, Restoration, or flood flows are
12 summarized in Table H-8. These periods include a buffer of fourteen days following the
13 end of any Interim, Restoration, or flood flow releases to avoid analysis including any
14 elevated groundwater level conditions. The shallowest monitored groundwater level of a
15 variable moving average over these proxy time periods is selected as the Method C4
16 value. The Method C4 value may then be used in developing the ultimate threshold
17 assigned to the well via the Historical Groundwater method depending on other available
18 historic data as explained in section H.3.3.

1

Table H-8. Time Periods without Interim, Restoration or Flood Flows.

Reach	Periods without Interim, Restoration or Flood Flows
1A	12/5/09 - 1/31/10 11/20/11 - 1/16/12 2/24/14 - 2/14/16 6/19/21 - 10/4/21 4/22/22 - 9/30/22
1B	12/5/09 - 1/31/10 11/20/11 - 1/16/12 2/24/14 - 2/14/16 6/19/21 - 10/4/21 4/22/22 - 9/30/22
2A	12/9/09 - 2/2/10 11/23/11 - 1/18/12 2/28/14 - 2/17/16 6/22/21 - 10/7/21 4/25/22 - 10/3/22
2B	10/1/09 - 11/9/09 12/10/09 - 2/21/10 11/24/11 - 1/29/12 2/27/14 - 7/21/16 6/20/21 - 12/7/21 4/26/22 - 10/17/22
3	10/1/09 - 11/11/09 12/10/09 - 2/28/10 11/24/11 - 1/30/12 2/27/14 - 8/16/16 6/20/21 - 12/10/21 4/27/22 - 10/22/22
4A	10/1/09 - 11/15/09 12/10/09 - 3/1/10 11/25/11 - 8/17/16 6/21/21 - 12/11/21 4/28/22 - 10/23/22
4B1	10/1/09 - 12/19/10 8/9/11 - 1/9/17 8/5/17 - 5/20/19 7/29/19 - 1/9/23
4B2	10/1/09 - 12/19/10 8/9/11 - 1/9/17 8/5/17 - 5/20/19 7/29/19 - 1/9/23
5	10/1/09 - 3/12/10 8/10/10 - 12/20/10 8/12/11 - 10/31/16 6/24/21 - 12/15/21 4/30/22 - 11/10/22

2 Groundwater elevations at many wells can be variable between readings, even if only a
 3 week has elapsed between readings. To remove some of the “erratic” variability of the
 4 water levels, Reclamation applied a variable moving average over groundwater level
 5 measurements. In this approach, variable data averaging timeframes were selected
 6 depending on frequency of monitoring measurements, with more data points being
 7 averaged over higher frequency monitoring periods and fewer over lower frequency


1 monitoring. Table H-9 shows the averaging timeframes applied based on typical
 2 monitoring schedules (e.g., daily, weekly, biweekly, monthly). This analysis utilizes both
 3 manual and transducer groundwater level measurements in Reach 1A through Reach 5.

4 **Table H-9. Averaging Timeframes Applied per Frequency of Monitoring**
 5 **Measurements**

Monitoring Measurement Frequency	Variable Averaging Timeframes (before and after a data point)
Daily to weekly	+/- 11 days
Weekly to Bi-weekly	+/- 17 days
Bi-weekly to Monthly	+/- 22 days
≥Monthly	No averaging

6 For any given groundwater measurement data point, a minimum of three data points
 7 within a given timeframe around that date were required in order to apply averaging. If
 8 three or more data points were not present (i.e., data were too sparse) the next larger
 9 timeframe would be evaluated (i.e., variable moving average). If three data points were
 10 not found within the bi-weekly to monthly monitoring frequency (i.e., +/- 22 days from
 11 the measurement data point), no averaging was applied as data were too sparse to
 12 reasonably average (i.e., greater than monthly monitoring frequency).

13 The shallowest monitored groundwater level in the variable moving average indicates the
 14 well threshold, and Reclamation converted the well thresholds to in-field thresholds using
 15 the ground surface adjustment and lateral gradient buffer where applicable. Figure H-15
 16 shows an example of this method. For this example well, the shallowest measurement
 17 observation indicates a peak in the data at 4.93 ft bgs, while the calculated variable
 18 moving average smooths the data and selects a more conservative (i.e., deeper) 5.31 ft
 19 bgs. The variable moving average marks a more conservative, representative threshold
 20 than selecting an individual measurement.



1
2
3
4

Figure H-15.
Groundwater Level Data at MW-11-140 during Estimation of
Threshold via Method C4

5 **H.3.3 Results**

6 Table H-10 below shows thresholds derived from historical groundwater levels. Method
7 A (based on long period historic groundwater levels in the well) was used if it was
8 available. If Method A was not available, Method B (based on long period historic
9 groundwater levels in an adjacent well) was used. If neither Method A nor Method B
10 was available, Method C1 (based on long-term average CCID data) was used. Finally, if
11 neither Methods A, B, or C1 were available for a threshold well, the shallowest
12 groundwater level calculated from the 3 remaining sub methods of Method C was used.

13

Table H-10. Historical Groundwater Method Thresholds

Well	Method A Historical Threshold: Based on Water Levels in Well (feet bgs in field)	Method B Historical Threshold: Based on Water Levels in Nearby Well (feet bgs in field)	Method C1 Historical Threshold: CCID Well Average Groundwater Depth (feet bgs in field)	Method C2 Historical Threshold: Groundwater Depth Fall 1999 (feet bgs in field)	Method C3 Historical Threshold: Groundwater Depth Fall 2009 (feet bgs in field)	Method C4 Historical Threshold: Groundwater Depth Dec/2011 – Jan/2016 (feet bgs in field)	Historical Groundwater Threshold (feet bgs in field) ¹	Method Used ¹
110			4.8	5.5	7.8	1.7	4.8	C1
111			0.0	4.4	6.6	1.9	0.0	C1
118			0.9	6.9	7.5	1.5	0.9	C1
119			0.0	5.5	8.1	3.1	0.0	C1
126			3.5	7.1	7.9	1.8	3.5	C1
127			0.0	7.2	5.4	2.5	0.0	C1
128			0.0	7.5	5.5	3.8	0.0	C1
129			1.3	7.2	5.6	1.1	1.3	C1
130			2.3	9.2	12.9	1.8	2.3	C1
131			8.7	17.8	29.9	8.2	8.7	C1
132			7.4	13.1	16.8		7.4	C1
133			4.6	13.4	10.8	0.3	4.6	C1
134			1.2	11.5	3.4	0.4	1.2	C1
135			4.1	9.5	8.4	3.9	4.1	C1
136			2.9	5.4	8.6	10.4	2.9	C1
139			7.1	7.6	12.4	11.9	7.1	C1
140			3.6	4.7	10.2	8.2	3.6	C1
141			4.9	7.6	7.2	8.2	4.9	C1
142			0.0	16.2	5.0	1.8	0.0	C1
143			2.6	17.4	3.0	0.4	2.6	C1
145			2.5	21.5	6.7	7.7	2.5	C1
146			4.2	16.4	8.3	8.7	4.2	C1

Table H-10. Historical Groundwater Method Thresholds

Well	Method A Historical Threshold: Based on Water Levels in Well (feet bgs in field)	Method B Historical Threshold: Based on Water Levels in Nearby Well (feet bgs in field)	Method C1 Historical Threshold: CCID Well Average Groundwater Depth (feet bgs in field)	Method C2 Historical Threshold: Groundwater Depth Fall 1999 (feet bgs in field)	Method C3 Historical Threshold: Groundwater Depth Fall 2009 (feet bgs in field)	Method C4 Historical Threshold: Groundwater Depth Dec/2011 – Jan/2016 (feet bgs in field)	Historical Groundwater Threshold (feet bgs in field) ¹	Method Used ¹
147			9.1	8.5	10.6	9.5	9.1	C1
148			4.0	7.8	15.8	13.2	4.0	C1
151			4.6	18.7	15.9	5.9	4.6	C1
152			3.5	7.8	10.3	13.8	3.5	C1
154			4.3	8.0	11.1	11.5	4.3	C1
155	6.7		5.9	9.9	13.7	11.0	6.7	A
156			4.9	11.7	8.5	11.9	4.9	C1
157			3.4	10.9	8.3	11.3	3.4	C1
158			6.6	14.8	12.8	8.8	6.6	C1
159			11.2	15.9	14.9	10.9	11.2	C1
161			5.1	15.1	7.1	0.0	5.1	C1
162			8.3	12.5	15.9	14.2	8.3	C1
163			6.3	15.4	11.4	11.7	6.3	C1
164			5.3	10.4	11.5	12.9	5.3	C1
169			6.5	10.0	11.7	10.0	6.5	C1
181			6.2	6.8	10.1	2.6	6.2	C1
182			2.5	6.8	5.8	2.1	2.5	C1
183			2.0	5.5	6.1	1.0	2.0	C1
184			2.6	4.6	6.2	1.8	2.6	C1
187			0.9	8.0	6.7	0.0	0.9	C1
190			6.8	13.6	24.0	10.9	6.8	C1
191	9.1		6.9	8.2	15.3	3.6	9.1	A

Table H-10. Historical Groundwater Method Thresholds

Well	Method A Historical Threshold: Based on Water Levels in Well (feet bgs in field)	Method B Historical Threshold: Based on Water Levels in Nearby Well (feet bgs in field)	Method C1 Historical Threshold: CCID Well Average Groundwater Depth (feet bgs in field)	Method C2 Historical Threshold: Groundwater Depth Fall 1999 (feet bgs in field)	Method C3 Historical Threshold: Groundwater Depth Fall 2009 (feet bgs in field)	Method C4 Historical Threshold: Groundwater Depth Dec/2011 – Jan/2016 (feet bgs in field)	Historical Groundwater Threshold (feet bgs in field) ¹	Method Used ¹
350			1.5	19.1	21.4		1.5	C1
355				13.5	10.9	10.5	10.5	C4
356				30.8	12.9	13.8	12.9	C3
357				35.9	13.2	11.2	11.2	C4
358				12.8	12.0	5.3	5.3	C4
359				12.8	12.0	5.7	5.7	C4
360				16.7	13.0	9.2	9.2	C4
361				14.7	15.0	6.8	6.8	C4
362				25.7	10.2	7.5	7.5	C4
363				20.4	14.7	12.4	12.4	C4
364				36.9	7.6	1.6	1.6	C4
365				40.7	14.8	13.8	13.8	C4
366				44.5	16.8	10.9	10.9	C4
367				41.1	13.0	11.2	11.2	C4
368				35.6	11.4	9.1	9.1	C4
369				28.1	13.4	12.6	12.6	C4
370				34.0	11.4	11.6	11.4	C3
371				36.7	9.5	8.5	8.5	C4
372			5.0	5.9	8.6	11.1	5.0	C1
373			3.8	7.2	9.7	7.7	3.8	C1
374			5.3	6.4	13.2	15.8	5.3	C1
375			5.3	7.6	13.0	13.7	5.3	C1

Table H-10. Historical Groundwater Method Thresholds

Well	Method A Historical Threshold: Based on Water Levels in Well (feet bgs in field)	Method B Historical Threshold: Based on Water Levels in Nearby Well (feet bgs in field)	Method C1 Historical Threshold: CCID Well Average Groundwater Depth (feet bgs in field)	Method C2 Historical Threshold: Groundwater Depth Fall 1999 (feet bgs in field)	Method C3 Historical Threshold: Groundwater Depth Fall 2009 (feet bgs in field)	Method C4 Historical Threshold: Groundwater Depth Dec/2011 – Jan/2016 (feet bgs in field)	Historical Groundwater Threshold (feet bgs in field) ¹	Method Used ¹
376			7.3	8.8	14.2	16.5	7.3	C1
377			3.3	7.0	15.0	7.3	3.3	C1
378			4.4	8.0	15.0	9.1	4.4	C1
379			4.5	9.8	18.2	9.1	4.5	C1
385			7.3	16.7	29.3		7.3	C1
386			11.5	15.4	29.1	11.1	11.5	C1
387			10.1	11.0	22.1	10.3	10.1	C1
388			6.4	11.8	21.1	8.3	6.4	C1
389			5.9	9.5	16.7	5.5	5.9	C1
390			6.4	8.4	15.4	4.0	6.4	C1
110A			4.8	5.5	7.8	1.7	4.8	C1
119A			0.0	5.5	8.1	3.1	0.0	C1
120A			0.0	6.6	8.3	3.1	0.0	C1
121A			0.0	7.2	7.0	1.7	0.0	C1
127A			0.0	7.2	5.4	2.5	0.0	C1
132A			7.8	12.2	15.6	7.2	7.8	C1
133A			4.6	13.4	10.8	0.3	4.6	C1
135A			4.1	9.5	8.4	3.9	4.1	C1
139A			7.1	7.6	12.4	11.9	7.1	C1
140A			3.6	4.7	10.2	8.2	3.6	C1
144A			5.8	19.7	16.3	4.9	5.8	C1
148A			4.0	7.8	15.8	13.2	4.0	C1

Table H-10. Historical Groundwater Method Thresholds

Well	Method A Historical Threshold: Based on Water Levels in Well (feet bgs in field)	Method B Historical Threshold: Based on Water Levels in Nearby Well (feet bgs in field)	Method C1 Historical Threshold: CCID Well Average Groundwater Depth (feet bgs in field)	Method C2 Historical Threshold: Groundwater Depth Fall 1999 (feet bgs in field)	Method C3 Historical Threshold: Groundwater Depth Fall 2009 (feet bgs in field)	Method C4 Historical Threshold: Groundwater Depth Dec/2011 – Jan/2016 (feet bgs in field)	Historical Groundwater Threshold (feet bgs in field) ¹	Method Used ¹
151A			4.6	18.7	15.9	5.9	4.6	C1
152A			3.5	7.8	10.3	13.8	3.5	C1
153A			6.4	6.4	7.2	10.1	6.4	C1
153C			6.4	6.4	7.2	10.1	6.4	C1
155A	6.7		5.9	9.9	13.7	11.0	6.7	A
156A			4.9	11.7	8.5	11.9	4.9	C1
157A			3.4	10.9	8.3	11.3	3.4	C1
161A			5.1	15.1	7.1	0.0	5.1	C1
162A			6.8	12.5	15.9	12.4	6.8	C1
162C				12.5		12.4	12.4	C4
163B			6.3	15.4	11.4	11.7	6.3	C1
165A			6.6	9.7	13.0	13.9	6.6	C1
166A			6.0	12.5	13.1	10.9	6.0	C1
167A			0.5	14.3	5.9	1.3	0.5	C1
182A			2.5	6.8	5.8	2.1	2.5	C1
183A			2.0	5.5	6.1	1.0	2.0	C1
184A			2.6	4.6	6.2	1.8	2.6	C1
184B			0.8	4.6	6.2	0.1	0.8	C1
186A	3.5		2.6	6.9	9.5	0.3	3.5	A
188A			3.3	7.8	7.5	1.3	3.3	C1
189A			3.0	15.0	24.8	8.2	3.0	C1
189C			3.0	15.0	24.8	8.2	3.0	C1

Table H-10. Historical Groundwater Method Thresholds

Well	Method A Historical Threshold: Based on Water Levels in Well (feet bgs in field)	Method B Historical Threshold: Based on Water Levels in Nearby Well (feet bgs in field)	Method C1 Historical Threshold: CCID Well Average Groundwater Depth (feet bgs in field)	Method C2 Historical Threshold: Groundwater Depth Fall 1999 (feet bgs in field)	Method C3 Historical Threshold: Groundwater Depth Fall 2009 (feet bgs in field)	Method C4 Historical Threshold: Groundwater Depth Dec/2011 – Jan/2016 (feet bgs in field)	Historical Groundwater Threshold (feet bgs in field) ¹	Method Used ¹
191A	9.1		6.9	8.2	15.3	3.6	9.1	A
369B				28.1	13.4	12.6	12.6	C4
CNOW-13-50				36.1	8.7	11.0	8.7	C3
CNOW-14-52				57.0	24.3	21.6	21.6	C4
CNSPT-52				61.9	24.1	21.6	21.6	C4
CWOW-14-15				36.1	8.7	12.1	8.7	C3
CWSPT-15				61.9	24.1	12.1	12.1	C4
FA-1				42.1	16.6	8.9	8.9	C4
FA-2				40.3	19.3	12.5	12.5	C4
FA-3				40.3	19.3	12.6	12.6	C4
FA-4				49.9	13.2	10.1	10.1	C4
FA-5				52.5	10.8	9.6	9.6	C4
FA-6				57.1	9.3	2.1	2.1	C4
FA-7				57.1	9.3	1.8	1.8	C4
FA-8				68.0	19.9	3.7	3.7	C4
FA-9				67.7	21.0	6.1	6.1	C4
JR-1				98.9	25.5	24.6	24.6	C4
JR-2				95.4	17.8	8.7	8.7	C4
MA-1				40.3	19.3	17.2	17.2	C4
MA-2				54.7	13.0	5.2	5.2	C4
MA-3				53.8	21.1	5.4	5.4	C4
MA-4				70.6	15.9	6.9	6.9	C4

Table H-10. Historical Groundwater Method Thresholds

Well	Method A Historical Threshold: Based on Water Levels in Well (feet bgs in field)	Method B Historical Threshold: Based on Water Levels in Nearby Well (feet bgs in field)	Method C1 Historical Threshold: CCID Well Average Groundwater Depth (feet bgs in field)	Method C2 Historical Threshold: Groundwater Depth Fall 1999 (feet bgs in field)	Method C3 Historical Threshold: Groundwater Depth Fall 2009 (feet bgs in field)	Method C4 Historical Threshold: Groundwater Depth Dec/2011 – Jan/2016 (feet bgs in field)	Historical Groundwater Threshold (feet bgs in field) ¹	Method Used ¹
MW-09-1				98.6	12.2	10.8	10.8	C4
MW-09-2				99.6	14.0	11.7	11.7	C4
MW-09-21				39.3	30.0	25.0	25.0	C4
MW-09-22				42.5	24.0	17.1	17.1	C4
MW-09-23				44.3	11.0	15.5	11.0	C3
MW-09-23B				44.3	11.0	15.5	11.0	C3
MW-09-25				46.2	24.0	25.9	24.0	C3
MW-09-26				48.1	33.0	34.6	33.0	C3
MW-09-27				49.9	46.0	49.0	46.0	C3
MW-09-36				37.7	17.0	7.0	7.0	C4
MW-09-37				41.3	20.0	18.3	18.3	C4
MW-09-37B				41.3	20.0	3.8	3.8	C4
MW-09-39				49.9	13.0	21.8	13.0	C3
MW-09-39B				49.9	13.0	10.3	10.3	C4
MW-09-41				52.5	11.0	21.9	11.0	C3
MW-09-44				57.1	9.0	7.5	7.5	C4
MW-09-46				68.0	20.0	8.3	8.3	C4
MW-09-47				69.7	20.0	5.5	5.5	C4
MW-09-49				67.2	7.0	13.8	7.0	C3
MW-09-49B				67.2	7.0	3.4	3.4	C4
MW-09-52				58.8	40.0	24.0	24.0	C4
MW-09-53				59.2	38.0	22.1	22.1	C4

Table H-10. Historical Groundwater Method Thresholds

Well	Method A Historical Threshold: Based on Water Levels in Well (feet bgs in field)	Method B Historical Threshold: Based on Water Levels in Nearby Well (feet bgs in field)	Method C1 Historical Threshold: CCID Well Average Groundwater Depth (feet bgs in field)	Method C2 Historical Threshold: Groundwater Depth Fall 1999 (feet bgs in field)	Method C3 Historical Threshold: Groundwater Depth Fall 2009 (feet bgs in field)	Method C4 Historical Threshold: Groundwater Depth Dec/2011 – Jan/2016 (feet bgs in field)	Historical Groundwater Threshold (feet bgs in field) ¹	Method Used ¹
MW-09-54				58.2	29.0	12.2	12.2	C4
MW-09-54B				58.2	29.0	1.4	1.4	C4
MW-09-55				58.5	13.0	14.9	13.0	C3
MW-09-55B				58.5	13.0	6.5	6.5	C4
MW-09-56				58.7	25.0	13.6	13.6	C4
MW-09-57				57.0	39.0	24.0	24.0	C4
MW-09-83				39.0	52.0	26.6	26.6	C4
MW-09-83B				39.0	52.0	26.7	26.7	C4
MW-09-84				23.6	38.0	13.1	13.1	C4
MW-09-85				21.4	39.0	11.9	11.9	C4
MW-09-85B				21.4	39.0	8.9	8.9	C4
MW-09-86			0.7	19.4	38.0	12.0	0.7	C1
MW-09-86B			1.0	19.4	38.0	11.8	1.0	C1
MW-09-87			5.1	16.5	28.0	9.8	5.1	C1
MW-09-87B			6.1	16.5	28.0	10.3	6.1	C1
MW-09-88		5.0	2.7	9.2	9.0	1.5	5.0	B
MW-09-121				5.7	10.2	0.0	0.0	C4
MW-09-123				5.8	10.0	0.0	0.0	C4
MW-09-124				6.0	9.9	8.0	6.0	C2
MW-09-125				6.1	10.1	8.4	6.1	C2
MW-10-74		9.6	5.4	10.3	18.0	11.5	9.6	B
MW-10-75			8.7	9.7	16.0	7.5	8.7	C1

Table H-10. Historical Groundwater Method Thresholds

Well	Method A Historical Threshold: Based on Water Levels in Well (feet bgs in field)	Method B Historical Threshold: Based on Water Levels in Nearby Well (feet bgs in field)	Method C1 Historical Threshold: CCID Well Average Groundwater Depth (feet bgs in field)	Method C2 Historical Threshold: Groundwater Depth Fall 1999 (feet bgs in field)	Method C3 Historical Threshold: Groundwater Depth Fall 2009 (feet bgs in field)	Method C4 Historical Threshold: Groundwater Depth Dec/2011 – Jan/2016 (feet bgs in field)	Historical Groundwater Threshold (feet bgs in field) ¹	Method Used ¹
MW-10-76			4.3	10.2	12.0	14.8	4.3	C1
MW-10-78				27.3	20.0	6.0	6.0	C4
MW-10-80				17.7	25.0	6.4	6.4	C4
MW-10-89				13.6	19.0	7.5	7.5	C4
MW-10-90				14.3	18.0	1.1	1.1	C4
MW-10-91				6.6	8.0	4.2	4.2	C4
MW-10-92				6.2	7.0	3.7	3.7	C4
MW-10-93				5.6	6.0	1.9	1.9	C4
MW-10-94				17.4	23.1	3.8	3.8	C4
MW-10-95				7.1	11.0	1.4	1.4	C4
MW-10-96				4.8	7.6	1.6	1.6	C4
MW-10-97				4.0	6.0	2.7	2.7	C4
MW-10-98				3.9	6.0	2.2	2.2	C4
MW-10-99				4.0	5.0	1.3	1.3	C4
MW-10-100				4.2	5.0	0.8	0.8	C4
MW-10-102				18.4	32.0	1.1	1.1	C4
MW-10-103				10.7	23.0	0.3	0.3	C4
MW-10-105				6.4	16.0	0.0	0.0	C4
MW-10-106				10.4	21.0	2.5	2.5	C4
MW-10-107				7.2	13.0	0.7	0.7	C4
MW-10-108				7.3	11.1	0.6	0.6	C4
MW-10-109				7.3	9.4	1.1	1.1	C4

Table H-10. Historical Groundwater Method Thresholds

Well	Method A Historical Threshold: Based on Water Levels in Well (feet bgs in field)	Method B Historical Threshold: Based on Water Levels in Nearby Well (feet bgs in field)	Method C1 Historical Threshold: CCID Well Average Groundwater Depth (feet bgs in field)	Method C2 Historical Threshold: Groundwater Depth Fall 1999 (feet bgs in field)	Method C3 Historical Threshold: Groundwater Depth Fall 2009 (feet bgs in field)	Method C4 Historical Threshold: Groundwater Depth Dec/2011 – Jan/2016 (feet bgs in field)	Historical Groundwater Threshold (feet bgs in field) ¹	Method Used ¹
MW-10-110				24.9	32.0	1.6	1.6	C4
MW-10-111				21.1	24.0	1.5	1.5	C4
MW-10-112				22.2	21.0	1.5	1.5	C4
MW-10-113				7.1	5.8	3.7	3.7	C4
MW-10-114				7.5	8.3	0.7	0.7	C4
MW-10-115				6.9	10.0	1.2	1.2	C4
MW-10-116				30.4	36.0	5.7	5.7	C4
MW-10-117				35.1	46.4		35.1	C2
MW-10-118				15.7	15.0	10.2	10.2	C4
MW-10-119				15.1	13.0	7.7	7.7	C4
MW-10-120				39.7	15.8	15.2	15.2	C4
MW-10-126				14.8	11.0	15.1	11.0	C3
MW-10-127				21.7	12.0		12.0	C3
MW-10-128				60.7	16.0	2.2	2.2	C4
MW-10-129				37.8	11.0	27.9	11.0	C3
MW-10-188		9.5	8.7	15.5	23.0	7.4	9.5	B
MW-11-130			5.0	18.6	16.0	3.8	5.0	C1
MW-11-131			7.2	18.1	19.0	5.9	7.2	C1
MW-11-132			5.0	18.3	20.0	5.1	5.0	C1
MW-11-133			1.9	16.6	4.0	1.2	1.9	C1
MW-11-134			7.4	16.0	15.0	5.0	7.4	C1
MW-11-135			4.2	15.1	13.0	2.5	4.2	C1

Table H-10. Historical Groundwater Method Thresholds

Well	Method A Historical Threshold: Based on Water Levels in Well (feet bgs in field)	Method B Historical Threshold: Based on Water Levels in Nearby Well (feet bgs in field)	Method C1 Historical Threshold: CCID Well Average Groundwater Depth (feet bgs in field)	Method C2 Historical Threshold: Groundwater Depth Fall 1999 (feet bgs in field)	Method C3 Historical Threshold: Groundwater Depth Fall 2009 (feet bgs in field)	Method C4 Historical Threshold: Groundwater Depth Dec/2011 – Jan/2016 (feet bgs in field)	Historical Groundwater Threshold (feet bgs in field) ¹	Method Used ¹
MW-11-136			5.0	12.5	11.0	1.5	5.0	C1
MW-11-137				25.2	35.1	1.1	1.1	C4
MW-11-138				32.6	49.0	3.1	3.1	C4
MW-11-139				32.4	48.0	1.0	1.0	C4
MW-11-140				18.0	27.3	2.5	2.5	C4
MW-11-141				31.2	45.7	1.1	1.1	C4
MW-11-142				26.6	39.0	2.2	2.2	C4
MW-11-143				22.7	36.0	0.0	0.0	C4
MW-11-144				34.2	53.0	3.1	3.1	C4
MW-11-145				20.2	21.6	2.3	2.3	C4
MW-11-146				27.1	38.0	2.6	2.6	C4
MW-11-147				27.8	39.0	0.0	0.0	C4
MW-11-148			5.7	11.2	19.0	6.3	5.7	C1
MW-11-149			7.0	16.7	29.0	12.2	7.0	C1
MW-11-150			4.9	21.2	23.0	11.6	4.9	C1
MW-11-151				86.4	21.0		21.0	C3
MW-11-152				7.4	6.2	1.8	1.8	C4
MW-11-153				7.5	3.0	1.0	1.0	C4
MW-11-154				6.9	4.0	0.3	0.3	C4
MW-11-155				10.7	20.0	15.1	10.7	C2
MW-11-156				10.9	22.0	16.6	10.9	C2
MW-11-157				16.8	20.0	11.5	11.5	C4

Table H-10. Historical Groundwater Method Thresholds

Well	Method A Historical Threshold: Based on Water Levels in Well (feet bgs in field)	Method B Historical Threshold: Based on Water Levels in Nearby Well (feet bgs in field)	Method C1 Historical Threshold: CCID Well Average Groundwater Depth (feet bgs in field)	Method C2 Historical Threshold: Groundwater Depth Fall 1999 (feet bgs in field)	Method C3 Historical Threshold: Groundwater Depth Fall 2009 (feet bgs in field)	Method C4 Historical Threshold: Groundwater Depth Dec/2011 – Jan/2016 (feet bgs in field)	Historical Groundwater Threshold (feet bgs in field) ¹	Method Used ¹
MW-11-158				40.2	45.0	10.9	10.9	C2
MW-11-159				44.3	49.0	24.0	24.0	C4
MW-11-160				35.4	10.0	15.3	10.0	C3
MW-11-161				31.3	25.0	10.4	10.4	C4
MW-11-162				19.1	27.0	12.6	12.6	C4
MW-11-163				32.5	33.0	10.1	10.1	C4
MW-11-164				20.4	16.0	13.5	13.5	C4
MW-12-165				8.5	11.0	4.2	4.2	C4
MW-12-166				19.8	29.0	17.3	17.3	C4
MW-12-167				19.6	30.0	15.7	15.7	C4
MW-12-168				10.0	17.0	3.8	3.8	C4
MW-12-169				7.4	9.0	3.6	3.6	C4
MW-12-170				13.9	14.0	1.8	1.8	C4
MW-12-171				10.5	13.0	0.0	0.0	C4
MW-12-172				7.7	11.0	2.8	2.8	C4
MW-12-173				24.2		5.7	5.7	C4
MW-12-174				15.6	21.0	3.7	3.7	C4
MW-12-175				27.1	34.0	2.8	2.8	C4
MW-12-176				15.9	20.0	1.2	1.2	C4
MW-12-177				10.8	16.0	2.4	2.4	C4
MW-12-178			7.9	12.2	24.0	14.5	7.9	C1
MW-12-179			10.3	18.0	32.0	17.6	10.3	C1

Table H-10. Historical Groundwater Method Thresholds

Well	Method A Historical Threshold: Based on Water Levels in Well (feet bgs in field)	Method B Historical Threshold: Based on Water Levels in Nearby Well (feet bgs in field)	Method C1 Historical Threshold: CCID Well Average Groundwater Depth (feet bgs in field)	Method C2 Historical Threshold: Groundwater Depth Fall 1999 (feet bgs in field)	Method C3 Historical Threshold: Groundwater Depth Fall 2009 (feet bgs in field)	Method C4 Historical Threshold: Groundwater Depth Dec/2011 – Jan/2016 (feet bgs in field)	Historical Groundwater Threshold (feet bgs in field) ¹	Method Used ¹
MW-12-180			4.7	22.7	12.0	9.8	4.7	C1
MW-12-181			5.6	25.3	19.0	10.7	5.6	C1
MW-12-182			4.3	19.8	14.0	5.0	4.3	C1
MW-12-183			1.2	25.3	16.0	8.7	1.2	C1
MW-12-184				17.7	9.0	10.8	9.0	C3
MW-12-185				20.0	12.0	8.7	8.7	C4
MW-12-186				25.3	11.0	7.0	7.0	C4
MW-12-187				35.3	11.0	7.9	7.9	C4
MW-12-189				12.8	11.0	7.9	7.9	C4
MW-12-190				13.2	12.0	6.4	6.4	C4
MW-12-191				11.1	10.0	8.8	8.8	C3
MW-12-192				10.2	10.0	8.3	8.3	C4
MW-13-193				18.1	10.4	11.3	10.4	C3
MW-13-194				18.9	10.4	8.4	8.4	C4
MW-13-195				20.3	10.7	6.9	6.9	C4
MW-13-196				18.5	10.5	7.6	7.6	C4
MW-13-197				17.3	10.9	8.3	8.3	C4
MW-13-198				15.2	12.9	10.7	10.7	C4
MW-13-199				13.5	12.4	6.8	6.8	C4
MW-13-200				37.5	15.5	7.6	7.6	C4
MW-13-201				18.7	32.5	8.6	8.6	C4
MW-13-202				19.4	34.7	22.4	19.4	C2

Table H-10. Historical Groundwater Method Thresholds

Well	Method A Historical Threshold: Based on Water Levels in Well (feet bgs in field)	Method B Historical Threshold: Based on Water Levels in Nearby Well (feet bgs in field)	Method C1 Historical Threshold: CCID Well Average Groundwater Depth (feet bgs in field)	Method C2 Historical Threshold: Groundwater Depth Fall 1999 (feet bgs in field)	Method C3 Historical Threshold: Groundwater Depth Fall 2009 (feet bgs in field)	Method C4 Historical Threshold: Groundwater Depth Dec/2011 – Jan/2016 (feet bgs in field)	Historical Groundwater Threshold (feet bgs in field) ¹	Method Used ¹
MW-13-210				9.0	19.6	16.3	9.0	C2
MW-13-211				14.9	21.6	19.2	14.9	C2
MW-13-212				17.0	26.5	13.4	14.7	C4
MW-13-213				23.7	27.6	12.1	12.1	C4
MW-13-214				28.7	23.5	18.6	18.6	C4
MW-13-215				59.6	31.2	14.8	14.8	C4
MW-13-216				57.0	24.3	11.6	11.6	C4
MW-14-203				13.2	25.4	28.3	13.2	C2
MW-14-204				9.9	20.4	40.3	9.9	C2
MW-14-205				9.7	20.5	30.6	9.7	C2
MW-14-206				8.1	9.4	19.4	8.1	C2
MW-14-207				20.6	36.9	7.9	7.9	C4
MW-14-208				7.1	16.5	6.5	6.5	C4
MW-14-209				8.9	25.7	35.5	8.9	C2
MW-16-219			8.6				8.6	C1
MW-16-220			8.6				8.6	C1
MW-16-221			10.2				10.2	C1
MW-16-222			10.3				10.3	C1
MW-16-224			10.8				10.8	C1
MW-17-225			11.3	16.7	21.0	12.3	11.3	C1
MW-17-226			8.8	16.8	18.9	10.4	8.8	C1
MW-18-158B				40.2	45.4	10.9	10.9	C4

Table H-10. Historical Groundwater Method Thresholds

Well	Method A Historical Threshold: Based on Water Levels in Well (feet bgs in field)	Method B Historical Threshold: Based on Water Levels in Nearby Well (feet bgs in field)	Method C1 Historical Threshold: CCID Well Average Groundwater Depth (feet bgs in field)	Method C2 Historical Threshold: Groundwater Depth Fall 1999 (feet bgs in field)	Method C3 Historical Threshold: Groundwater Depth Fall 2009 (feet bgs in field)	Method C4 Historical Threshold: Groundwater Depth Dec/2011 – Jan/2016 (feet bgs in field)	Historical Groundwater Threshold (feet bgs in field) ¹	Method Used ¹
MW-18-227						0.0	0.0	C4
MW-18-228								
MW-18-80B				18.2	27.0	8.6	8.6	C4
MW-22-229								
MW-22-230						11.5	11.5	C4
MW-22-231						23.9	23.9	C4
MW-22-232						12.8	12.8	C4
MW-22-233						15.0	15.0	C4
MW-22-234						29.9	29.9	C4
MW-22-235						24.8	24.8	C4
MW-22-236						24.0	24.0	C4
OW-1								
OW-2								
OW-3								
OW-4								
OW-5								
OW-5B								
OW-6								
OW-6B								
PZ-09-R2B-1				31.2	6.0		6.0	C3
PZ-09-R2B-2				40.3	10.0	0.7	0.7	C4
PZ-09-R3-1				12.9	9.0	3.7	3.7	C4

Table H-10. Historical Groundwater Method Thresholds

Well	Method A Historical Threshold: Based on Water Levels in Well (feet bgs in field)	Method B Historical Threshold: Based on Water Levels in Nearby Well (feet bgs in field)	Method C1 Historical Threshold: CCID Well Average Groundwater Depth (feet bgs in field)	Method C2 Historical Threshold: Groundwater Depth Fall 1999 (feet bgs in field)	Method C3 Historical Threshold: Groundwater Depth Fall 2009 (feet bgs in field)	Method C4 Historical Threshold: Groundwater Depth Dec/2011 – Jan/2016 (feet bgs in field)	Historical Groundwater Threshold (feet bgs in field) ¹	Method Used ¹
PZ-09-R3-2				12.9	11.0	7.4	7.4	C4
PZ-09-R3-3				13.4	14.0	8.8	8.8	C4
PZ-09-R3-4				17.3	11.0	6.0	6.0	C4
PZ-09-R3-5				12.2	11.0	4.5	4.5	C4
PZ-09-R3-6				10.5	10.0	5.9	5.9	C4
PZ-09-R3-7				16.3	9.0	7.9	7.9	C4
PZ-12-R2B-3				59.7	26.0	8.3	8.3	C4
PZ-12-R2B-4				62.7	26.0	3.9	3.9	C4
PZ-12-R2B-5				60.0	29.0	5.7	5.7	C4
PZ-12-R2B-6				58.8	29.0	13.4	13.4	C4
PZ-12-R4B-8				11.2	14.8	4.6	4.6	C4
PZ-12-R4B-10				8.4	12.3		8.4	C2
PZ-12-R4B-10D				7.3	11.4	2.8	2.8	C4
PZ-13-R2B-7				14.4	19.1	5.2	5.2	C4
PZ-13-R2B-8				12.7	16.2		12.7	C2
PZ-13-R4A-1				7.0	10.0	9.4	7.0	C2
PZ-13-R4A-2			19.9	11.2	14.8		19.9	C1
PZ-13-R4B-11				7.7	9.9	0.7	0.7	C4
PZ-13-R4B-12				7.7	9.9	0.0	0.0	C4
SJR W-1				4.0	5.0	1.2	1.2	C4
SJR W-2				4.8	5.0	1.5	1.5	C4
SJR W-3				4.4	5.0	1.1	1.1	C4

Table H-10. Historical Groundwater Method Thresholds

Well	Method A Historical Threshold: Based on Water Levels in Well (feet bgs in field)	Method B Historical Threshold: Based on Water Levels in Nearby Well (feet bgs in field)	Method C1 Historical Threshold: CCID Well Average Groundwater Depth (feet bgs in field)	Method C2 Historical Threshold: Groundwater Depth Fall 1999 (feet bgs in field)	Method C3 Historical Threshold: Groundwater Depth Fall 2009 (feet bgs in field)	Method C4 Historical Threshold: Groundwater Depth Dec/2011 – Jan/2016 (feet bgs in field)	Historical Groundwater Threshold (feet bgs in field) ¹	Method Used ¹
SJR W-4				6.6	7.0	2.9	2.9	C4
SJR W-5				5.6	7.0	1.8	1.8	C4
SJR W-6				5.5	7.0	0.2	0.2	C4
SJR W-7				6.9	9.0	1.8	1.8	C4
SJR W-8			1.7	6.3	7.0	1.5	1.7	C1
SJR W-9			6.0	6.6	8.0	1.7	6.0	C1
SJR W-10			7.1	7.1	9.0	0.9	7.1	C1
SJR W-11		11.2	9.6	8.1	13.0	6.0	11.2	B
SJR W-12				7.0	7.0	1.6	1.6	C4
SLCC-011				9.6	19.0		9.6	C2
SLCC-012				7.1	17.0		7.1	C2
SLCC-019				7.2			7.2	C2
SLCC-027				4.0	5.0		4.0	C2
SPT-11-1						2.9	2.9	C4
SPT-11-2						2.6	2.6	C4
SPT-21-1						12.0	12.0	C4
SPT-21-7								
SPT-21-10								
SPT-21-12								
SPT-21-18						9.6	9.6	C4
SPT-21-25						12.3	12.3	C4
T8-1								

Table H-10. Historical Groundwater Method Thresholds

Well	Method A Historical Threshold: Based on Water Levels in Well (feet bgs in field)	Method B Historical Threshold: Based on Water Levels in Nearby Well (feet bgs in field)	Method C1 Historical Threshold: CCID Well Average Groundwater Depth (feet bgs in field)	Method C2 Historical Threshold: Groundwater Depth Fall 1999 (feet bgs in field)	Method C3 Historical Threshold: Groundwater Depth Fall 2009 (feet bgs in field)	Method C4 Historical Threshold: Groundwater Depth Dec/2011 – Jan/2016 (feet bgs in field)	Historical Groundwater Threshold (feet bgs in field) ¹	Method Used ¹
T10-1 (1m)				57.1	9.0		9.0	C3
T10-1 (3m)				57.1	9.0		9.0	C3
T10-2				55.5	15.0		15.0	C3
T12-1				69.7	20.0		20.0	C3
T12-2				69.7	20.0		20.0	C3
T12-3				69.7	20.0		20.0	C2
T13-2				67.2	7.0		7.0	C3
T13-3				67.2	7.0	0.7	0.7	C4

¹Method A was used if it was available. If Method A was not available, Method B was used. If neither Methods A or B were available, Method C1 was used. If none of the preceding methods was available, the shallowest groundwater level calculated from the remaining C methods was used (i.e. C2, C3, or C4).

1 **H.3.4 Limitations**

2 All thresholds based on measured groundwater levels are subject to inaccuracies
3 associated with the DTW measurements themselves and with the local datum used to
4 calculate groundwater level elevations. Given the low-precision nature of threshold
5 estimation and good measurement protocols in place, the potential error in measurement
6 of DTW can be neglected. However, some measurements may have been taken during,
7 or soon after, irrigation and may not represent static groundwater conditions. These
8 measurements may be filtered from the data set if field notes suggest recent irrigation
9 events.

10 Thresholds calculated on the basis of long-term spring water levels measured in the
11 threshold well are strongly tied to known field conditions, and therefore are relatively
12 well posed. The elimination of the greatest 31 percent of groundwater level elevations,
13 based on the percentage of wet years during the CCID well network period of record, is
14 subject to change as analysis continues.

15 Thresholds calculated using long-term data from a nearby well are subject to error from
16 the assumption that hydrologic conditions at the two wells are similar. This error is
17 minimized by graphically comparing groundwater level elevations for each well (having
18 offset values for the nearby well by the difference in ground surface elevations);
19 however, historic conditions differ from those that include Interim and Restoration
20 Flows, so a graphical comparison is an imprecise indication of error.

21 Threshold elevation estimates derived from the interpolated DTW maps were chosen for
22 years that had good well coverage and represent average (normal conditions) based on
23 the SJRRP year type classification. Threshold elevations based on these maps may be
24 biased high or low depending on potential irrigation methods and amounts because the
25 maps were produced for the fall season (September 15 through November 15) as there
26 was a lack of spring DTW long-term data for many wells. In addition, threshold wells
27 located in areas having no wells within a two-mile radius (identified as stippled zones
28 with less transparency on the DTW maps) can only be considered an approximation of
29 actual conditions. In addition, the maps generated using only CCID well data has clear
30 advantages, including a data set of only shallow wells relatively unaffected by
31 groundwater pumping and compensation for varying ground surface elevations, but also
32 has disadvantages, including:

- 33 • The average of all measured groundwater elevations was used for each CCID
34 well. With regard to a threshold, this translates to having historically been at or
35 above the threshold about 50 percent of the time. Consideration will be given to
36 using an alternative to the average, e.g., the 69th percentile.
- 37 • There are no CCID wells east of the San Joaquin River and most of the SJRRP
38 threshold wells are east of the CCID wells; therefore, extrapolated, not
39 interpolated values are assigned as thresholds.

1 Groundwater level thresholds generated based on 2011 - 2016 groundwater levels are
2 also subject to limitations. These include the lack of a long-term dataset, the drought
3 conditions underway which may result in overly conservative (i.e. deep) groundwater
4 levels, and the possibility of measurement error as manual measurements were used.

5 **H.4 Validation of Thresholds**

6 The Reclamation Drainage Manual was first printed in 1978 and revised in 1993. The
7 Drainage Manual states: “All the methods and techniques covered in the manual have
8 proven to be very satisfactory through observed field conditions on irrigated lands
9 throughout the world. Some methods have a more elegant development and basis in
10 science than others, but all have been designed to solve practical problems in the field.
11 The manual contains techniques developed over the last 50 years by personnel in the
12 Bureau of Reclamation.”

13 According to the Drainage manual, a maintaining of DTW of at least three to five feet is
14 generally satisfactory, depending on local conditions including type of crops grown
15 (Reclamation, 1993; pg. 132). Many thresholds established in the previous sections are
16 deeper than three to five feet, indicating that those thresholds may be conservative,
17 depending on crop type and other factors.

18 **H.5 Threshold Results**

19 A summary of the threshold analysis is presented in Tables H-11 and H-12. Table H-11
20 presents thresholds in “field”; Table H-12 presents “well” thresholds. The difference
21 between “field” and “well” thresholds is presented in Section H.1.3.1. Some
22 considerations regarding the thresholds follow:

- 23 • Several SJRRP monitoring wells are deeper wells, intended to monitor
24 groundwater flow across a transect rather than water-table effects. Thresholds
25 were developed for these wells, but will not be used for operations as they do not
26 monitor the shallow groundwater table.
- 27 • A negative threshold indicates the well is in the river channel, and screened at an
28 interval deeper below ground surface than the threshold in the adjacent field.
29 These wells cannot be used to monitor groundwater levels in the adjacent field
30 and will not be used for operations.
- 31 • Wells without a threshold elevation have not yet been surveyed and were outside
32 of the LiDAR survey range. Thus, the ground surface elevation for these wells is
33 unknown.
- 34 • Thresholds will continue to be revised as additional monitoring and data
35 collection efforts result in modification to assumptions.

- 1 Table H-13 presents a summary of the number of wells that utilize the different threshold
- 2 methods.

Table H-11. Threshold Summary Table (Field Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in field)	Method 2 Threshold - Historical Groundwater (feet bgs in field)	Threshold (feet bgs in field) ¹	Threshold Elevation ¹	Method Used ¹
110	4A	Left	Almond, Cotton, Tomato	6.5	4.8	4.8	103.9	2
111	4A	Left	Alfalfa, Almond, Cotton, Wheat	6.5	0.0	0.0	110.5	2
118	4A	Left	Almond, Corn, Wheat	6.5	0.9	0.9	109.6	2
119	4A	Left	Alfalfa, Corn, Cotton	6.5	0.0	0.0	111.8	2
126	4A	Left	Almond, Corn, Cotton, Wheat	6.5	3.5	3.5	112.4	2
127	4A	Left	Alfalfa, Almond, Corn, Cotton	6.5	0.0	0.0	114.1	2
128	4A	Left	Pistachio	5.5	0.0	0.0	114.3	2
129	4A	Left	Alfalfa, Almond	6.5	1.3	1.3	110.9	2
130	4A	Left	Almond, Cotton	6.5	2.3	2.3	109.7	2
131	4A	Left	Almond	6.5	8.7	6.5	106.6	1
132	4A	Left	Alfalfa	6.5	7.4	6.5	108.9	1
133	4A	Left	Almond	6.5	4.6	4.6	109.6	2
134	4A	Left	Corn, Melon	5.5	1.2	1.2	114.2	2
135	3	Left	Alfalfa, Cotton, Vegetable	6.5	4.1	4.1	113.7	2
136	3	Left	Alfalfa, Cotton, Melon, Pistachio, Wheat	6.5	2.9	2.9	114.5	2
139	3	Left	Alfalfa, Corn, Melon, Tomato	6.5	7.1	6.5	116.4	1
140	3	Left	Cotton, Pistachio	5.5	3.6	3.6	117.3	2
141	3	Left	Cotton, Melon, Pistachio, Wheat	5.5	4.9	4.9	114.4	2
142	3	Left	Alfalfa, Corn, Cotton, Wheat	6.5	0.0	0.0	118.3	2

Table H-11. Threshold Summary Table (Field Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in field)	Method 2 Threshold - Historical Groundwater (feet bgs in field)	Threshold (feet bgs in field) ¹	Threshold Elevation ¹	Method Used ¹
143	4A	Left	Almond	6.5	2.6	2.6	114.3	2
145	3	Left	Alfalfa, Cotton	6.5	2.5	2.5	118.6	2
146	3	Left	Almond, Corn	6.5	4.2	4.2	118.2	2
147	3	Left	Almond, Cotton	6.5	9.1	6.5	118.2	1
148	3	Left	Corn, Cotton, Pistachio, Tomato	5.5	4.0	4.0	119.9	2
151	3	Left	Alfalfa, Almond	6.5	4.6	4.6	119.6	2
152	3	Left	Almond	6.5	3.5	3.5	124.3	2
154	3	Left	Almond, Wheat	6.5	4.3	4.3	123.6	2
155	3	Left	Almond	7.0	6.7	6.7	122.6	2
156	3	Left	Corn, Tomato	5.5	4.9	4.9	128.8	2
157	3	Left	Alfalfa, Almond, Corn, Tomato	6.5	3.4	3.4	130.3	2
158	3	Left	Alfalfa, Cotton	6.5	6.6	6.5	129.6	1
159	3	Left	Corn, Cotton, Wheat	5.5	11.2	5.5	133.1	1
161	3	Left	Alfalfa, Corn, Cotton	6.5	5.1	5.1	132.5	2
163	3	Left	Alfalfa, Almond, Pistachio	6.5	6.3	6.3	124.5	2
164	3	Left	Alfalfa, Almond	6.5	5.3	5.3	122.9	2
169	3	Left	Corn, Melon, Pistachio	5.5	6.5	5.5	119.6	1
181	4A	Left	Alfalfa, Corn, Tomato, Wheat	6.5	6.2	6.2	104.5	2
182	4A	Left	Alfalfa, Pasture, Tomato, Wheat	6.5	2.5	2.5	105.0	2
183	4A	Left	Alfalfa, Corn, Cotton, Pasture, Wheat	6.5	2.0	2.0	103.3	2

Table H-11. Threshold Summary Table (Field Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in field)	Method 2 Threshold - Historical Groundwater (feet bgs in field)	Threshold (feet bgs in field) ¹	Threshold Elevation ¹	Method Used ¹
184	4A	Left	Alfalfa, Almond	6.5	2.6	2.6	98.9	2
187	4A	Left	Almond, Corn, Tomato, Wheat	6.5	0.9	0.9	105.0	2
190	4A	Left	Tomato	5.5	6.8	5.5	105.9	1
191	4A	Left	Tomato	6.0	9.1	6.0	101.2	1
350	4A	Left	Almond	6.5	1.5	1.5	118.3	2
355	3	Left	Almond, Pistachio	6.5	10.5	6.5	137.8	1
356	3	Left	Almond	6.5	12.9	6.5	139.8	1
357	3	Left	Almond, Tomato	6.5	11.2	6.5	141.5	1
358	3	Left	Almond	6.5	5.3	5.3	135.7	2
359	3	Left	Almond	6.5	5.7	5.7	135.1	2
360	3	Left	Almond	6.5	9.2	6.5	138.3	1
361	3	Left	Alfalfa, Almond, Pistachio	6.5	6.8	6.5	138.6	1
362	3	Left	Almond	6.5	7.5	6.5	138.7	1
363	3	Left	Alfalfa, Cotton, Pistachio	6.5	12.4	6.5	141.5	1
364	3	Left	Almond, Cotton	6.5	1.6	1.6	144.1	2
365	3	Left	Almond, Wheat	6.5	13.8	6.5	143.9	1
366	3	Left	Cotton, Wheat	5.5	10.9	5.5	145.1	1
367	3	Left	Almond, Cotton	6.5	11.2	6.5	145.3	1
368	3	Left	Almond	6.5	9.1	6.5	142.6	1
369	3	Left	Almond, Cotton	6.5	12.6	6.5	139.5	1
370	3	Left	Almond	6.5	11.4	6.5	141.2	1

Table H-11. Threshold Summary Table (Field Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in field)	Method 2 Threshold - Historical Groundwater (feet bgs in field)	Threshold (feet bgs in field) ¹	Threshold Elevation ¹	Method Used ¹
371	3	Left	Almond	6.5	8.5	6.5	142.7	1
372	3	Left	Alfalfa, Almond	6.5	5.0	5.0	121.2	2
373	3	Left	Almond	6.5	3.8	3.8	123.2	2
374	3	Left	Almond, Cotton	6.5	5.3	5.3	122.7	2
375	3	Left	Almond, Wheat	6.5	5.3	5.3	123.7	2
376	3	Left	Almond, Cotton, Wheat	6.5	7.3	6.5	123.7	1
377	3	Left	Almond	6.5	3.3	3.3	126.1	2
378	3	Left	Almond, Wheat	6.5	4.4	4.4	126.2	2
379	3	Left	Cotton, Wheat	5.5	4.5	4.5	125.5	2
385	4A	Left	Almond, Tomato	6.5	7.3	6.5	104.6	1
386	4A	Left	Tomato	5.5	11.5	5.5	103.6	1
387	4A	Left	Tomato	5.5	10.1	5.5	101.9	1
388	4A	Left	Cotton, Tomato	5.5	6.4	5.5	105.0	1
389	4A	Left	Cotton, Tomato	5.5	5.9	5.5	103.7	1
390	4A	Left	Melon, Tomato, Wheat	5.5	6.4	5.5	99.3	1
110A	4A	Left	Almond, Cotton, Tomato	6.5	4.8	4.8	103.9	2
119A	4A	Left	Alfalfa, Corn, Cotton	6.5	0.0	0.0	111.8	2
120A	4A	Left	Almond, Cotton	6.5	0.0	0.0	115.0	2
121A	4A	Left	Almond, Cotton, Pistachio	6.5	0.0	0.0	112.9	2
127A	4A	Left	Alfalfa, Almond, Corn, Cotton	6.5	0.0	0.0	114.1	2
132A	4A	Left	Alfalfa	6.5	7.8	6.5	108.6	1

Table H-11. Threshold Summary Table (Field Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in field)	Method 2 Threshold - Historical Groundwater (feet bgs in field)	Threshold (feet bgs in field) ¹	Threshold Elevation ¹	Method Used ¹
133A	4A	Left	Almond	6.5	4.6	4.6	109.6	2
135A	3	Left	Alfalfa, Cotton, Vegetable	6.5	4.1	4.1	113.7	2
139A	3	Left	Alfalfa, Corn, Melon, Tomato	6.5	7.1	6.5	116.4	1
140A	3	Left	Cotton, Pistachio	5.5	3.6	3.6	117.3	2
144A	4A	Left	Alfalfa, Corn, Wheat	6.5	5.8	5.8	111.3	2
148A	3	Left	Corn, Cotton, Pistachio, Tomato	5.5	4.0	4.0	119.9	2
151A	3	Left	Alfalfa, Almond	6.5	4.6	4.6	119.6	2
152A	3	Left	Almond	6.5	3.5	3.5	124.3	2
153A	3	Left	Almond	6.5	6.4	6.4	124.5	2
153C	3	Left	Almond	6.5	6.4	6.4	124.5	2
155A	3	Left	Almond	7.0	6.7	6.7	122.6	2
156A	3	Left	Cotton, Tomato	5.5	4.9	4.9	128.8	2
157A	3	Left	Alfalfa, Almond, Corn, Tomato	6.5	3.4	3.4	130.3	2
161A	3	Left	Alfalfa, Corn, Cotton	6.5	5.1	5.1	132.5	2
162A	3	Left	Almond, Corn, Pistachio, Tomato	6.5	6.8	6.5	125.6	1
162C	3	Left	Almond, Corn, Pistachio, Tomato	6.5	12.4	6.5	125.6	1
163B	3	Left	Alfalfa, Almond, Pistachio	6.5	6.3	6.3	124.5	2
165A	3	Left	Almond, Tomato	6.5	6.6	6.5	119.2	1
166A	3	Left	Alfalfa, Melon, Tomato	6.5	6.0	6.0	123.5	2
167A	3	Left	Alfalfa, Tomato	6.5	0.5	0.5	137.2	2

Table H-11. Threshold Summary Table (Field Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in field)	Method 2 Threshold - Historical Groundwater (feet bgs in field)	Threshold (feet bgs in field) ¹	Threshold Elevation ¹	Method Used ¹
182A	4A	Left	Alfalfa, Pasture, Tomato, Wheat	6.5	2.5	2.5	105.0	2
183A	4A	Left	Alfalfa, Corn, Cotton, Pasture, Wheat	6.5	2.0	2.0	103.3	2
184A	4A	Left	Alfalfa, Almond	6.5	2.6	2.6	98.9	2
184B	4A	Left	Alfalfa, Almond, Tomato	6.5	0.8	0.8		2
186A	4A	Left	Corn, Cotton, Melon, Tomato, Wheat	6.0	3.5	3.5	99.5	2
188A	4A	Left	Alfalfa, Almond, Cotton	6.5	3.3	3.3	107.1	2
189A	4A	Left	Almond	6.5	3.0	3.0	108.4	2
189C	4A	Left	Almond	6.5	3.0	3.0	108.4	2
191A	4A	Left	Tomato	6.0	9.1	6.0	99.0	1
369B	3	Left	Almond, Cotton	6.5	12.6	6.5		1
CNOW-13-50	2B	Left	Pistachio	8.0	8.7	8.0	153.9	1
CNOW-14-52	2B	Left	Pistachio	7.0	21.6	7.0	152.6	1
CNSPT-52	2B	Left	Pistachio	7.0	21.6	7.0	152.5	1
CWOW-14-15	2B	Left	Almond	9.0	8.7	8.7	142.7	2
CWSPT-15	2B	Left	Almond	9.0	12.1	9.0	142.7	1
FA-1	1B	Left	Almond, Vineyard	7.0	8.9	7.0	195.6	1
FA-2	1B	Left	Vineyard	7.0	12.5	7.0	198.3	1
FA-3	1B	Left	Vineyard	7.0	12.6	7.0	197.9	1
FA-4	2A	Left	River Channel, Levee	N/A	10.1			
FA-5	2A	Left	River Channel, Levee	N/A	9.6			

Table H-11. Threshold Summary Table (Field Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in field)	Method 2 Threshold - Historical Groundwater (feet bgs in field)	Threshold (feet bgs in field) ¹	Threshold Elevation ¹	Method Used ¹
FA-6	2A	Left	River Channel, Levee	N/A	2.1			
FA-7	2A	Left	Almond	7.0	1.8	1.8	172.8	2
FA-8	2A	Left	River Channel, Levee	N/A	3.7			
FA-9	2A	Left	Corn, Wheat	6.0	6.1	6.0	165.3 *	1
JR-1	1A	Left	Public Land	N/A	24.6			
JR-2	1A	Left	Public Land	N/A	8.7			
MA-1	1B	Left	Walnut	7.0	17.2	7.0	200.0	1
MA-2	2A	Right	Vineyard	7.0	5.2	5.2	173.6	2
MA-3	2A	Right	Alfalfa	7.0	5.4	5.4	170.6	2
MA-4	2A	Right	Vineyard	7.0	6.9	6.9	161.2 *	2
MW-09-1	1A	Right	Public Land	N/A	10.8			
MW-09-2	1A	Right	Public Land	N/A	11.7			
MW-09-21	1B	Left	Almond, Vineyard	7.0	25.0	7.0	214.1	1
MW-09-22	1B	Left	Almond, Vineyard	7.0	17.1	7.0	212.4	1
MW-09-23	1B	Left	Public Land	N/A	11.0			
MW-09-23B	1B	Left	Public Land	N/A	11.0			
MW-09-25	1B	Right	Public Land	N/A	24.0			
MW-09-26	1B	Right	Citrus, Vegetable, Vineyard	7.7	33.0	7.7	222.2	1
MW-09-27	1B	Right	Citrus, Pistachio, Vegetable, Vineyard	8.3	46.0	8.3	227.0	1
MW-09-36	2A	Right	Almond	7.0	7.0	7.0	179.4	1
MW-09-37	2A	Left	Vineyard	7.7	18.3	7.7	174.1	1

Table H-11. Threshold Summary Table (Field Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in field)	Method 2 Threshold - Historical Groundwater (feet bgs in field)	Threshold (feet bgs in field) ¹	Threshold Elevation ¹	Method Used ¹
MW-09-37B	2A	Left	Vineyard	7.7	3.8	3.8	178.2	2
MW-09-39	2A	Left	Alfalfa, Pistachio	7.0	13.0	7.0	177.6	1
MW-09-39B	2A	Left	Alfalfa, Pistachio	7.0	10.3	7.0	177.5	1
MW-09-41	2A	Left	River Channel, Levee	N/A	11.0			
MW-09-44	2A	Left	Almond	7.7	7.5	7.5	168.6	2
MW-09-46	2A	Left	Corn, Wheat	6.0	8.3	6.0	166.0	1
MW-09-47	2A	Right	Alfalfa, Corn, Vineyard, Wheat	7.7	5.5	5.5	165.7 *	2
MW-09-49	2A	Left	Corn, Wheat	6.0	7.0	6.0	163.5	1
MW-09-49B	2A	Left	Corn, Wheat	6.0	3.4	3.4	166.1 *	2
MW-09-52	2B	Right	Almond	8.0	24.0	8.0	152.2	1
MW-09-53	2B	Right	Almond	9.0	22.1	9.0	151.0	1
MW-09-54	2B	Right	Almond	7.0	12.2	7.0	153.1	1
MW-09-54B	2B	Right	Almond	7.0	1.4	1.4	159.0	2
MW-09-55	2B	Left	Palms, Pistachio	6.0	13.0	6.0	155.9	1
MW-09-55B	2B	Left	Palms, Pistachio	6.0	6.5	6.0	156.0 *	1
MW-09-56	2B	Left	Pistachio	6.7	13.6	6.7	152.8	1
MW-09-57	2B	Left	Pistachio, Pomegranate	7.0	24.0	7.0	153.5	1
MW-09-83	4A	Right	Corn, Tomato, Wheat	7.0	26.6	7.0	105.3	1
MW-09-83B	4A	Right	Corn, Tomato, Wheat	7.0	26.7	7.0	105.3	1
MW-09-84	4A	Right	Almond, Corn, Wheat	7.7	13.1	7.7	103.8	1
MW-09-85	4A	Right	Almond, Corn, Wheat	7.0	11.9	7.0	106.1	1

Table H-11. Threshold Summary Table (Field Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in field)	Method 2 Threshold - Historical Groundwater (feet bgs in field)	Threshold (feet bgs in field) ¹	Threshold Elevation ¹	Method Used ¹
MW-09-85B	4A	Right	Almond, Corn, Wheat	7.0	8.9	7.0	106.1	1
MW-09-86	4A	Left	Almond	8.7	0.7	0.7	112.4	2
MW-09-86B	4A	Left	Almond	8.7	1.0	1.0	112.3	2
MW-09-87	4A	Left	Almond	6.5	5.1	5.1	107.4	2
MW-09-87B	4A	Left	Almond	6.5	6.1	6.1	106.4 *	2
MW-09-88	4A	Left	Almond, Cotton	8.0	5.0	5.0	104.9	2
MW-09-121	5	Left	Public Land	N/A	0.0			
MW-09-123	5	Left	Public Land	N/A	0.0			
MW-09-124	5	Right	Public Land	N/A	6.0			
MW-09-125	5	Right	Almond, Corn, Pasture, Sweet Potato, Wheat	7.0	6.1	6.1	65.7	2
MW-10-74	3	Left	Almond	9.0	9.6	9.0	121.9	1
MW-10-75	3	Left	Almond, Cotton	9.0	8.7	8.7	121.7 *	2
MW-10-76	3	Left	Almond	9.0	4.3	4.3	123.3	2
MW-10-78	3	Right	Wheat	8.0	6.0	6.0	115.9	2
MW-10-80	4A	Right	Alfalfa	8.0	6.4	6.4	113.0	2
MW-10-89	4A	Right	Almond	6.5	7.5	6.5	109.1	1
MW-10-90	4B1	Right	Pistachio	7.0	1.1	1.1	98.9	2
MW-10-91	4A	Left	Tomato	8.0	4.2	4.2	97.0	2
MW-10-92	4A	Left	Tomato	7.0	3.7	3.7	97.5	2
MW-10-93	4A	Left	Tomato	7.0	1.9	1.9	99.4	2
MW-10-94	4B1	Right	Pistachio	6.7	3.8	3.8	95.9 *	2

Table H-11. Threshold Summary Table (Field Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in field)	Method 2 Threshold - Historical Groundwater (feet bgs in field)	Threshold (feet bgs in field) ¹	Threshold Elevation ¹	Method Used ¹
MW-10-95	4B1	Right	Alfalfa, Corn, Wheat	7.7	1.4	1.4	95.7 *	2
MW-10-96	4B1	Right	Corn, Tomato, Wheat	7.0	1.6	1.6	95.6 *	2
MW-10-97	4B1	Right	Alfalfa, Wheat	6.5	2.7	2.7	96.1 *	2
MW-10-98	4B1	Left	Tomato, Wheat	7.0	2.2	2.2	96.1	2
MW-10-99	4B1	Left	Melon, Tomato, Wheat	6.7	1.3	1.3	98.4	2
MW-10-100	4B1	Left	Corn, Melon, Tomato	7.7	0.8	0.8	97.7	2
MW-10-102	4B1	Right	Onion, Tomato	7.0	1.1	1.1	92.1	2
MW-10-103	4B1	Right	Cotton, Garlic, Onion, Vegetable	7.0	0.3	0.3	93.8	2
MW-10-105	4B1	Left	Carrot, Tomato	7.0	0.0	0.0	93.7	2
MW-10-106	4B1	Left	Tomato, Wheat	6.0	2.5	2.5	90.8	2
MW-10-107	4B1	Left	Melon, Wheat	6.7	0.7	0.7	91.0	2
MW-10-108	4B1	Left	Tomato, Vegetable	8.0	0.6	0.6	94.3	2
MW-10-109	4B1	Left	Onion, Tomato, Wheat	6.7	1.1	1.1	93.2	2
MW-10-110	4B1	Left	Wheat	6.0	1.6	1.6	86.7	2
MW-10-111	4B1	Left	Alfalfa	8.0	1.5	1.5	87.6	2
MW-10-112	4B1	Right	Corn, Wheat	8.0	1.5	1.5	99.1	2
MW-10-113	4B1	Left	Cotton, Tomato, Wheat	6.7	3.7	3.7	94.6	2
MW-10-114	4B1	Left	Cotton, Melon, Tomato, Wheat	7.0	0.7	0.7	94.4	2
MW-10-115	4A	Left	Tomato, Wheat	6.7	1.2	1.2	103.2	2
MW-10-116	4A	Right	Alfalfa, Pistachio	8.0	5.7	5.7	97.5	2
MW-10-117	3	Right	Almond	7.7	35.1	7.7	138.9	1

Table H-11. Threshold Summary Table (Field Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in field)	Method 2 Threshold - Historical Groundwater (feet bgs in field)	Threshold (feet bgs in field) ¹	Threshold Elevation ¹	Method Used ¹
MW-10-118	3	Right	Almond	7.7	10.2	7.7	127.0	1
MW-10-119	3	Right	Almond	6.5	7.7	6.5	130.8	1
MW-10-120	3	Left	Almond	9.0	15.2	9.0	154.1	1
MW-10-126	3	Left	Almond, Tomato	9.0	11.0	9.0	137.1	1
MW-10-127	3	Right	Almond	7.7	12.0	7.7	138.6	1
MW-10-128	3	Left	Cotton, Tomato	8.0	2.2	2.2	163.0	2
MW-10-129	3	Right	Almond	7.0	11.0	7.0	144.7	1
MW-10-188	4A	Left	Almond, Cotton, Wheat	7.7	9.5	7.7	106.6	1
MW-11-130	4A	Left	Almond	7.0	5.0	5.0	113.9	2
MW-11-131	4A	Left	Almond	8.0	7.2	7.2	113.1	2
MW-11-132	4A	Left	Almond	9.0	5.0	5.0	114.3	2
MW-11-133	4A	Left	Alfalfa, Almond	9.0	1.9	1.9	113.9	2
MW-11-134	4A	Left	Alfalfa, Almond	7.0	7.4	7.0	108.3	1
MW-11-135	4A	Left	Alfalfa, Almond	9.0	4.2	4.2	110.6	2
MW-11-136	4A	Left	Almond	9.0	5.0	5.0	109.6	2
MW-11-137	4B1	Right	Cotton, Tomato	7.0	1.1	1.1	88.0	2
MW-11-138	4B1	Right	Melon	8.0	3.1	3.1	86.3	2
MW-11-139	4B1	Right	Broccoli, Melon, Tomato	7.0	1.0	1.0	86.4	2
MW-11-140	4B1	Left	Tomato	8.0	2.5	2.5	89.3	2
MW-11-141	4B1	Right	Broccoli, Cotton, Tomato	6.0	1.1	1.1	86.3	2
MW-11-142	4B1	Right	Melon, Pistachio	6.7	2.2	2.2	90.9	2

Table H-11. Threshold Summary Table (Field Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in field)	Method 2 Threshold - Historical Groundwater (feet bgs in field)	Threshold (feet bgs in field) ¹	Threshold Elevation ¹	Method Used ¹
MW-11-143	4B1	Right	Cotton, Melon, Pistachio, Tomato	7.0	0.0	0.0	91.3	2
MW-11-144	4B1	Right	Wheat	7.0	3.1	3.1	84.6	2
MW-11-145	4B1	Left	Tomato, Wheat	8.0	2.3	2.3	84.2	2
MW-11-146	4B1	Right	Rangeland	N/A	2.6			
MW-11-147	4B1	Right	Rangeland	N/A	0.0			
MW-11-148	4A	Left	Corn, Cotton, Tomato	8.0	5.7	5.7	103.9	2
MW-11-149	4A	Left	Almond, Tomato	8.0	7.0	7.0	104.0	2
MW-11-150	3	Left	Alfalfa	8.0	4.9	4.9	120.7	2
MW-11-151	2A	Right	Pistachio	6.7	21.0	6.7	162.8	1
MW-11-152	4B1	Right	Alfalfa	7.7	1.8	1.8	93.1	2
MW-11-153	4B1	Right	Alfalfa, Wheat	7.7	1.0	1.0	96.7	2
MW-11-154	4B2	Right	Corn, Wheat	8.0	0.3	0.3	94.7	2
MW-11-155	3	Right	Almond	8.0	10.7	8.0	123.9	1
MW-11-156	3	Right	Almond, Pistachio	9.0	10.9	9.0	121.9	1
MW-11-157	3	Right	Pistachio	7.7	11.5	7.7	117.0	1
MW-11-158	2A	Right	Vineyard, Walnut	7.0	10.9	7.0	191.4	1
MW-11-159	2A	Right	Pistachio, Vineyard, Walnut	7.7	24.0	7.7	189.8	1
MW-11-160	3	Left	Almond, Cotton	9.0	10.0	9.0	139.6	1
MW-11-161	3	Right	Almond, Wheat	9.0	10.4	9.0	111.4	1
MW-11-162	4A	Right	Almond	8.7	12.6	8.7	105.1	1
MW-11-163	3	Right	Alfalfa, Almond, Pistachio	8.0	10.1	8.0	110.9	1

Table H-11. Threshold Summary Table (Field Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in field)	Method 2 Threshold - Historical Groundwater (feet bgs in field)	Threshold (feet bgs in field) ¹	Threshold Elevation ¹	Method Used ¹
MW-11-164	2B	Left	Almond, Pistachio	9.0	13.5	9.0	146.3	1
MW-12-165	4A	Right	Wheat	6.0	4.2	4.2	97.4	2
MW-12-166	4A	Right	Corn, Wheat	6.0	17.3	6.0	98.1	1
MW-12-167	4A	Right	Corn, Pistachio, Wheat	7.0	15.7	7.0	99.0	1
MW-12-168	4A	Right	Alfalfa, Corn, Tomato, Wheat	7.0	3.8	3.8	100.5	2
MW-12-169	4A	Right	Alfalfa, Wheat	8.0	3.6	3.6	100.4	2
MW-12-170	4B1	Right	Alfalfa, Pistachio	9.0	1.8	1.8	95.2	2
MW-12-171	4B1	Right	Corn, Pistachio, Wheat	8.0	0.0	0.0	95.4	2
MW-12-172	4B1	Right	Corn, Wheat	6.7	2.8	2.8	93.6	2
MW-12-173	4B1	Right	Corn, Pistachio, Wheat	6.7	5.7	5.7	96.1	2
MW-12-174	4B1	Right	Pistachio	7.0	3.7	3.7	95.8	2
MW-12-175	4B1	Right	Corn, Pistachio, Wheat	6.7	2.8	2.8	99.2	2
MW-12-176	4B1	Right	Pistachio	6.7	1.2	1.2	98.4	2
MW-12-177	4A	Right	Wheat	7.0	2.4	2.4	98.9	2
MW-12-178	4A	Left	Tomato	8.0	7.9	7.9	101.8	2
MW-12-179	4A	Left	Tomato	8.0	10.3	8.0	102.2	1
MW-12-180	3	Left	Alfalfa, Almond	9.0	4.7	4.7	115.7	2
MW-12-181	3	Left	Alfalfa, Almond	9.0	5.6	5.6	118.2	2
MW-12-182	3	Left	Almond	9.0	4.3	4.3	118.4	2
MW-12-183	3	Left	Almond	7.7	1.2	1.2	120.3	2
MW-12-184	3	Right	Almond	6.5	9.0	6.5	137.4	1

Table H-11. Threshold Summary Table (Field Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in field)	Method 2 Threshold - Historical Groundwater (feet bgs in field)	Threshold (feet bgs in field) ¹	Threshold Elevation ¹	Method Used ¹
MW-12-185	3	Right	Almond	7.7	8.7	7.7	138.0	1
MW-12-186	3	Right	Almond	8.0	7.0	7.0	136.8	2
MW-12-187	3	Right	Almond	7.7	7.9	7.7	138.6	1
MW-12-189	3	Right	Grain, Fallow	5.5	7.9	5.5	137.1	1
MW-12-190	3	Right	Grain, Fallow	5.5	6.4	5.5	136.6	1
MW-12-191	3	Right	Almond	7.0	8.8	7.0	136.2	1
MW-12-192	3	Right	Almond	8.0	8.3	8.0	133.9	1
MW-13-193	3	Right	Alfalfa	8.7	10.4	8.7	132.6	1
MW-13-194	3	Right	Alfalfa	7.7	8.4	7.7	132.1	1
MW-13-195	3	Right	Alfalfa, Almond	9.0	6.9	6.9	131.1	2
MW-13-196	3	Right	Alfalfa, Almond	8.0	7.6	7.6	131.7	2
MW-13-197	3	Right	Alfalfa	7.7	8.3	7.7	131.7	1
MW-13-198	3	Right	Almond	9.0	10.7	9.0	130.6	1
MW-13-199	3	Right	Almond	9.0	6.8	6.8	129.3	2
MW-13-200	3	Right	Almond	9.0	7.6	7.6	128.8	2
MW-13-201	3	Right	Almond, Pistachio	9.0	8.6	8.6	127.3	2
MW-13-202	2B	Left	Almond	9.0	19.4	9.0	144.2	1
MW-13-210	3	Right	Almond	8.0	9.0	8.0	122.6	1
MW-13-211	3	Right	Almond, Pistachio	7.7	14.9	7.7	118.0	1
MW-13-212	3	Right	Almond, Vegetable	8.0	13.4	8.0	119.0	1
MW-13-213	3	Right	Almond, Pistachio	9.0	12.1	9.0	116.6	1

Table H-11. Threshold Summary Table (Field Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in field)	Method 2 Threshold - Historical Groundwater (feet bgs in field)	Threshold (feet bgs in field) ¹	Threshold Elevation ¹	Method Used ¹
MW-13-214	3	Right	Almond, Pistachio	8.0	18.6	8.0	117.4	1
MW-13-215	3	Right	Almond, Pistachio	9.0	14.8	9.0	116.3	1
MW-13-216	3	Right	Pistachio, Wheat	8.0	11.6	8.0	110.5	1
MW-14-203	4A	Right	Corn, Wheat	7.0	13.2	7.0	101.6	1
MW-14-204	4A	Right	Corn, Wheat	6.7	9.9	6.7	102.1	1
MW-14-205	4A	Right	Corn, Tomato, Wheat	6.7	9.7	6.7	101.2	1
MW-14-206	4A	Right	Tomato, Wheat	6.0	8.1	6.0	99.9	1
MW-14-207	4A	Right	Alfalfa, Tomato, Wheat	7.7	7.9	7.7	97.9	1
MW-14-208	4A	Right	Alfalfa, Tomato, Wheat	7.0	6.5	6.5	96.5	2
MW-14-209	4A	Right	Corn, Wheat	6.7	8.9	6.7	100.6	1
MW-16-219	4A	Left	Tomato	5.7	8.6	5.7	104.1	1
MW-16-220	4A	Left	Tomato	6.0	8.6	6.0	102.6	1
MW-16-221	4A	Left	Tomato	7.0		7.0		1
MW-16-222	4A	Left	Tomato	7.0	10.3	7.0	102.5	1
MW-16-224	4A	Left	Tomato	7.3	11.8	7.3	99.5	1
MW-17-225	4A	Left	Alfalfa, Corn, Wheat	6.5	11.3	6.5	107.43 *	1
MW-17-226	4A	Right	Almond	6.5	8.8	6.5	107.1	1
MW-18-158B	2A	Right	Vineyard, Walnut	7.0	10.9	7.0	190.7	1
MW-18-227	4B1	Right	Public Land	N/A	0.0			
MW-18-228	4B1	Right	Public Land	N/A				
MW-18-80B	4A	Right	Alfalfa	7.7	8.6	7.7	107.8 *	1

Table H-11. Threshold Summary Table (Field Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in field)	Method 2 Threshold - Historical Groundwater (feet bgs in field)	Threshold (feet bgs in field) ¹	Threshold Elevation ¹	Method Used ¹
MW-22-229	2B	Left	Almond	7.7		7.7	144.8	1
MW-22-230	2B	Left	Almond	7.7	11.5	7.7	144.5	1
MW-22-231	2B	Left	Almond, Pistachio	8.0	23.9	8.0	145.5	1
MW-22-232	2B	Left	Grain, Fallow	5.5	12.8	5.5	149.7	1
MW-22-233	2B	Left	Pistachio	5.5	15.0	5.5	149.7	1
MW-22-234	2B	Left	Almond, Pistachio	8.0	29.9	8.0	147.6	1
MW-22-235	2B	Left	Pistachio	6.0	24.8	6.0	151.6	1
MW-22-236	2B	Left	Pomegranate	7.0	24.0	7.0	154.3	1
OW-1	2B	Right	Almond	7.7		7.7	142.1	1
OW-2	2B	Right	Almond	7.7		7.7	141.9	1
OW-3	2B	Right	Almond	7.7		7.7	142.5	1
OW-4	2B	Right	Almond	7.7		7.7	141.9	1
OW-5	2B	Right	Almond	7.7		7.7	142.4	1
OW-5B	2B	Right	Almond	7.7		7.7	142.1	1
OW-6	2B	Right	Almond	7.7		7.7	141.3	1
OW-6B	2B	Right	Almond	7.7		7.7	141.3	1
PZ-09-R2B-1	2B	Right	Almond	7.7	6.0	6.0	148.3	2
PZ-09-R2B-2	2B	Right	Almond	6.5	0.7	0.7	148.5	2
PZ-09-R3-1	3	Right	Almond, Pomegranate	6.5	3.7	3.7	129.6	2
PZ-09-R3-2	3	Right	Almond, Pomegranate	7.0	7.4	7.0	127.6	1
PZ-09-R3-3	3	Right	Almond	7.7	8.8	7.7	129.0	1

Table H-11. Threshold Summary Table (Field Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in field)	Method 2 Threshold - Historical Groundwater (feet bgs in field)	Threshold (feet bgs in field) ¹	Threshold Elevation ¹	Method Used ¹
PZ-09-R3-4	3	Right	Almond	7.7	6.0	6.0	130.4	2
PZ-09-R3-5	3	Right	Almond	6.7	4.5	4.5	135.5	2
PZ-09-R3-6	3	Right	Almond, Cotton, Vineyard, Wheat	6.5	5.9	5.9	134.3	2
PZ-09-R3-7	3	Right	Almond	6.5	7.9	6.5	137.3 *	1
PZ-12-R2B-3	2B	Left	Vineyard	6.5	8.3	6.5	157.9	1
PZ-12-R2B-4	2B	Left	Vineyard	6.5	3.9	3.9	161.0	2
PZ-12-R2B-5	2B	Left	Vineyard	7.7	5.7	5.7	158.1	2
PZ-12-R2B-6	2B	Left	Vineyard	7.7	13.4	7.7	156.0	1
PZ-12-R4B-8	4B1	Right	River Channel, Levee	N/A	4.6			
PZ-12-R4B-10	4B1	Right	River Channel, Levee	N/A	8.4			
PZ-12-R4B-10D	4B1	Right	River Channel, Levee	N/A	2.8			
PZ-13-R2B-7	4B1	Right	River Channel, Levee	N/A	5.2			
PZ-13-R2B-8	2B	Right	Almond	6.5	12.7	6.5	158.7	1
PZ-13-R4A-1	4A	Left	River Channel, Levee	N/A	7.0			
PZ-13-R4A-2	4A	Right	River Channel, Levee	N/A	19.9			
PZ-13-R4B-11	4B1	Right	Alfalfa, Wheat	6.5	0.7	0.7		2
PZ-13-R4B-12	4B1	Right	Corn, Wheat	5.5	0.0	0.0		2
SJR W-1	4B1	Left	Cotton, Tomato	6.0	1.2	1.2	96.3	2
SJR W-2	4B1	Left	Garlic, Tomato, Wheat	6.0	1.5	1.5	97.2	2
SJR W-3	4B1	Left	Alfalfa, Cotton, Tomato	7.0	1.1	1.1	97.4	2
SJR W-4	4A	Left	Melon, Onion	6.0	2.9	2.9	99.1	2

Table H-11. Threshold Summary Table (Field Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in field)	Method 2 Threshold - Historical Groundwater (feet bgs in field)	Threshold (feet bgs in field) ¹	Threshold Elevation ¹	Method Used ¹
SJR W-5	4A	Left	Corn, Melon, Tomato	6.0	1.8	1.8	97.2	2
SJR W-6	4A	Left	Corn, Tomato	6.0	0.2	0.2	98.4	2
SJR W-7	4A	Left	Corn, Tomato	6.0	1.8	1.8	98.9	2
SJR W-8	4A	Left	Corn, Cotton	6.0	1.7	1.7	101.7	2
SJR W-9	4A	Left	Corn, Cotton, Tomato	6.0	6.0	6.0	95.7	1
SJR W-10	4A	Left	Corn, Tomato	6.0	7.1	6.0	96.3	1
SJR W-11	4A	Left	Corn, Tomato	6.0	11.2	6.0	98.2	1
SJR W-12	4A	Left	Corn, Melon, Onion	6.0	1.6	1.6	99.9	2
SLCC-011	4B1	Left	Onion, Tomato, Vegetable, Wheat	5.5	9.6	5.5	84.8	1
SLCC-012	4B1	Left	Tomato, Wheat	5.5	7.1	5.5	87.8	1
SLCC-019	4B1	Left	Melon, Tomato, Wheat	5.5	7.2	5.5	91.5	1
SLCC-027	4B1	Left	Melon, Tomato, Wheat	5.5	4.0	4.0	95.5	2
SPT-11-1	4B1	Left	River Channel, Levee	N/A	2.9			
SPT-11-2	4B1	Left	River Channel, Levee	N/A	2.6			
SPT-21-1	2B	Right	Almond	6.5	12.0	6.5		1
SPT-21-7	3	Right	Almond	6.5		6.5		1
SPT-21-10	3	Right	Almond	6.5		6.5		1
SPT-21-12	3	Right	Almond	6.5		6.5		1
SPT-21-18	2B	Right	Almond	6.5	9.6	6.5		1
SPT-21-25	2B	Right	Almond	6.5	12.3	6.5		1
T8-1	2A	Left	Almond	6.5		6.5		1

Table H-11. Threshold Summary Table (Field Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in field)	Method 2 Threshold - Historical Groundwater (feet bgs in field)	Threshold (feet bgs in field) ¹	Threshold Elevation ¹	Method Used ¹
T10-1 (1m)	2A	Center	River Channel, Levee	N/A	9.0			
T10-1 (3m)	2A	Center	River Channel, Levee	N/A	9.0			
T10-2	2A	Right	River Channel, Levee	N/A	15.0			
T12-1	2A	Left	Corn, Wheat	5.5	20.0	5.5	164.1	1
T12-2	2A	Left	Corn, Wheat	5.5	20.0	5.5	165.2	1
T12-3	2A	Left	Corn, Wheat	5.5	20.0	5.5	165.3	1
T13-2	2A	Right	River Channel, Levee	N/A	7.0			
T13-3	2A	Right	River Channel, Levee	N/A	0.7			

¹ The method with the shallower water level establishes the threshold. Method 1 and 2 correspond to agricultural and historical, respectively.
² * Threshold calculation includes lateral gradient buffer as described in section H.1.3.3.

Table H-12. Threshold Summary Table (Well Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in well)	Method 2 Threshold - Historical Groundwater (feet bgs in well)	Threshold (feet bgs in well) ¹	Threshold Elevation ¹	Method Used ¹
110	4A	Left	Almond, Cotton, Tomato	9.7	8.0	8.0	103.9	2
111	4A	Left	Alfalfa, Almond, Cotton, Wheat	9.0	0.3	2.5	110.5	2
118	4A	Left	Almond, Corn, Wheat	10.3	4.7	4.7	109.6	2
119	4A	Left	Alfalfa, Corn, Cotton	8.3	1.1	1.8	111.8	2
126	4A	Left	Almond, Corn, Cotton, Wheat	8.9	6.0	6.0	112.4	2
127	4A	Left	Alfalfa, Almond, Corn, Cotton	9.9	1.9	3.4	114.1	2
128	4A	Left	Pistachio	7.1	1.3	1.6	114.3	2
129	4A	Left	Alfalfa, Almond	9.2	4.0	4.0	110.9	2
130	4A	Left	Almond, Cotton	9.3	5.1	5.1	109.7	2
131	4A	Left	Almond	8.7	10.9	8.7	106.6	1
132	4A	Left	Alfalfa	9.1	9.9	9.1	108.9	1
133	4A	Left	Almond	9.3	7.4	7.4	109.6	2
134	4A	Left	Corn, Melon	7.7	3.4	3.4	114.2	2
135	3	Left	Alfalfa, Cotton, Vegetable	8.8	6.4	6.4	113.7	2
136	3	Left	Alfalfa, Cotton, Melon, Pistachio, Wheat	10.3	6.7	6.7	114.5	2
139	3	Left	Alfalfa, Corn, Melon, Tomato	9.2	9.8	9.2	116.4	1
140	3	Left	Cotton, Pistachio	8.7	6.8	6.8	117.3	2
141	3	Left	Cotton, Melon, Pistachio, Wheat	6.3	5.6	5.6	114.4	2
142	3	Left	Alfalfa, Corn, Cotton, Wheat	10.0	3.4	3.5	118.3	2

Table H-12. Threshold Summary Table (Well Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in well)	Method 2 Threshold - Historical Groundwater (feet bgs in well)	Threshold (feet bgs in well) ¹	Threshold Elevation ¹	Method Used ¹
143	4A	Left	Almond	9.0	5.2	5.2	114.3	2
145	3	Left	Alfalfa, Cotton	8.8	4.7	4.7	118.6	2
146	3	Left	Almond, Corn	8.7	6.3	6.3	118.2	2
147	3	Left	Almond, Cotton	8.5	11.1	8.5	118.2	1
148	3	Left	Corn, Cotton, Pistachio, Tomato	10.6	9.2	9.2	119.9	2
151	3	Left	Alfalfa, Almond	10.2	8.3	8.3	119.6	2
152	3	Left	Almond	9.5	6.5	6.5	124.3	2
154	3	Left	Almond, Wheat	9.1	6.8	6.8	123.6	2
155	3	Left	Almond	10.6	10.3	10.3	122.6	2
156	3	Left	Corn, Tomato	7.5	6.9	6.9	128.8	2
157	3	Left	Alfalfa, Almond, Corn, Tomato	10.6	7.5	7.5	130.3	2
158	3	Left	Alfalfa, Cotton	9.8	9.9	9.8	129.6	1
159	3	Left	Corn, Cotton, Wheat	7.4	13.1	7.4	133.1	1
161	3	Left	Alfalfa, Corn, Cotton	11.7	10.3	10.3	132.5	2
163	3	Left	Alfalfa, Almond, Pistachio	8.2	8.0	8.0	124.5	2
164	3	Left	Alfalfa, Almond	8.2	7.0	7.0	122.9	2
169	3	Left	Corn, Melon, Pistachio	8.1	9.1	8.1	119.6	1
181	4A	Left	Alfalfa, Corn, Tomato, Wheat	10.3	9.9	9.9	104.5	2
182	4A	Left	Alfalfa, Pasture, Tomato, Wheat	9.6	5.6	5.6	105.0	2
183	4A	Left	Alfalfa, Corn, Cotton, Pasture, Wheat	9.1	4.5	4.5	103.3	2

Table H-12. Threshold Summary Table (Well Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in well)	Method 2 Threshold - Historical Groundwater (feet bgs in well)	Threshold (feet bgs in well) ¹	Threshold Elevation ¹	Method Used ¹
184	4A	Left	Alfalfa, Almond	9.3	5.3	5.3	98.9	2
187	4A	Left	Almond, Corn, Tomato, Wheat	9.1	3.5	3.5	105.0	2
190	4A	Left	Tomato	7.4	8.7	7.4	105.9	1
191	4A	Left	Tomato	9.7	12.8	9.7	101.2	1
350	4A	Left	Almond	12.6	7.6	7.6	118.3	2
355	3	Left	Almond, Pistachio	7.5	11.6	7.5	137.8	1
356	3	Left	Almond	7.1	13.5	7.1	139.8	1
357	3	Left	Almond, Tomato	9.6	14.4	9.6	141.5	1
358	3	Left	Almond	13.8	12.6	12.6	135.7	2
359	3	Left	Almond	13.7	12.9	12.9	135.1	2
360	3	Left	Almond	12.8	15.5	12.8	138.3	1
361	3	Left	Alfalfa, Almond, Pistachio	8.8	9.2	8.8	138.6	1
362	3	Left	Almond	9.6	10.6	9.6	138.7	1
363	3	Left	Alfalfa, Cotton, Pistachio	9.9	15.8	9.9	141.5	1
364	3	Left	Almond, Cotton	15.3	10.5	10.5	144.1	2
365	3	Left	Almond, Wheat	8.2	15.5	8.2	143.9	1
366	3	Left	Cotton, Wheat	7.4	12.8	7.4	145.1	1
367	3	Left	Almond, Cotton	11.7	16.4	11.7	145.3	1
368	3	Left	Almond	11.3	13.9	11.3	142.6	1
369	3	Left	Almond, Cotton	7.2	13.3	7.2	139.5	1
370	3	Left	Almond	9.3	14.2	9.3	141.2	1

Table H-12. Threshold Summary Table (Well Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in well)	Method 2 Threshold - Historical Groundwater (feet bgs in well)	Threshold (feet bgs in well) ¹	Threshold Elevation ¹	Method Used ¹
371	3	Left	Almond	7.8	9.7	7.8	142.7	1
372	3	Left	Alfalfa, Almond	7.8	6.3	6.3	121.2	2
373	3	Left	Almond	9.1	6.4	6.4	123.2	2
374	3	Left	Almond, Cotton	7.0	5.8	5.8	122.7	2
375	3	Left	Almond, Wheat	7.9	6.7	6.7	123.7	2
376	3	Left	Almond, Cotton, Wheat	7.5	8.3	7.5	123.7	1
377	3	Left	Almond	9.3	6.2	6.2	126.1	2
378	3	Left	Almond, Wheat	9.6	7.5	7.5	126.2	2
379	3	Left	Cotton, Wheat	11.0	10.0	10.0	125.5	2
385	4A	Left	Almond, Tomato	8.8	9.6	8.8	104.6	1
386	4A	Left	Tomato	7.3	13.4	7.3	103.6	1
387	4A	Left	Tomato	7.5	12.1	7.5	101.9	1
388	4A	Left	Cotton, Tomato	7.9	8.8	7.9	105.0	1
389	4A	Left	Cotton, Tomato	8.0	8.4	8.0	103.7	1
390	4A	Left	Melon, Tomato, Wheat	8.7	9.6	8.7	99.3	1
110A	4A	Left	Almond, Cotton, Tomato	9.7	8.0	8.0	103.9	2
119A	4A	Left	Alfalfa, Corn, Cotton	8.3	1.1	1.8	111.8	2
120A	4A	Left	Almond, Cotton	9.1	-1.3	2.6	115.0	2
121A	4A	Left	Almond, Cotton, Pistachio	10.3	-0.4	3.8	112.9	2
127A	4A	Left	Alfalfa, Almond, Corn, Cotton	9.9	1.9	3.4	114.1	2
132A	4A	Left	Alfalfa	8.3	9.6	8.3	108.6	1

Table H-12. Threshold Summary Table (Well Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in well)	Method 2 Threshold - Historical Groundwater (feet bgs in well)	Threshold (feet bgs in well) ¹	Threshold Elevation ¹	Method Used ¹
133A	4A	Left	Almond	9.3	7.4	7.4	109.6	2
135A	3	Left	Alfalfa, Cotton, Vegetable	8.8	6.4	6.4	113.7	2
139A	3	Left	Alfalfa, Corn, Melon, Tomato	9.2	9.8	9.2	116.4	1
140A	3	Left	Cotton, Pistachio	8.7	6.8	6.8	117.3	2
144A	4A	Left	Alfalfa, Corn, Wheat	10.7	10.0	10.0	111.3	2
148A	3	Left	Corn, Cotton, Pistachio, Tomato	10.6	9.2	9.2	119.9	2
151A	3	Left	Alfalfa, Almond	10.2	8.3	8.3	119.6	2
152A	3	Left	Almond	9.5	6.5	6.5	124.3	2
153A	3	Left	Almond	7.0	6.9	6.9	124.5	2
153C	3	Left	Almond	7.0	6.9	6.9	124.5	2
155A	3	Left	Almond	10.6	10.3	10.3	122.6	2
156A	3	Left	Cotton, Tomato	7.5	6.9	6.9	128.8	2
157A	3	Left	Alfalfa, Almond, Corn, Tomato	10.6	7.5	7.5	130.3	2
161A	3	Left	Alfalfa, Corn, Cotton	11.7	10.3	10.3	132.5	2
162A	3	Left	Almond, Corn, Pistachio, Tomato	8.7	9.0	8.7	125.6	1
162C	3	Left	Almond, Corn, Pistachio, Tomato	8.7	14.6	8.7	125.6	1
163B	3	Left	Alfalfa, Almond, Pistachio	8.2	8.0	8.0	124.5	2
165A	3	Left	Almond, Tomato	8.2	8.3	8.2	119.2	1
166A	3	Left	Alfalfa, Melon, Tomato	9.5	9.0	9.0	123.5	2
167A	3	Left	Alfalfa, Tomato	9.6	3.6	3.6	137.2	2

Table H-12. Threshold Summary Table (Well Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in well)	Method 2 Threshold - Historical Groundwater (feet bgs in well)	Threshold (feet bgs in well) ¹	Threshold Elevation ¹	Method Used ¹
182A	4A	Left	Alfalfa, Pasture, Tomato, Wheat	9.6	5.6	5.6	105.0	2
183A	4A	Left	Alfalfa, Corn, Cotton, Pasture, Wheat	9.1	4.5	4.5	103.3	2
184A	4A	Left	Alfalfa, Almond	9.3	5.3	5.3	98.9	2
184B	4A	Left	Alfalfa, Almond, Tomato	11.0	5.3	5.3		2
186A	4A	Left	Corn, Cotton, Melon, Tomato, Wheat	8.3	5.8	5.8	99.5	2
188A	4A	Left	Alfalfa, Almond, Cotton	8.6	5.3	5.3	107.1	2
189A	4A	Left	Almond	10.4	6.9	6.9	108.4	2
189C	4A	Left	Almond	10.4	6.9	6.9	108.4	2
191A	4A	Left	Tomato	9.7	12.8	9.7	99.0	1
369B	3	Left	Almond, Cotton	7.2	13.3	7.2		1
CNOW-13-50	2B	Left	Pistachio	8.9	9.6	8.9	153.9	1
CNOW-14-52	2B	Left	Pistachio	7.9	22.4	7.9	152.6	1
CNSPT-52	2B	Left	Pistachio	7.9	22.4	7.9	152.5	1
CWOW-14-15	2B	Left	Almond	11.3	11.0	11.0	142.7	2
CWSPT-15	2B	Left	Almond	11.3	14.4	11.3	142.7	1
FA-1	1B	Left	Almond, Vineyard	8.8	10.7	8.8	195.6	1
FA-2	1B	Left	Vineyard	9.2	14.7	9.2	198.3	1
FA-3	1B	Left	Vineyard	8.7	14.4	8.7	197.9	1
FA-4	2A	Left	River Channel, Levee	N/A	6.6			
FA-5	2A	Left	River Channel, Levee	N/A	5.8			

Table H-12. Threshold Summary Table (Well Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in well)	Method 2 Threshold - Historical Groundwater (feet bgs in well)	Threshold (feet bgs in well) ¹	Threshold Elevation ¹	Method Used ¹
FA-6	2A	Left	River Channel, Levee	N/A	5.3			
FA-7	2A	Left	Almond	11.3	6.2	6.2	172.8	2
FA-8	2A	Left	River Channel, Levee	N/A	5.2			
FA-9	2A	Left	Corn, Wheat	6.2	6.3	6.2	167.8 *	1
JR-1	1A	Left	Public Land	N/A	29.1			
JR-2	1A	Left	Public Land	N/A	17.9			
MA-1	1B	Left	Walnut	9.8	20.0	9.8	200.0	1
MA-2	2A	Right	Vineyard	10.9	9.1	9.1	173.6	2
MA-3	2A	Right	Alfalfa	10.0	8.4	8.4	170.6	2
MA-4	2A	Right	Vineyard	8.7	8.6	8.6	165.8 *	2
MW-09-1	1A	Right	Public Land	N/A	11.0			
MW-09-2	1A	Right	Public Land	N/A	11.0			
MW-09-21	1B	Left	Almond, Vineyard	12.5	30.6	12.5	214.1	1
MW-09-22	1B	Left	Almond, Vineyard	10.4	20.5	10.4	212.4	1
MW-09-23	1B	Left	Public Land	N/A	2.2			
MW-09-23B	1B	Left	Public Land	N/A	2.2			
MW-09-25	1B	Right	Public Land	N/A	20.9			
MW-09-26	1B	Right	Citrus, Vegetable, Vineyard	6.4	31.7	6.4	222.2	1
MW-09-27	1B	Right	Citrus, Pistachio, Vegetable, Vineyard	9.8	47.5	9.8	227.0	1
MW-09-36	2A	Right	Almond	11.6	11.6	11.6	179.4	1
MW-09-37	2A	Left	Vineyard	17.7	28.3	17.7	174.1	1

Table H-12. Threshold Summary Table (Well Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in well)	Method 2 Threshold - Historical Groundwater (feet bgs in well)	Threshold (feet bgs in well) ¹	Threshold Elevation ¹	Method Used ¹
MW-09-37B	2A	Left	Vineyard	17.9	13.9	13.9	178.2	2
MW-09-39	2A	Left	Alfalfa, Pistachio	7.3	13.3	7.3	177.6	1
MW-09-39B	2A	Left	Alfalfa, Pistachio	7.4	10.7	7.4	177.5	1
MW-09-41	2A	Left	River Channel, Levee	N/A	7.0			
MW-09-44	2A	Left	Almond	10.8	10.6	10.6	168.6	2
MW-09-46	2A	Left	Corn, Wheat	7.6	9.8	7.6	166.0	1
MW-09-47	2A	Right	Alfalfa, Corn, Vineyard, Wheat	7.9	5.7	5.7	169.0 *	2
MW-09-49	2A	Left	Corn, Wheat	7.5	8.5	7.5	163.5	1
MW-09-49B	2A	Left	Corn, Wheat	5.0	2.4	2.4	168.5 *	2
MW-09-52	2B	Right	Almond	9.9	25.9	9.9	152.2	1
MW-09-53	2B	Right	Almond	11.8	24.9	11.8	151.0	1
MW-09-54	2B	Right	Almond	15.0	20.1	15.0	153.1	1
MW-09-54B	2B	Right	Almond	12.8	7.2	7.2	161.0 *	2
MW-09-55	2B	Left	Palms, Pistachio	10.2	17.2	10.2	155.9	1
MW-09-55B	2B	Left	Palms, Pistachio	3.2	3.7	3.2	162.5 *	1
MW-09-56	2B	Left	Pistachio	8.4	15.2	8.4	152.8	1
MW-09-57	2B	Left	Pistachio, Pomegranate	9.6	26.6	9.6	153.5	1
MW-09-83	4A	Right	Corn, Tomato, Wheat	9.5	29.1	9.5	105.3	1
MW-09-83B	4A	Right	Corn, Tomato, Wheat	9.7	29.4	9.7	105.3	1
MW-09-84	4A	Right	Almond, Corn, Wheat	12.0	17.4	12.0	103.8	1
MW-09-85	4A	Right	Almond, Corn, Wheat	14.7	19.5	14.7	106.1	1

Table H-12. Threshold Summary Table (Well Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in well)	Method 2 Threshold - Historical Groundwater (feet bgs in well)	Threshold (feet bgs in well) ¹	Threshold Elevation ¹	Method Used ¹
MW-09-85B	4A	Right	Almond, Corn, Wheat	14.5	16.4	14.5	106.1	1
MW-09-86	4A	Left	Almond	16.6	8.6	8.6	112.4	2
MW-09-86B	4A	Left	Almond	16.3	8.6	8.6	112.3	2
MW-09-87	4A	Left	Almond	9.0	7.6	7.6	107.4	2
MW-09-87B	4A	Left	Almond	8.0	7.6	7.6	107.4 *	2
MW-09-88	4A	Left	Almond, Cotton	10.1	7.1	7.1	104.9	2
MW-09-121	5	Left	Public Land	N/A	2.7			
MW-09-123	5	Left	Public Land	N/A	8.2			
MW-09-124	5	Right	Public Land	N/A	6.1			
MW-09-125	5	Right	Almond, Corn, Pasture, Sweet Potato, Wheat	9.6	8.7	8.7	65.7	2
MW-10-74	3	Left	Almond	14.1	14.7	14.1	121.9	1
MW-10-75	3	Left	Almond, Cotton	10.1	9.9	9.9	121.9 *	2
MW-10-76	3	Left	Almond	12.1	7.4	7.4	123.3	2
MW-10-78	3	Right	Wheat	11.5	9.4	9.4	115.9	2
MW-10-80	4A	Right	Alfalfa	13.5	11.9	11.9	113.0	2
MW-10-89	4A	Right	Almond	9.8	10.8	9.8	109.1	1
MW-10-90	4B1	Right	Pistachio	8.3	2.4	2.4	98.9	2
MW-10-91	4A	Left	Tomato	11.7	7.9	7.9	97.0	2
MW-10-92	4A	Left	Tomato	9.0	5.7	5.7	97.5	2
MW-10-93	4A	Left	Tomato	8.8	3.7	3.7	99.4	2
MW-10-94	4B1	Right	Pistachio	7.7	4.7	4.7	96.9 *	2

Table H-12. Threshold Summary Table (Well Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in well)	Method 2 Threshold - Historical Groundwater (feet bgs in well)	Threshold (feet bgs in well) ¹	Threshold Elevation ¹	Method Used ¹
MW-10-95	4B1	Right	Alfalfa, Corn, Wheat	8.6	2.3	2.3	96.7 *	2
MW-10-96	4B1	Right	Corn, Tomato, Wheat	9.2	3.8	3.8	96.6 *	2
MW-10-97	4B1	Right	Alfalfa, Wheat	8.0	4.2	4.2	97.1 *	2
MW-10-98	4B1	Left	Tomato, Wheat	10.9	6.1	6.1	96.1	2
MW-10-99	4B1	Left	Melon, Tomato, Wheat	11.3	5.9	5.9	98.4	2
MW-10-100	4B1	Left	Corn, Melon, Tomato	11.9	5.0	5.0	97.7	2
MW-10-102	4B1	Right	Onion, Tomato	9.5	3.6	3.6	92.1	2
MW-10-103	4B1	Right	Cotton, Garlic, Onion, Vegetable	12.0	5.3	5.3	93.8	2
MW-10-105	4B1	Left	Carrot, Tomato	10.0	2.2	3.0	93.7	2
MW-10-106	4B1	Left	Tomato, Wheat	7.7	4.2	4.2	90.8	2
MW-10-107	4B1	Left	Melon, Wheat	11.0	5.0	5.0	91.0	2
MW-10-108	4B1	Left	Tomato, Vegetable	10.2	2.7	2.7	94.3	2
MW-10-109	4B1	Left	Onion, Tomato, Wheat	10.9	5.3	5.3	93.2	2
MW-10-110	4B1	Left	Wheat	10.1	5.7	5.7	86.7	2
MW-10-111	4B1	Left	Alfalfa	9.4	2.9	2.9	87.6	2
MW-10-112	4B1	Right	Corn, Wheat	10.9	4.5	4.5	99.1	2
MW-10-113	4B1	Left	Cotton, Tomato, Wheat	12.5	9.6	9.6	94.6	2
MW-10-114	4B1	Left	Cotton, Melon, Tomato, Wheat	11.4	5.1	5.1	94.4	2
MW-10-115	4A	Left	Tomato, Wheat	10.1	4.5	4.5	103.2	2
MW-10-116	4A	Right	Alfalfa, Pistachio	9.4	7.2	7.2	97.5	2
MW-10-117	3	Right	Almond	8.6	36.0	8.6	138.9	1

Table H-12. Threshold Summary Table (Well Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in well)	Method 2 Threshold - Historical Groundwater (feet bgs in well)	Threshold (feet bgs in well) ¹	Threshold Elevation ¹	Method Used ¹
MW-10-118	3	Right	Almond	11.3	13.9	11.3	127.0	1
MW-10-119	3	Right	Almond	9.7	11.0	9.7	130.8	1
MW-10-120	3	Left	Almond	12.8	18.9	12.8	154.1	1
MW-10-126	3	Left	Almond, Tomato	13.3	15.3	13.3	137.1	1
MW-10-127	3	Right	Almond	9.3	13.6	9.3	138.6	1
MW-10-128	3	Left	Cotton, Tomato	10.8	5.0	5.0	163.0	2
MW-10-129	3	Right	Almond	9.1	13.1	9.1	144.7	1
MW-10-188	4A	Left	Almond, Cotton, Wheat	10.3	12.1	10.3	106.6	1
MW-11-130	4A	Left	Almond	10.1	8.1	8.1	113.9	2
MW-11-131	4A	Left	Almond	9.6	8.8	8.8	113.1	2
MW-11-132	4A	Left	Almond	13.6	9.5	9.5	114.3	2
MW-11-133	4A	Left	Alfalfa, Almond	12.4	5.2	5.2	113.9	2
MW-11-134	4A	Left	Alfalfa, Almond	8.8	9.2	8.8	108.3	1
MW-11-135	4A	Left	Alfalfa, Almond	13.3	8.5	8.5	110.6	2
MW-11-136	4A	Left	Almond	11.1	7.1	7.1	109.6	2
MW-11-137	4B1	Right	Cotton, Tomato	8.9	3.0	3.0	88.0	2
MW-11-138	4B1	Right	Melon	11.9	7.0	7.0	86.3	2
MW-11-139	4B1	Right	Broccoli, Melon, Tomato	9.2	3.2	3.2	86.4	2
MW-11-140	4B1	Left	Tomato	10.8	5.3	5.3	89.3	2
MW-11-141	4B1	Right	Broccoli, Cotton, Tomato	7.8	2.9	2.9	86.3	2
MW-11-142	4B1	Right	Melon, Pistachio	9.6	5.1	5.1	90.9	2

Table H-12. Threshold Summary Table (Well Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in well)	Method 2 Threshold - Historical Groundwater (feet bgs in well)	Threshold (feet bgs in well) ¹	Threshold Elevation ¹	Method Used ¹
MW-11-143	4B1	Right	Cotton, Melon, Pistachio, Tomato	8.8	0.6	1.8	91.3	2
MW-11-144	4B1	Right	Wheat	8.4	4.5	4.5	84.6	2
MW-11-145	4B1	Left	Tomato, Wheat	10.7	5.0	5.0	84.2	2
MW-11-146	4B1	Right	Rangeland	N/A	5.1			
MW-11-147	4B1	Right	Rangeland	N/A	2.1			
MW-11-148	4A	Left	Corn, Cotton, Tomato	9.6	7.3	7.3	103.9	2
MW-11-149	4A	Left	Almond, Tomato	10.6	9.6	9.6	104.0	2
MW-11-150	3	Left	Alfalfa	11.3	8.2	8.2	120.7	2
MW-11-151	2A	Right	Pistachio	8.9	23.2	8.9	162.8	1
MW-11-152	4B1	Right	Alfalfa	16.0	10.1	10.1	93.1	2
MW-11-153	4B1	Right	Alfalfa, Wheat	9.8	3.1	3.1	96.7	2
MW-11-154	4B2	Right	Corn, Wheat	11.6	3.9	3.9	94.7	2
MW-11-155	3	Right	Almond	10.1	12.8	10.1	123.9	1
MW-11-156	3	Right	Almond, Pistachio	12.8	14.7	12.8	121.9	1
MW-11-157	3	Right	Pistachio	9.1	12.8	9.1	117.0	1
MW-11-158	2A	Right	Vineyard, Walnut	8.5	12.4	8.5	191.4	1
MW-11-159	2A	Right	Pistachio, Vineyard, Walnut	10.3	26.6	10.3	189.8	1
MW-11-160	3	Left	Almond, Cotton	9.7	10.7	9.7	139.6	1
MW-11-161	3	Right	Almond, Wheat	11.7	13.1	11.7	111.4	1
MW-11-162	4A	Right	Almond	10.6	14.5	10.6	105.1	1
MW-11-163	3	Right	Alfalfa, Almond, Pistachio	9.6	11.8	9.6	110.9	1

Table H-12. Threshold Summary Table (Well Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in well)	Method 2 Threshold - Historical Groundwater (feet bgs in well)	Threshold (feet bgs in well) ¹	Threshold Elevation ¹	Method Used ¹
MW-11-164	2B	Left	Almond, Pistachio	12.6	17.2	12.6	146.3	1
MW-12-165	4A	Right	Wheat	8.0	6.2	6.2	97.4	2
MW-12-166	4A	Right	Corn, Wheat	8.3	19.6	8.3	98.1	1
MW-12-167	4A	Right	Corn, Pistachio, Wheat	7.7	16.4	7.7	99.0	1
MW-12-168	4A	Right	Alfalfa, Corn, Tomato, Wheat	9.2	6.0	6.0	100.5	2
MW-12-169	4A	Right	Alfalfa, Wheat	11.4	7.1	7.1	100.4	2
MW-12-170	4B1	Right	Alfalfa, Pistachio	11.0	3.8	3.8	95.2	2
MW-12-171	4B1	Right	Corn, Pistachio, Wheat	11.9	3.8	3.9	95.4	2
MW-12-172	4B1	Right	Corn, Wheat	8.4	4.5	4.5	93.6	2
MW-12-173	4B1	Right	Corn, Pistachio, Wheat	7.9	6.8	6.8	96.1	2
MW-12-174	4B1	Right	Pistachio	8.0	4.8	4.8	95.8	2
MW-12-175	4B1	Right	Corn, Pistachio, Wheat	7.4	3.5	3.5	99.2	2
MW-12-176	4B1	Right	Pistachio	7.9	2.4	2.4	98.4	2
MW-12-177	4A	Right	Wheat	9.3	4.7	4.7	98.9	2
MW-12-178	4A	Left	Tomato	11.6	11.5	11.5	101.8	2
MW-12-179	4A	Left	Tomato	10.5	12.8	10.5	102.2	1
MW-12-180	3	Left	Alfalfa, Almond	10.9	6.6	6.6	115.7	2
MW-12-181	3	Left	Alfalfa, Almond	11.3	8.0	8.0	118.2	2
MW-12-182	3	Left	Almond	12.7	8.0	8.0	118.4	2
MW-12-183	3	Left	Almond	13.1	6.6	6.6	120.3	2
MW-12-184	3	Right	Almond	9.9	12.4	9.9	137.4	1

Table H-12. Threshold Summary Table (Well Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in well)	Method 2 Threshold - Historical Groundwater (feet bgs in well)	Threshold (feet bgs in well) ¹	Threshold Elevation ¹	Method Used ¹
MW-12-185	3	Right	Almond	11.7	12.6	11.7	138.0	1
MW-12-186	3	Right	Almond	13.8	12.8	12.8	136.8	2
MW-12-187	3	Right	Almond	12.6	12.8	12.6	138.6	1
MW-12-189	3	Right	Grain, Fallow	8.8	11.2	8.8	137.1	1
MW-12-190	3	Right	Grain, Fallow	7.4	8.3	7.4	136.6	1
MW-12-191	3	Right	Almond	9.6	11.4	9.6	136.2	1
MW-12-192	3	Right	Almond	9.4	9.6	9.4	133.9	1
MW-13-193	3	Right	Alfalfa	10.7	12.3	10.7	132.6	1
MW-13-194	3	Right	Alfalfa	9.5	10.3	9.5	132.1	1
MW-13-195	3	Right	Alfalfa, Almond	13.6	11.5	11.5	131.1	2
MW-13-196	3	Right	Alfalfa, Almond	11.6	11.2	11.2	131.7	2
MW-13-197	3	Right	Alfalfa	12.1	12.7	12.1	131.7	1
MW-13-198	3	Right	Almond	11.5	13.2	11.5	130.6	1
MW-13-199	3	Right	Almond	15.6	13.4	13.4	129.3	2
MW-13-200	3	Right	Almond	14.5	13.2	13.2	128.8	2
MW-13-201	3	Right	Almond, Pistachio	11.7	11.3	11.3	127.3	2
MW-13-202	2B	Left	Almond	10.4	20.8	10.4	144.2	1
MW-13-210	3	Right	Almond	11.5	12.5	11.5	122.6	1
MW-13-211	3	Right	Almond, Pistachio	8.7	15.9	8.7	118.0	1
MW-13-212	3	Right	Almond, Vegetable	11.9	17.3	11.9	119.0	1
MW-13-213	3	Right	Almond, Pistachio	12.5	15.7	12.5	116.6	1

Table H-12. Threshold Summary Table (Well Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in well)	Method 2 Threshold - Historical Groundwater (feet bgs in well)	Threshold (feet bgs in well) ¹	Threshold Elevation ¹	Method Used ¹
MW-13-214	3	Right	Almond, Pistachio	11.6	22.2	11.6	117.4	1
MW-13-215	3	Right	Almond, Pistachio	9.4	15.3	9.4	116.3	1
MW-13-216	3	Right	Pistachio, Wheat	10.6	14.2	10.6	110.5	1
MW-14-203	4A	Right	Corn, Wheat	10.7	16.9	10.7	101.6	1
MW-14-204	4A	Right	Corn, Wheat	8.3	11.5	8.3	102.1	1
MW-14-205	4A	Right	Corn, Tomato, Wheat	9.0	11.9	9.0	101.2	1
MW-14-206	4A	Right	Tomato, Wheat	12.5	14.5	12.5	99.9	1
MW-14-207	4A	Right	Alfalfa, Tomato, Wheat	13.9	14.1	13.9	97.9	1
MW-14-208	4A	Right	Alfalfa, Tomato, Wheat	9.1	8.6	8.6	96.5	2
MW-14-209	4A	Right	Corn, Wheat	8.1	10.4	8.1	100.6	1
MW-16-219	4A	Left	Tomato	7.4	10.3	7.4	104.1	1
MW-16-220	4A	Left	Tomato	7.0	9.5	7.0	102.6	1
MW-16-221	4A	Left	Tomato	8.0		8.0		1
MW-16-222	4A	Left	Tomato	8.5	11.7	8.5	102.5	1
MW-16-224	4A	Left	Tomato	8.3	11.8	8.3	99.5	1
MW-17-225	4A	Left	Alfalfa, Corn, Wheat	6.7	11.4	6.7	108.5 *	1
MW-17-226	4A	Right	Almond	9.0	11.2	9.0	107.1	1
MW-18-158B	2A	Right	Vineyard, Walnut	8.5	12.4	8.5	190.7	1
MW-18-227	4B1	Right	Public Land	N/A	0.8			
MW-18-228	4B1	Right	Public Land	N/A				
MW-18-80B	4A	Right	Alfalfa	11.0	11.9	11.0	109.0 *	1

Table H-12. Threshold Summary Table (Well Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in well)	Method 2 Threshold - Historical Groundwater (feet bgs in well)	Threshold (feet bgs in well) ¹	Threshold Elevation ¹	Method Used ¹
MW-22-229	2B	Left	Almond	9.7		9.7	144.8	1
MW-22-230	2B	Left	Almond	12.2	16.0	12.2	144.5	1
MW-22-231	2B	Left	Almond, Pistachio	11.8	27.8	11.8	145.5	1
MW-22-232	2B	Left	Grain, Fallow	6.6	13.9	6.6	149.7	1
MW-22-233	2B	Left	Pistachio	6.8	16.2	6.8	149.7	1
MW-22-234	2B	Left	Almond, Pistachio	9.5	31.4	9.5	147.6	1
MW-22-235	2B	Left	Pistachio	6.3	25.1	6.3	151.6	1
MW-22-236	2B	Left	Pomegranate	8.4	25.4	8.4	154.3	1
OW-1	2B	Right	Almond	9.2		9.2	142.1	1
OW-2	2B	Right	Almond	9.5		9.5	141.9	1
OW-3	2B	Right	Almond	8.7		8.7	142.5	1
OW-4	2B	Right	Almond	9.4		9.4	141.9	1
OW-5	2B	Right	Almond	8.7		8.7	142.4	1
OW-5B	2B	Right	Almond	8.8		8.8	142.1	1
OW-6	2B	Right	Almond	9.9		9.9	141.3	1
OW-6B	2B	Right	Almond	9.7		9.7	141.3	1
PZ-09-R2B-1	2B	Right	Almond	9.6	7.9	7.9	148.3	2
PZ-09-R2B-2	2B	Right	Almond	9.7	3.9	3.9	148.5	2
PZ-09-R3-1	3	Right	Almond, Pomegranate	10.3	7.6	7.6	129.6	2
PZ-09-R3-2	3	Right	Almond, Pomegranate	10.8	11.2	10.8	127.6	1
PZ-09-R3-3	3	Right	Almond	11.5	12.5	11.5	129.0	1

Table H-12. Threshold Summary Table (Well Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in well)	Method 2 Threshold - Historical Groundwater (feet bgs in well)	Threshold (feet bgs in well) ¹	Threshold Elevation ¹	Method Used ¹
PZ-09-R3-4	3	Right	Almond	11.4	9.7	9.7	130.4	2
PZ-09-R3-5	3	Right	Almond	12.1	9.9	9.9	135.5	2
PZ-09-R3-6	3	Right	Almond, Cotton, Vineyard, Wheat	9.3	8.7	8.7	134.3	2
PZ-09-R3-7	3	Right	Almond	6.2	7.5	6.2	138.4 *	1
PZ-12-R2B-3	2B	Left	Vineyard	8.8	10.6	8.8	157.9	1
PZ-12-R2B-4	2B	Left	Vineyard	8.5	5.8	5.8	161.0	2
PZ-12-R2B-5	2B	Left	Vineyard	9.2	7.2	7.2	158.1	2
PZ-12-R2B-6	2B	Left	Vineyard	9.3	15.0	9.3	156.0	1
PZ-12-R4B-8	4B1	Right	River Channel, Levee	N/A	5.3			
PZ-12-R4B-10	4B1	Right	River Channel, Levee	N/A	9.5			
PZ-12-R4B-10D	4B1	Right	River Channel, Levee	N/A	3.9			
PZ-13-R2B-7	4B1	Right	River Channel, Levee	N/A	2.8			
PZ-13-R2B-8	2B	Right	Almond	8.3	14.5	8.3	158.7	1
PZ-13-R4A-1	4A	Left	River Channel, Levee	N/A	3.4			
PZ-13-R4A-2	4A	Right	River Channel, Levee	N/A	10.6			
PZ-13-R4B-11	4B1	Right	Alfalfa, Wheat	6.9	1.0	1.0		2
PZ-13-R4B-12	4B1	Right	Corn, Wheat	8.8	2.9	3.3		2
SJR W-1	4B1	Left	Cotton, Tomato	8.6	3.8	3.8	96.3	2
SJR W-2	4B1	Left	Garlic, Tomato, Wheat	10.5	6.0	6.0	97.2	2
SJR W-3	4B1	Left	Alfalfa, Cotton, Tomato	11.1	5.2	5.2	97.4	2
SJR W-4	4A	Left	Melon, Onion	8.4	5.3	5.3	99.1	2

Table H-12. Threshold Summary Table (Well Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in well)	Method 2 Threshold - Historical Groundwater (feet bgs in well)	Threshold (feet bgs in well) ¹	Threshold Elevation ¹	Method Used ¹
SJR W-5	4A	Left	Corn, Melon, Tomato	8.0	3.7	3.7	97.2	2
SJR W-6	4A	Left	Corn, Tomato	10.9	5.1	5.1	98.4	2
SJR W-7	4A	Left	Corn, Tomato	10.0	5.8	5.8	98.9	2
SJR W-8	4A	Left	Corn, Cotton	9.4	5.1	5.1	101.7	2
SJR W-9	4A	Left	Corn, Cotton, Tomato	7.1	7.1	7.1	95.7	1
SJR W-10	4A	Left	Corn, Tomato	8.0	9.0	8.0	96.3	1
SJR W-11	4A	Left	Corn, Tomato	8.3	13.5	8.3	98.2	1
SJR W-12	4A	Left	Corn, Melon, Onion	8.8	4.3	4.3	99.9	2
SLCC-011	4B1	Left	Onion, Tomato, Vegetable, Wheat	8.7	12.8	8.7	84.8	1
SLCC-012	4B1	Left	Tomato, Wheat	7.5	9.1	7.5	87.8	1
SLCC-019	4B1	Left	Melon, Tomato, Wheat	7.2	8.9	7.2	91.5	1
SLCC-027	4B1	Left	Melon, Tomato, Wheat	8.0	6.5	6.5	95.5	2
SPT-11-1	4B1	Left	River Channel, Levee	N/A	14.6			
SPT-11-2	4B1	Left	River Channel, Levee	N/A	14.1			
SPT-21-1	2B	Right	Almond	8.3	13.8	8.3		1
SPT-21-7	3	Right	Almond	7.0		7.0		1
SPT-21-10	3	Right	Almond	8.5		8.5		1
SPT-21-12	3	Right	Almond	8.2		8.2		1
SPT-21-18	2B	Right	Almond	8.4	11.4	8.4		1
SPT-21-25	2B	Right	Almond	7.3	13.2	7.3		1
T8-1	2A	Left	Almond	9.0		9.0		1

Table H-12. Threshold Summary Table (Well Threshold)

Well	Reach	Bank	Crop Type	Method 1 Threshold - Agricultural Practices (feet bgs in well)	Method 2 Threshold - Historical Groundwater (feet bgs in well)	Threshold (feet bgs in well) ¹	Threshold Elevation ¹	Method Used ¹
T10-1 (1m)	2A	Center	River Channel, Levee	N/A	1.9			
T10-1 (3m)	2A	Center	River Channel, Levee	N/A	1.9			
T10-2	2A	Right	River Channel, Levee	N/A	10.0			
T12-1	2A	Left	Corn, Wheat	-0.5	14.0	-0.5	164.1	1
T12-2	2A	Left	Corn, Wheat	1.6	16.1	1.6	165.2	1
T12-3	2A	Left	Corn, Wheat	-1.3	13.2	-1.3	165.3	1
T13-2	2A	Right	River Channel, Levee	N/A	0.8			
T13-3	2A	Right	River Channel, Levee	N/A	2.1			

¹ The method with the shallower water level establishes the threshold. Method 1 and 2 correspond to agricultural and historical, respectively.
² * Threshold calculation includes lateral gradient buffer as described in section H.1.3.3.

1

Table H-13. Count of Thresholds Calculated Via Each Method

Threshold Method	Number of Wells
Agricultural Practices	165
Historical Groundwater Method A	3
Historical Groundwater Method B	1
Historical Groundwater Method C	180
Historical Groundwater Method C1, CCID Well	89
Historical Groundwater Method C2, 1999	2
Historical Groundwater Method C3, 2009	2
Historical Groundwater Method C4, Oct/2009-Jan/2024	87

2